

TEXTON



FAUX WOOD

BLINDS

Effective February 4, 2019

design simplified™

TABLE OF CONTENTS

Product Overview

- Features & Benefits 2
- Color Charts 3

Pricing Information

- 2" Faux – Whites & Neutrals Price Chart and Surcharges 4
- 2" Faux – Wood Tones Price Chart and Surcharges 5
- 2-1/2" Faux – Whites & Neutrals Price Chart and Surcharges..... 6
- 2-1/2" Faux – Wood Tones Price Chart and Surcharges 7
- 2" Faux – Premium Grain Price Chart and Surcharges 8
- RemoteTilt™ System and Option Surcharges 9

Valance Information

- Individual Valance Ordering and Pricing/Tape Valance Option and Color Chart 10
- Valances and Valance Return Information and Specifications 11

Cordless Lift & Lock Bottomrail Color Coordination 12

Solid and Decorative Tape Option and Listing 13

Product and Specifications

- Product Specifications 14
- Size Specifications 15
- Finished Dimensions and Mounting Requirements..... 15

Controls, Components, Ladder/Tape Placement & Stack-up Charts

- Standard Rectangular 16
- Cordless 17
- RemoteTilt 18
- Cordless Lift & Lock™ 19
- Component Diagrams 20-22

RemoteTilt Motorization

- RemoteTilt Motorization – Overview. 23
- Radio Frequency (RF) Features, Options and Part Numbers 24

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width are considered oversize. Therefore, a net shipping charge of \$40 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

WHAT'S NEW FOR 2018

- Refreshed color palette includes on-trend whites, neutrals and wood tones
- Premium Grain, an exquisite decorative collection, features a beautiful wood grain print
- Cordless lift and wand tilt options now available on 2 1/2" slats
- Improved fabrication of LightsOut routeless slats option to reduce slat displacement
- Spliced valance available up to 168"
- Updated solid cloth tape colors



FEATURES & BENEFITS

- Durable engineered material that won't crack, chip, or peel.
- Offered in a wide selection of whites, neutrals and wood tones, including the rich colors and wood grain patterns of the Premium Grain collection.
- Whites, Neutrals and Woodtones available in 2" and 2-1/2" slat styles, Premium Grain available in 2" slats.
- Come standard with a 3" decorative valance and trapezoid bottomrail. Contemporary Crescent valance is optional.
- Heavy-duty slim design headrail and crash-proof cordlock that provide smooth, reliable operation.
- Decorative tassels and lift cord with a unique Stop Ball that breaks apart under pressure to help protect children and pets.
- A wide selection of solid and decorative tapes that add a stylish accent.
- Optional LightsOut routeless feature that blocks additional light and enhances privacy.
- Available with upgraded operating systems including Cordless Lift & Lock™, Cordless Lift and RemoteTilt™ for enhanced control convenience.
- Cordless Lift & Lock™ is certified Best For Kids when ordered with wand tilt.
- Limited Lifetime Warranty ensures your customers' satisfaction.

COLOR CHART

2" FAUX WOOD

WHITES AND NEUTRALS	COLOR #
Dolphin	S921
Eggshell	S904
Gobi	S920
Pearl	S903
Smoke	S922
Snow	S901
Textured Pearl	T903
Textured Pure White	T901
Ultra White	S951

WOOD TONES	COLOR #
Burmese Teak	P925
Honey Maple	P924
Light Oak	P913

2-1/2" FAUX WOOD

WHITES AND NEUTRALS	COLOR #
Dolphin	S921
Eggshell	S904
Gobi	S920
Pearl	S903
Smoke	S922
Snow	S901
Textured Pearl	T903
Textured Pure White	T901
Ultra White	S951

WOOD TONES	COLOR #
Burmese Teak	P925
Honey Maple	P924
Light Oak	P913

2" PREMIUM GRAIN

Espresso	PG507
Harvest	PG504
Heathered	PG500
Peppercorn	PG503

Slate	PG501
Sterling Gray	PG502
Tawny	PG506
Toasted Almond	PG505

CHARACTERISTICS OF FAUX WOOD BLINDS

Faux wood blinds are an excellent and economical alternative to wood blinds for many applications and offer long lasting performance. The Whites and Neutrals and the Wood Tones colors are constructed of a durable engineered polymer material, and the Premium Grain colors are constructed of a non-PVC acrylic-based material. Both materials will not crack, chip or fade – perfect for high traffic areas. They are also easy to clean and are moisture resistant for placement in kitchens and bathrooms.

Faux wood blinds are not intended for installation near heat sources such as radiators and heat registers which can potentially compromise the integrity of the faux wood material, or in locations where temperatures within the window casing will exceed 120 degrees Fahrenheit, including older single pane or aluminum frame windows that conduct and amplify outside heat into the window casing.

Faux wood blinds in all colors are certified GOLD for Greenguard Indoor Air Quality. The Whites and Neutrals colors and the Wood Tone colors are FR Certified NFPA 701 (Premium Grain colors are not FR certified).

GROUP 1 – 2" WHITES & NEUTRALS

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$131	145	155	172	184	204	222	256	272	297	315	333	360
36"	142	153	163	182	199	217	238	272	293	323	333	360	388
42"	151	163	177	198	214	234	258	296	316	345	367	391	426
48"	160	172	185	209	226	251	274	314	339	373	387	421	455
54"	172	191	207	232	253	274	303	345	373	404	431	458	493
61"	184	202	220	244	267	289	321	370	394	432	457	493	534
66"	195	212	229	262	281	310	341	390	422	464	489	525	568
73"	208	225	243	279	301	332	367	422	450	493	524	566	610
78"	217	235	258	288	315	345	383	441	476	521	551	592	
84"	225	244	270	307	332	367	408	463	502	553	579	614	
90"	235	258	281	321	347	383	423	483	524	577	593		
96"	243	271	297	333	367	404	448	508	550	606			
102"	254	279	309	345	377	421	464	534	571				
108"	276	303	330	378	414	452	499	570	604				

Note: Blinds over 50 sq. ft. require 2 or 3 on 1 Headrail

Cordless Lift & Lock not available in sizes over 40 sq ft outside the thick black line

SOLID & DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift & Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Solid	\$38	38	38	38	46	46	55	55	64	64	74	74	80
Decorative	80	80	80	80	98	98	120	120	138	138	158	158	171

NO CHARGE OPTIONS

- 3" Crescent Valance (in place of 3" Standard Decorative Valance)
- LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes)
- Controls – LR, RL or Grouped
- Hold-Down Brackets
- Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4")
- Special Wand and Cord Length (see page 16 for wand lengths)
- Cord Tilter
- 2 or 3 On 1 Headrail (max. 120" on 2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift) (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

- Cordless Lift & Lock™ Systemadd \$116 each
- Cordless Lift System.....add \$168 each
- Blinds Under 12" Wide.....add \$21 each
- Tape Valanceadd \$20 each
- Keystone Valance Option (for blinds under 102" wide)add \$20

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™	2" Remote Tilt Motorization ¹
Minimum Width (Net)	8" 12" with Tapes	18"	10-1/2"	12" 14" with Tapes
Maximum Width (One blind)	96"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"
Max. AREA (SQ/FT) ²	50 sq/ft	40 sq/ft	40 sq/ft	50 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" ³	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"

1 RemoteTilt Motorization is not available with Cordless Lift & Lock

2 Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

3 Cordless Lift & Lock™ not available as a 3 on 1 headrail

GROUP 2 – 2" WOOD TONES

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$142	154	165	185	204	222	244	279	309	328	354	373	403
36"	151	164	178	202	218	240	266	303	330	354	383	404	435
42"	163	178	195	218	236	263	285	330	361	386	422	441	477
48"	172	189	207	229	254	280	310	352	387	421	450	475	512
54"	191	211	227	258	280	310	341	387	431	462	499	524	566
61"	202	222	243	274	300	328	361	417	459	494	535	564	606
66"	214	235	262	289	319	351	390	450	493	534	579	606	654
73"	227	254	274	314	343	381	422	483	533	569	620	658	711
78"	243	267	289	333	368	403	444	511	570	615	669	702	
84"	262	283	314	358	391	435	481	551	615	659	724	729	
90"	272	301	332	381	417	462	515	593	654	700	742		
96"	288	316	352	400	440	486	544	622	694	747			
102"	300	332	368	416	459	510	569	650	726				
108"	325	359	396	452	497	548	615	699	753				

Note: Blinds over 50 sq. ft. require 2 or 3 on 1 Headrail

Cordless Lift & Lock not available in sizes over 40 sq ft outside the thick black line

SOLID & DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift & Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Solid	\$38	38	38	38	46	46	55	55	64	64	74	74	80
Decorative	80	80	80	80	98	98	120	120	138	138	158	158	171

NO CHARGE OPTIONS

- 3" Crescent Valance (in place of 3" Standard Decorative Valance)
- LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes)
- Controls – LR, RL or Grouped
- Hold-Down Brackets
- Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets
- Spacer Blocks – small (3/8") and large (3/4")
- Special Wand and Cord Length (see page 16 for wand lengths)
- Cord Tilter
- 2 or 3 On 1 Headrail (max. 120" on 2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift) (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

- Cordless Lift & Lock™ Systemadd \$116 each
- Cordless Lift System.....add \$168 each
- Blinds Under 12" Wide.....add \$21 each
- Tape Valanceadd \$20 each
- Keystone Valance Option (for blinds under 102" wide)add \$20

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™	2" Remote Tilt Motorization ¹
Minimum Width (Net)	8" 12" with Tapes	18"	10-1/2"	12" 14" with Tapes
Maximum Width (One blind)	96"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"
Max. AREA (SQ/FT) ²	50 sq/ft	40 sq/ft	40 sq/ft	50 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" ³	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"

¹ RemoteTilt Motorization is not available with Cordless Lift & Lock

² Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

³ Cordless Lift & Lock™ not available as a 3 on 1 headrail

GROUP 3 – 2-1/2" WHITES & NEUTRALS

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$147	159	172	190	208	234	253	290	312	346	372	399	431
36"	159	171	185	205	226	252	278	316	345	378	406	436	471
42"	174	182	194	220	240	271	294	334	368	405	436	467	506
48"	181	194	208	236	260	290	319	364	397	441	475	511	551
54"	191	207	226	253	279	315	345	399	436	480	515	561	605
61"	202	222	239	270	298	341	373	427	470	517	564	608	657
66"	231	252	272	306	337	381	421	481	530	579	622	676	729
73"	245	269	290	327	363	408	450	517	564	627	675	729	788
78"	256	280	305	345	385	435	477	544	597	664	720	784	
84"	271	298	328	368	413	464	515	590	645	713	783	813	
90"	290	318	348	391	437	494	547	628	698	769	820		
96"	303	334	369	417	470	532	588	677	745	824			
102"	324	358	395	443	498	570	629	720	802				
108"	342	377	416	475	538	605	673	782	824				

Note: Blinds over 50 sq. ft. require 2 or 3 on 1 Headrail

Cordless Lift & Lock not available in sizes over 31 sq ft outside the thick black line

SOLID & DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift & Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Solid	\$38	38	38	38	46	46	55	55	64	64	74	74	80
Decorative	80	80	80	80	98	98	120	120	138	138	158	158	171

NO CHARGE OPTIONS	
<ul style="list-style-type: none"> • 3" Crescent Valance (in place of 3" Standard Decorative Valance) • LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes) • Controls – LR, RL or Grouped • Hold-Down Brackets (not available with Cordless Lift & Lock) • Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock) • Short and Long Extension Brackets • Cord Tilter 	<ul style="list-style-type: none"> • Spacer Blocks – small (3/8") and large (3/4") (one 3/8" spacer set standard with 2-1/2" blinds) • Special Wand and Cord Length (see page 16 for wand lengths) • 2 or 3 On 1 Headrail (maximum 120" on 2-1/2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift) (3 on 1 headrail not available with Cordless Lift & Lock) • Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER	
<ul style="list-style-type: none"> • Cordless Lift & Lock™ Systemadd \$116 each • Cordless Lift System.....add \$168 each • Blinds Under 12" Wide.....add \$21 each 	<ul style="list-style-type: none"> • Tape Valanceadd \$20 each • Keystone Valance Option (for blinds under 102" wide)add \$20

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2-1/2" Standard	2-1/2" Cordless	2-1/2" Cordless Lift & Lock™	2-1/2" Remote Tilt Motorization ¹
Minimum Width (Net)	12"	18"	10-1/2"	12" 14" with Tapes
Maximum Width (One blind)	96"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"
Max. AREA (SQ/FT) ²	50 sq/ft	36 sq/ft	31 sq/ft	50 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" ³	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"

1 RemoteTilt Motorization is not available with Cordless Lift & Lock

2 Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

3 Cordless Lift & Lock™ not available as a 3 on 1 headrail

GROUP 4 – 2-1/2" WOOD TONES

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$163	172	190	209	227	258	278	319	343	381	409	437	475
36"	172	189	202	226	249	276	306	348	379	416	448	479	517
42"	191	199	214	242	263	298	324	369	404	445	479	512	553
48"	198	213	227	261	285	319	351	401	436	488	522	562	606
54"	212	227	249	278	307	346	379	437	479	529	568	617	666
61"	222	244	263	297	329	373	410	470	515	570	619	669	724
66"	253	276	298	336	372	418	462	530	583	639	684	743	802
73"	271	296	319	359	400	450	494	570	619	691	742	802	865
78"	280	309	334	379	423	477	525	600	657	730	789	861	
84"	298	328	360	404	454	511	568	650	709	785	860	895	
90"	319	350	383	432	480	544	602	693	767	846	900		
96"	333	369	405	459	515	584	648	745	819	908			
102"	355	391	434	489	548	627	694	789	882				
108"	374	414	458	522	591	666	739	860	908				

Note: Blinds over 50 sq. ft. require 2 or 3 on 1 Headrail

Cordless Lift & Lock not available in sizes over 31 sq ft outside the thick black line

SOLID & DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift & Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Solid	\$38	38	38	38	46	46	55	55	64	64	74	74	80
Decorative	80	80	80	80	98	98	120	120	138	138	158	158	171

NO CHARGE OPTIONS	
<ul style="list-style-type: none"> 3" Crescent Valance (in place of 3" Standard Decorative Valance) LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes) Controls – either LR, RL or Grouped Hold-Down Brackets (not available with Cordless Lift & Lock) Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock) Short and Long Extension Brackets Cord Tilter 	<ul style="list-style-type: none"> Spacer Blocks – small (3/8") and large (3/4") (one 3/8" spacer set standard with 2-1/2" blinds) Special Wand and Cord Length (see page 16 for wand lengths) 2 or 3 On 1 Headrail (maximum 120" on 2-1/2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift) (3 on 1 headrail not available with Cordless Lift & Lock) Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER	
<ul style="list-style-type: none"> Cordless Lift & Lock™ Systemadd \$116 each Cordless Lift System.....add \$168 each Blinds Under 12" Wide.....add \$21 each 	<ul style="list-style-type: none"> Tape Valanceadd \$20 each Keystone Valance Option (for blinds under 102" wide)add \$20

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2-1/2" Standard	2-1/2" Cordless	2-1/2" Cordless Lift & Lock™	2-1/2" Remote Tilt Motorization ¹
Minimum Width (Net)	12"	18"	10-1/2"	12" 14" with Tapes
Maximum Width (One blind)	96"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"
Max. AREA (SQ/FT) ²	50 sq/ft	36 sq/ft	31 sq/ft	50 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" ³	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"

1 RemoteTilt Motorization is not available with Cordless Lift & Lock

2 Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

3 Cordless Lift & Lock™ not available as a 3 on 1 headrail

GROUP 5 – 2" PREMIUM GRAIN

3" Standard Decorative Polymer Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
HEIGHT TO:													
30"	\$163	177	190	213	234	254	280	321	355	377	406	428	463
36"	173	189	205	232	251	276	305	350	381	406	440	464	499
42"	187	205	225	251	271	302	328	381	416	444	485	507	548
48"	196	216	238	265	293	323	356	405	445	484	517	544	590
54"	220	242	263	297	323	356	390	445	495	532	574	602	651
61"	232	254	279	316	345	377	416	480	529	569	615	648	698
66"	247	270	300	332	368	403	449	517	568	614	667	698	752
73"	263	293	316	360	395	437	485	556	613	654	712	757	816
78"	279	306	332	383	422	463	511	588	655	707	769	807	
84"	300	325	360	412	452	499	553	633	707	758	832	838	
90"	314	347	382	437	480	532	591	681	752	806	854		
96"	330	363	405	459	506	559	626	715	796	859			
102"	345	382	422	479	529	587	654	748	834				
108"	374	413	454	519	573	631	707	803	865				

Note: Blinds over 50 sq. ft. require 2 or 3 on 1 Headrail

Cordless Lift & Lock not available in sizes over 40 sq ft outside the thick black line

SOLID & DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with LightsOut feature, Cordless or Cordless Lift & Lock.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	96"
Solid	\$38	38	38	38	46	46	55	55	64	64	74	74	80
Decorative	80	80	80	80	98	98	120	120	138	138	158	158	171

NO CHARGE OPTIONS	
<ul style="list-style-type: none"> • 3" Crescent Valance (in place of 3" Standard Decorative Valance) • LightsOut Routeless Feature (not available with Cordless Lift & Lock, Cordless Lift System or blinds with Tapes) • Controls – LR, RL or Grouped • Hold-Down Brackets • Tile Cut Out – maximum 3" each side (not available with Cordless Lift & Lock) • Short and Long Extension Brackets 	<ul style="list-style-type: none"> • Spacer Blocks – small (3/8") and large (3/4") • Special Wand and Cord Length (see page 16 for wand lengths) • Cord Tilter • 2 or 3 On 1 Headrail (max. 120" on 2" blinds) – price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift) • (3 on 1 headrail not available with Cordless Lift & Lock) • Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size & color)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER	
• Cordless Lift & Lock™ Systemadd \$116 each	• Tape Valanceadd \$20 each
• Cordless Lift Systemadd \$168 each	• Keystone Valance Option (for blinds under 102" wide)add \$20
• Blinds Under 12" Wide.....add \$21 each	

Note: For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™	2" Remote Tilt Motorization ¹
Minimum Width (Net)	8" 12" with Tapes	18"	10-1/2"	12" 14" with Tapes
Maximum Width (One blind)	96"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	108"	72"	84"	96"
Max. AREA (SQ/FT) ²	50 sq/ft	40 sq/ft	40 sq/ft	50 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	N/A	120" ³	N/A
Maximum Continuous Valance Width (not spliced)	102"		102"	102"

1 RemoteTilt Motorization is not available with Cordless Lift & Lock

2 Blinds over Max SQ/FT require 2 or 3 on 1 headrail (where available)

3 Cordless Lift & Lock™ not available as a 3 on 1 headrail

REMOTETILT™ – Tilt Motorization System

NOTE: Must select RF RemoteTilt power source when ordering.

Radio Frequency (RF) RemoteTilt power options are: Single Battery Wand (reloadable), Dual Battery Wand (reloadable), and Transformer (plugs into wall outlet). Each Reloadable Battery Wand comes with a set of 8 AA lithium batteries on initial shade orders at the prices shown below. The part # below references the battery wand only.

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (Must select RemoteTilt power source when ordering)	
RADIO FREQUENCY (RF) MOTORIZATION	
• Radio Frequency (RF) Tilt Motor	add \$464 per blind
• Radio Frequency (RF) Remote Control Unit – 1 Channel Part #RC445069.....	add \$169 each
• Radio Frequency (RF) Remote Control Unit – 5 Channel Part #RC445079.....	add \$217 each
• Radio Frequency (RF) Wireless Wall Switch – 1 Channel..... Part #RC445135.....	add \$430 each
• Radio Frequency (RF) Wireless Wall Switch – 5 Channel..... Part #RC445136.....	add \$430 each
• Radio Frequency (RF) Programmable Timer – 1 Channel Part #1805237A.....	add \$684 each
• Radio Frequency (RF) Single Battery Wand – Reloadable (Includes 8 AA)..... Part #RC445268.....	add \$230 each
• Radio Frequency (RF) Dual Battery Wand – Reloadable (Includes 16 AA) Part #RC445268.....	add \$464 each
• Radio Frequency (RF) Transformer Part #1822192.....	add \$231 each
• Radio Frequency (RF) 10" Battery Wand Extension Cable Part #9013282.....	add \$17 each
• Radio Frequency (RF) 48" Battery Wand Extension Cable Part #9013279.....	add \$25 each
• Radio Frequency (RF) 96" Battery Wand Extension Cable Part #9013277.....	add \$33 each
• Radio Frequency (RF) 8 AA Lithium Batteries – Reloadable Wand Replacements Part #9014834.....	add \$77 each
• Solar Recharge Kit (batteries NOT included) Part #9019034.....	add \$422 each <i>(Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets – 4 qty.)</i>
• NiMh Rechargeable Batteries (quantity of 10)..... Part #9018621.....	add \$119 each
• Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 12" cable) Part #9018620.....	add \$418 each
• 48" Extension Cable for Y Harness..... Part #9016736.....	add \$28 each

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

REMOTETILT MOTORIZATION	2"	2-1/2"
Minimum Width (Net)	12" 14" with Solid or Decorative Tapes	12" 14" with Solid or Decorative Tapes
Maximum Width (One blind)	96"	96"
Maximum Height	96"	96"
Maximum AREA (SQ/FT)	50 sq/ft	50 sq/ft
Maximum Continuous Valance Width (not spliced)	102"	102"

Note: RemoteTilt not available with Cordless Lift & Lock.

INDIVIDUAL VALANCE ORDERING & PRICING



Refer to this pricing for "individual" valances only. (Valances on all blind orders are already standard and included in the blind price.)

Valance Deductions for Faux Wood Blinds

Order Configuration		How Valance Will Be Produced
IB	RETURN LENGTH OVERRIDE	Inside miter to miter valance will be 1" wider than ordered width
OB	NET (Valance Only)	Inside miter to miter valance will be exact ordered width
IB	NET (Valance Only)	Valance will be exact ordered width
IB	CONTINUOUS	Valance will be exact size of continuous valance measurement
IB	CONTINUOUS with RETURN LENGTH OVERRIDE	Inside miter to miter valance will be 1" wider than ordered width
OB	CONTINUOUS	Inside miter to miter valance will be exact ordered width

2" & 2-1/2" FAUX WOOD COLOR NAMES	3" STANDARD DECORATIVE AND CRESCENT VALANCE COLOR #
Burmese Teak	P925
Dolphin	S921
Eggshell	S904
Espresso	PG507
Gobi	S920
Harvest	PG504
Heathered	PG500
Honey Maple	P924
Light Oak	P913
Pearl	S903
Peppercorn	PG503
Slate	PG501
Smoke	S922
Snow	S901
Sterling Gray	PG502
Tawny	PG506
Textured Pearl	T903
Textured Pure White	T901
Toasted Almond	PG505
Ultra White	S951

*NOTE: When ordering Textured White and Textured Pearl, the Decorative Valance will be textured; Crescent Valance will be smooth.

INDIVIDUAL VALANCE PRICING (FOR 3" STANDARD DECO AND CRESCENT VALANCE)

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
3" Standard Deco, Crescent	\$34	34	34	34	53	53	53	53	74	74	74	74	88	88	88	115	115	115	147	180

TAPE VALANCE OPTION



With this option, the 1" or 1-1/8" Tape is attached (glued) across the flat section of the 3" Standard Deco Valance. Refer to the faux wood/tape sample deck to coordinate faux wood and tape colors to your customer's liking. The tape names available for this option and the 4 digit tape color numbers are listed below. (Tape pattern orientation flows from left to right.)

SOLID TAPE NAMES	Color Number
Alabaster	1113
Black	1899
Chocolate	1376
Dark Beige	1323
Dark Gray	1850
Light Beige	1322
Light Gray	1861

SOLID TAPE NAMES	Color Number
Pecan	1334
Steel	1867
Taupe	1302
White	1100
DECORATIVE TAPE NAMES	Color Number
Gray Cream Band	5007
Gray Gold Band	5006

NOTE: Decorative Keystone can be ordered with the tape valance option but the tape will not be placed on the Keystone, as it will butt up to it on each side.


VALANCES

VALANCE & RETURN CONFIGURATIONS (OUTSIDE MOUNTS)



Standard Decorative - 3" Profile

Crescent Valance - 3" Profile (optional)



NOTE: Outside mount returns are adjusted longer by the factory when short or long (1-3/8" or 3-1/2") extension brackets or when small or large (3/8" or 3/4") spacer blocks are ordered. Only the 1st set of ordered spacer blocks will affect the return length adjustment. Please specify longer custom return lengths when ordering if additional spacer blocks will be used.

Slat Size/Style

- 2" Faux Wood Blinds
- 2-1/2" Faux Wood Blinds

Standard OB Returns

- 3"
- 3-3/8"

NOTE: Inside mount blind valances do not come with returns unless specified on the order.


KEYSTONE VALANCE OPTION

Keystones are designed to cover splices in oversized valances or can be used as a decorative element to add dimensional appeal.

Valances under 102" – a keystone may be added to a valance for a small surcharge. The valance will come fully assembled with the keystone positioned in the center. The color of the keystone will match the valance.

Valances over 102" that are spliced - a keystone will automatically be provided at no charge to join the sides and cover the splice. Will require assembly.

Note: the addition of a keystone will not affect the overall width of the valance.



VALANCE / RETURN SPECIFICATIONS


- **Custom valance widths** are available upon request. Maximum widths for valance are as follows:
 - The maximum Continuous Valance width is **102"**
 - The maximum Spliced Valance width is **168"**. (See note below).
- **Custom return lengths** are available upon request.
 - The minimum return length is **1/2"**
 - The maximum return length is **6"**
- **3" Return lengths** are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.

Short Extension Brackets = 4-1/4"	Small Spacer Blocks (1st Set) = 3-3/8"
Long Extension Brackets = 6-1/4"	Large Spacer Blocks (1st Set) = 3-3/4"

NOTE: Valances over 102" will be spliced in the middle. **A decorative keystone will be supplied at no charge to join the sides and conceal the splice.**

CUSTOM VALANCE & RETURNS – MEASURED & CUT FROM THE INSIDE:

- **NOTE:** Valances are cut to measure from the **inside** miter to insure the most accurate fit when installed over the headrail or window frame.



CORDLESS LIFT & LOCK™ – BOTTOMRAIL COLOR COORDINATION

The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below.

Whites & Neutrals	2" Color #	2-1/2" Color #	Cordless Lift & Lock Bottomrail	
			Color	Color #
Dolphin	S921	S921	Pearl Gray	879
Eggshell	S904	S904	Antique White	973
Gobi	S920	S920	Antique White	973
Pearl	S903	S903	Antique White	973
Smoke	S922	S922	Gray Flannel	405
Snow	S901	S901	Flex White	885
Textured Pearl	T903	T903	Antique White	973
Textured Pure White	T901	T901	Gloss White	110
Ultra White	S951	S951	Pearl	974

Wood Tones	2" Color #	2-1/2" Color #	Cordless Lift & Lock Bottomrail	
			Color	Color #
Burmese Teak	P925	P925	Wild Ginger	463
Honey Maple	P924	P924	Camel	082
Light Oak	P913	P913	Camel	082

Premium Grain	2" Color #		Cordless Lift & Lock Bottomrail	
			Color	Color #
Espresso	PG507	N/A	Venetian Bronze	234
Harvest	PG504	N/A	Cocoa	083
Heathered	PG500	N/A	Smokey Gray	443
Peppercorn	PG503	N/A	Bronze	064
Slate	PG501	N/A	Smokey Gray	443
Sterling Gray	PG502	N/A	Pearl Gray	879
Tawny	PG506	N/A	Sweet Chocolate	378
Toated Almond	PG505	N/A	Bronze	064

NOTE: Bottomrail colors are pre-selected. Hardware color override is not available.
Please refer to the cordless Lift & Lock™ Hardware Color Card to see an example of the bottomrail color.

SOLID AND DECORATIVE TAPES

TAPES



TAPE SPECIFICATIONS

Select the tape width, color and design which will complement your 2" or 2-1/2" faux wood blind.

- Made from a poly/cotton blend
- Resists fading or shrinking
- *Lifetime Guarantee*
- Decorative tapes are attached to solid colored tape ladders that are slightly narrower than the width of the decorative tape (see chart below). The ladder is pre-selected based upon this width and for color coordination. A high tech gluing process is used to adhere the decorative tape. This process is superior to the commonly used sewing application which is visible and tends to pucker. **The decorative tape is only applied to the ladder on the front of the blind. The back of the blind will have a solid color tape visible (see chart below).**

Solid Tapes

1" Solid Tape	Color Number
Alabaster	1113
Black	1899
Chocolate	1376
Dark Beige	1323
Dark Gray	1850
Light Beige	1322
Light Gray	1861
Pecan	1334
Steel	1867
Taupe	1302
White	1100

1-1/2" Solid Tape	Color Number
Alabaster	8113
Black	8899
Chocolate	8376
Dark Beige	8323
Dark Gray	8850
Light Beige	8322
Light Gray	8861
Pecan	8334
Steel	8867
Taupe	8302
White	8100

Decorative Tapes

1-1/8" Deco Tape		Attached To
Gray Cream Band	5007	Alabaster
Gray Gold Band	5006	Alabaster
1-1/4" Deco Tape		Attached To
Stonewash Cocoa	5003	Light Beige
Stonewash Espresso	5005	Chocolate
Stonewash Gray	5002	Alabaster
Stonewash Khaki	5001	Alabaster

1-1/2" Deco Tape		Attached To
Dublin	6200	Alabaster
Ivory Accent	0911	Alabaster
Knit Fit	4300	Alabaster
White Accent	0910	White

Solid and Decorative Tapes are not available with:

- LightsOut Routeless Feature
- Cordless Lift
- Cordless Lift & Lock™

PRODUCT SPECIFICATIONS

FEATURES	2"	2-1/2"
# of Colors	20	12
Headrail Size	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"
Headrail Gauge	.024	.024
Bracket Style	Box	Box
Bottomrail - Standard/Cordless	Trapezoid	Trapezoid
Bottomrail - Cordless Lift & Lock	Aluminum Bottomrail made in 1 of 18 colors - see listing on Page 12 for color name and Wood/Faux Wood bottomrail color guide for color sample	
Ladder Space	44 mm	54 mm
Wand Tilt - not available with RemoteTilt option	Yes	Yes
Crescent Valance	Yes – 3"	Yes – 3"
Decorative Valance	Yes – 3"	Yes – 3"
Valance Return Lengths (standard for outside mounts)	3"	3-3/8"
Adjustable Valance Attachment System	Yes	Yes
Decorative Tassel	Yes	Yes
Headrail End Stiffener	Yes	Yes
Break-Away Stop Ball	Yes	Yes
Warranty (Tilt motor systems are warranted for 5 years)	Limited Lifetime	Limited Lifetime
Flame Resistant – NFPA #701	Yes	Yes

OPTIONS AND UPGRADES	2"	2-1/2"
Cordless Lift - not available with tapes - not available with LightsOut Routeless feature	Yes	Yes
Cordless Lift & Lock™ - not available with tapes - not available with LightsOut Routeless feature	Yes	Yes
RemoteTilt System ¹ - not available with cordless Lift & Lock™	Yes	Yes
LightsOut Routeless Slats ² - not available with tapes - not available with cordless lift - not available with cordless Lift & Lock™	Yes	Yes
2 or 3 On 1 Headrail ³ - 2-on-1 or 3-on-1 headrail not available with cordless lift - 3-on-1 headrail not available with cordless Lift & Lock™	Yes	Yes
Tapes ⁴ (not available with LightsOut feature) - not available with cordless lift - not available with cordless Lift & Lock™ - not available with LightsOut Routeless feature	Yes	Yes
Tape Valance – Standard Decorative Valance Only	Yes	Yes
Crescent Valance Option ⁵	Yes	Yes
Keystone Valance Option	Yes	Yes

CONTROL/MOUNTING OPTIONS	2"	2-1/2"
Cord Tilt	Yes	Yes
Wand/Cord – Custom Lengths	Yes	Yes (Cord Only)
Control Positions	LR, RL or Grouped	LR, RL or Grouped
Lift Control Position – Cordless	Left Tilt Only	Left Tilt Only
Lift Control Position – Cordless Lift & Lock™	L or R Under 12-1/2" net - center tilt only	L or R Under 12-1/2" net - center tilt only
Lift Control Position – RemoteTilt (Motor will be on opposite side)	L or R	L or R
Tile Cut-out(s) - not available with cordless Lift & Lock™	Yes	Yes
Spacer Blocks ⁶ (3/8" and 3/4" Depths)	Yes	3/8" Standard
Extension Brackets (Short & Long)	Yes	Yes
Hold-down Brackets - not available with 2-1/2" cordless Lift & Lock	Yes	Yes

FOOTNOTES (FEATURES & SPECIFICATIONS)
¹ RemoteTilt motorization system requires a hand-held REMOTE CONTROL unit. The quantity of remote control units must be specified when ordering. RemoteTilt requires both a remote and a power source. Please specify when ordering.
² The LightsOut configuration may cause slight "puckering" of the lift cords on the front of the blind when the slats are tilted backwards (reverse tilt) due to the use of interlacing cords on the front (the back uses looped ladders). A gentle tug down on the lift cord tassel will eliminate any puckering.
³ The slats on LightsOut routeless blinds feature notches in the slat instead of route holes. Regardless of blind size, there will notches in the front and rear of the slat on the far right and far left ladders only, approximately 6" in from the end of the slat.
⁴ There will be a 1/2" maximum light gap between multiple blinds on 1 headrail. 2 or 3 on 1 headrail not available with the RemoteTilt upgrades.
⁵ Wood tone blinds will include Antique Brass tape clamps and White/Neutral tone blinds will include White tape clamps on the bottomrail.
⁶ When ordered with T901 Textured Pure White or T903 Textured Pearl, the Crescent Valance will be a smooth finish.
⁷ On outside mount valances, the 1st set of ordered spacer blocks will automatically lengthen the default 3" valance return length by the depth of the spacer, either 3/8" or 3/4".

SIZE SPECIFICATIONS

STANDARD RECTANGULAR	2"	2-1/2"
Minimum Width (Net)	8" 12" with Tapes	12" 12" with Tapes
Maximum Width (One blind)	96"	96"
Minimum Height	12"	12"
Maximum Height	108"	108"
Max. AREA (SQ/FT) (Blinds over 50 SQ/FT require 2 or 3 on 1 headrail)	50 sq/ft	50 sq/ft
Maximum Width 2 or 3 on 1 Headrail	120"	120"
Maximum Continuous Valance Width (not spliced)	102"	102"

CORDLESS LIFT	2"	2-1/2"
Minimum Width (Net)	18"	18"
Maximum Width (One blind)	78"	78"
Minimum Height	12"	12"
Maximum Height	72"	72"
Maximum AREA (SQ/FT)	40 sq/ft	36 sq/ft

CORDLESS LIFT & LOCK™	2"	2-1/2"
Minimum Width (Net)	10-1/2"	10-1/2"
Maximum Width (One blind)	96"	96"
Minimum Height	12"	12"
Maximum Height	84"	84"
Maximum AREA (SQ/FT)	40 sq/ft	31 sq/ft
Maximum Width 2 on 1 Headrail	120"	120"
Maximum Continuous Valance Width (not spliced)	102"	102"

REMOTETILT MOTORIZATION	2"	2-1/2"
Minimum Width (Net)	12" 14" with Tapes	12" 14" with Tapes
Maximum Width (One blind)	96"	96"
Maximum Height	96"	96"
Maximum AREA (SQ/FT)	50 sq/ft	50 sq/ft
Maximum Continuous Valance Width (not spliced)	102"	102"

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

Inside (IB) Mount	
Headrail width ¹	- 3/4"
Blind width	- 1/2"
Blind height	ordered height
Valance	- 1/8"
Outside (OB) Mount	
Headrail width ¹	- 1/4"
Blind width	ordered width
Blind height	ordered height
Valance	+ 1"
2 on 1 Headrail	
Gap between panels	- 1/2"

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth:	1-1/8"
Minimum mounting depth, flush mount - 2" Slat:	3-1/2"
Minimum mounting depth, flush mount - 2-1/2" Slat:	3-3/4"
Outside (OB) Mount	
Minimum flat vertical surface:	1-3/4"

FOOTNOTE

1 The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.

CONTROL CHARTS – STANDARD CORD LIFT

CORD CONTROLS

- Cords are **color-coordinated** with slats
- Standard Cord length is 40% of blind height
- **For RemoteTilt**, the **tilt** function is controlled by remote unit

CONTROL POSITIONS:

Tilt Cord center and no Lift Cord*
 Tilt Cord **left** / Lift Cord **right** (standard)
 Lift Cord **left** / Tilt Cord **right**
 Tilt & Lift Cords *grouped left*
 Tilt & Lift Cords *grouped right*

Min. Width (NET)	
	Under 12"
	12"
	12"
	18-1/8"
	18-1/8"

* Available on 2" blinds only

TILT WAND - Standard

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths.
- **For RemoteTilt**, tilt function is controlled by remote unit
- **Tilt Length Override** – specify length when ordering

Color wands up to 48" long. Clear in 60", 70", 78", 90" or 120".
 Wand length optional. Specify above optional lengths when ordering.

2" Faux	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 108"

Ladder/Tape Placement Charts

The chart shows the number of ladders and routes based on the width of the blind.

2" & 2-1/2" Faux		
Blind Width	# of Ladders	# of Routes
8" to 20" **	2	2
20-1/8" to 32"	3	2
32-1/8" to 44"	4	4
44-1/8" to 56"	5	4
56-1/8" to 68"	6	4
68-1/8" to 80"	7	4
80-1/8" to 96"	8	4


**Under 12" NET for 2" slats only

**Routes are positioned approximately 2" from the end of the slat for blinds less than 12 1/8" wide, and 4" from the end of the slat for all others. Exceptions are standard and LightsOut blinds with grouped controls will be approximately 4 1/2" from end of slat, and 4 3/4" for blinds with cloth tapes and grouped controls.

BREAK-AWAY STOP BALL

- Stop balls are standard for ALL lift cords.

The stop ball separates under pressure. It easily snaps together again.




BOTTOMRAIL - Standard

- **2" Trapezoid** bottomrails are standard on faux wood blinds with **standard lift cords**

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).

Trapezoid Bottomrail



Stack-Up Chart (Approximate)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- $Headrail + Bottomrail = 2-1/2"$

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"
96"	10-7/8"

PLUS + 2-1/2"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"
96"	9"

PLUS + 2-1/2"

CONTROL CHARTS – CORDLESS

CONTROLS

- Available with tilt cords, tilt wand or RemoteTilt
- Tilt cords are **color coordinated** with slats
- Standard tilt cord length is 40% of blind height
- **LIFT** function is controlled from the bottom rail

TILT CONTROL POSITIONS:

Tilt Cord, Wand or

RemoteTilt **left (only)**

Min. Width (NET)
18"

TILT WAND - Standard

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths.
- **For RemoteTilt**, tilt function is controlled by remote unit
- Tilt Length Override – specify length when ordering

Color wands up to 48" long. Clear in 60", 70", 78", 90" or 120".

Wand length optional. Specify above optional lengths when ordering.

2" & 2-1/2" Faux	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"

Ladder Placement Charts

The chart shows the number of ladders and routes based on the width of the blind.

2" & 2-1/2" Faux		
# of Routes	# of Ladders	# of Routes
18" to 24"	2	2
24-1/8" to 36"	3	2
36-1/8" to 48"	4	4
48-1/8" to 60"	5	4
60-1/8" to 72"	6	4
72-1/8" to 78"	7	4


**Routes are positioned approximately 6" from the end of the slat for all blinds.

BOTTOMRAIL - Cordless Lift

- **2" Trapezoid** bottomrails are standard on faux wood blinds with **cordless lift**

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating).

Trapezoid Bottomrail



Stack-Up Chart (Approximate)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"

PLUS	+ 2-1/2"
-------------	-----------------

PLUS	+ 2-1/2"
-------------	-----------------

CONTROL CHARTS – REMOTETILT

CONTROLS

- Lift cords are **color coordinated** with slats
- Standard lift cord length is 40% of blind height
- **TILT** function is motor controlled from remote unit

CONTROL POSITIONS:

Lift Cord **right** (standard) or **left**


Min. Width
12"

Motor position will be on the opposite side of Lift Cord

BREAK-AWAY STOP BALL

- Stop balls are standard for ALL lift cords.

The stop ball separates under pressure. It easily snaps together again.



LADDER/TAPE PLACEMENT CHARTS

The chart shows the number of ladders and routes based on the width of the blind.

2" & 2-1/2" FAUX		
Blind Width	# of Ladders	# of Routes
12" to 18"	2	2
18-1/8" to 24"	2	2
24-1/8" to 36"	3	2
36-1/8" to 48"	4	4
48-1/8" to 60"	5	4
60-1/8" to 72"	6	4
72-1/8" to 84"	7	4
84-1/8" to 96"	8	4

**Routes are positioned approximately 5" from the end of the slat for blinds less than 18 1/8" wide, and 6" from the end of the slat for all others.

STACK-UP CHART (Approximate)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- $Headrail + Bottomrail = 2-1/2"$

2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"
96"	10-7/8"

2 1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"
96"	9"

CONTROL CHARTS – CORDLESS LIFT & LOCK SYSTEM

CONTROLS

- Cords are **color-coordinated** with slats
- Standard Cord length is 40% of blind height
- **For cordless Lift & Lock** the **lift** function is controlled by the bottomrail

CONTROL POSITIONS:

Tilt Cord **center** ONLY
Tilt **Left** or **Right** ONLY

Min. Width (NET)
10-1/2" to 12-3/8"
12-1/2" and more

TILT WAND - Standard

- Tilt wands are **color-coordinated** with slats
- Chart shows standard lengths.
- Tilt Length Override (Optional) – specify length when ordering

Color wands up to 48" long. Clear in 60", 70", 78", 90" or 120". Wand length optional. Specify above optional lengths when ordering.

2" & 2-1/2" Faux	
Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 84"



Ladder Placement Charts

The chart shows the number of ladders and routes based on the width of the blind.


2" & 2-1/2" Faux		
Blind Width	# of Ladders	# of routes
10-1/2" to 12-1/2"	2	2
12-5/8" to 18"	2	2
18-1/8" to 21-1/2"	2	2
21-5/8" to 33-1/2"	3	2
33-5/8" to 45-1/2"	4	2
45-5/8" to 57-1/2"	5	4
57-5/8" to 69-1/2"	6	4
69-5/8" to 81-1/2"	7	4
81-5/8" to 96"	8	4

**Routes are positioned approximately 2 1/2" from the end of the slat for blinds less than 12 1/2" wide, 3" from the end of the slat for blinds less than 18 1/8" wide, and 4 3/4" from the end of the slat for all others.

BOTTOMRAIL - Cordless Lift & Lock™

- A 2" deep by 1" tall aluminum bottomrail is standard

The aluminum bottomrail comes in one of the available colors pre-selected to best complement the color of the slat. A list of the coordinating bottomrail colors can be found on page 12. Please refer Cordless Lift & Lock Bottomrail Colors sheet to see an example of the bottomrail color.



NOTE: Bottomrail colors are pre-selected. Hardware color override is not available.

Stack-Up Chart (Approximate)

The charts below show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

- $Headrail + Bottomrail = 2-1/2"$


2" Faux	
Blind Height	Stack Height
48"	5"
72"	7-1/2"
84"	9-1/4"

2-1/2" Faux	
Blind Height	Stack Height
48"	4"
72"	6-1/4"
84"	7-1/2"

PLUS + 2-1/2"

PLUS + 2-1/2"


PRODUCT COMPONENTS – STANDARD RECTANGULAR



Wand Adapter
 (Part #7008702000,
 for 2-1/2" slats only)


NOTE: Order the tilter and cord at the same time so they come pre loaded.

PRODUCT COMPONENTS – CORDLESS LIFT & LOCK™ SYSTEM



*when ordered with wand tilt

PRODUCT COMPONENTS – CORDLESS LIFT SYSTEM





REMOTETILT™ MOTORIZATION: OVERVIEW

With RemoteTilt motorized blinds, a better quality of life and have more time to enjoy life's daily pleasures. At the touch of a button, window coverings can be instantly adjusted to changing activities or the varying sun conditions.



An ideal solution is to manage glare with a RemoteTilt hand-held remote control. At the simple touch of a button, blinds will tilt open or closed to adjust to the changing sunlight in a room.



RemoteTilt motorized blinds provide ultra-quiet operation. This RF system can operate blinds from virtually anywhere in the house without direct line of sight. Similar to how a garage door opener operates, radio signals travel through walls and make it possible to control multiple coverings throughout the home alone or as a group. It is also available in a 5-channel version. The multi-channel RF system allows for independent control of individual blinds and/or group control.

The RemoteTilt motorization system provide many benefits, such as improving energy efficiency, providing easily controllable privacy and also enhancing home security.



The RemoteTilt RF timer allows users to program specific times of the day to automatically adjust blinds in different areas of the house, protecting interiors from the fading effects of direct sunlight. This feature provides added security to an unoccupied home by creating a lived in look even while homeowners are away on vacation.



The battery powered RemoteTilt RF wireless wall switch allows blinds to be controlled when entering or exiting a room, just like the lights. The switch may be seamlessly installed without wiring next to any light switch or stand alone, and is never misplaced. This one touch privacy helps create the ideal environment whether preparing for a bath, relaxing in bed or enjoying time with the family at home.

Alta RemoteTilt motorized blinds are powered by Somfy, an industry leader in automated window coverings. All motorized products are backed by a 5 year warranty.



RADIO FREQUENCY REMOTETILT™ MOTORIZATION: FEATURES & OPTIONS














RADIO FREQUENCY (RF) REMOTETILT FEATURES:

- Highest quality patent protected design by Somfy
- Advanced motor with quiet operation
- Motor is fully enclosed within the headrail
- RemoteTilt blinds install with standard installation hardware
- RF motor is programmable with 1-channel and 5-channel versions

Note: The power source must be selected when ordering. The options are: reloadable and non-reloadable single or dual battery wand, and the plug-in transformer.



 <p>Radio Frequency (RF) RemoteTilt Motor Motor (Part #1002822) Headrail Adapter (Part #9014528) Tilt Hex Rod Adapter – Standard (Part #9014535) Tilt D Rod Adapter – Cordless Lift (Part #9014536)</p>	<ul style="list-style-type: none"> • Fully concealed motor unit • Flexible and programmable operation • 12 Volt System
 <p>Radio Frequency (RF) Remote Control (must order separately) Color: 2 tone white and gray 2 Types: programmable 1-channel and programmable 5-channel (1-Channel: Part #RC445069) (5-Channel: Part #RC445079)</p>	<ul style="list-style-type: none"> • Controls tilting operation • Programmable features • Easy blind tilting up to 90 feet away • 5-channel remote allows for multiple and independent blind operation
 <p>Single Battery Wand (reloadable) and Installation Clips Wand (Part #RC445268) Clips (Part #9013263) 8 AA Lithium Batteries (not shown) (Part #9014834)</p>	<ul style="list-style-type: none"> • On initial blind orders, the reloadable wand comes with 8 AA lithium batteries • Comes with wall mounting installation clips • For parts ordering the reloadable wand INCLUDING 8 AA lithium batteries, order both part #s • Replacement 8 AA lithium batteries may also be ordered separately
 <p>Optional, Dual Battery Wand (reloadable) & Installation Clips (RF) (Clips: Part #9013263) (Wand: Part #RC445268) x2 (Y-Harness: Part #9018625) (Y-Harness Ext. Cable: Part #9016374)</p>	<ul style="list-style-type: none"> • On initial shade orders, the reloadable wands come with 16 AA lithium batteries • Combines (reloadable) Single Battery Wands for extended life • Comes with wall mounting installation clips
 <p>Transformer (RF) (Part #1822192)</p>	<ul style="list-style-type: none"> • Plug-in operation, no batteries required • Works in standard wall outlet (comes with 10' wire)
 <p>Battery Wand Extension Cables (RF) Color: White (10" Cable: Part #9013282) (48" Cable: Part #9013279) (96" Cable: Part #9013277)</p>	<ul style="list-style-type: none"> • Available in 10", 48" and 96" • Allows battery wand installation away from headrail
 <p>Wireless Wall Switch (RF) Color: white 2 Types: programmable 1-channel and 5-channel (1 Channel: Part #RC445135) (5 Channel: Part #RC445136)</p>	<ul style="list-style-type: none"> • Control wireless operation from the wall up to 90 feet away • Works like turning a light on/off
 <p>Programmable Timer (RF) 1 Type: programmable 1-channel (Part #1805237A)</p>	<ul style="list-style-type: none"> • Program operation based on pre-set times • Excellent home security feature
<p>WireFree™ Solar Pack Kit – Batteries NOT included (Part #9019034)</p> <p>Photovoltaic Panel </p> <p>48" Extension Cable for Y Harness (Part #9016736)</p> <p>Batteries (Part #9018621) </p> <p>Accessories Plug-in AC battery (Part #9018620) rapid charger (required for charging battery prior to installation) </p>	<ul style="list-style-type: none"> • Uses sunlight to power a motorized shade. • Easy to install. Low profile, easy to conceal. • Solar Recharge Kit (batteries NOT included) (Part #9019034) – Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets – 4 qty.) • NiMh Rechargeable Batteries (quantity of 10) (Part #9018621) • Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 12" cable) (Part #9018620) • 48" Extension Cable for Y Harness (Part #9016736)