

TEXTON



NATURAL WOVEN SHADES

Effective February 4, 2019

design simplified™

TABLE OF CONTENTS

• Features & Benefits	3
• Color Charts	4-6
Pricing and Options	
• Woven Woods – Groups 1-5	7-11
• Decorative Wovens – Groups 6-9	12-15
• Privacy Linings	16
• Simplicity Rechargeable & RemoteLift™ Motorization	17
Shade Specifications	
• Standard Shade Diagram	18
• Cord Loop Shade Diagram	19
• Cordless Lift Shade Diagram	20
• Configuration Options	21-22
• Faux Silk Binding and Valance Upgrades	23
• Twill Edge-Binding and Valance Upgrades	24
• Binding Features and Fabric Lists	25
• Operable and Fixed Privacy Lining Options	26
• Product Specifications	27
• Size Specifications	28-32
• Finished Dimensions and Mounting Requirements	33-34
TriLight Shades®	35-39
Tandem™ Shades	40-42
• Simplicity Rechargeable Motorization	43
• RemoteLift™ Motorization	44-45
• Product Components	46-47

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width are considered oversize. Therefore, a net shipping charge of \$40 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

FEATURES & BENEFITS



- Woven Wood shades are offered in a wide selection of natural material styles featuring unique patterns and rich tones.
- Decorative Woven shades feature two collections. Select Weave shades are woven out of natural fibers and exotic yarns. Grass Weave shades provide a natural look, yet are constructed of unique man-made fibers for a consistent appearance.
- Durable Wood Headrail System comes pre-routed for easy installation.
- Standard swivel multi-cord lock and guided pulley system ensures smooth, long-lasting operation.
- Matching valance available in customized lengths, conceals the operating system. Woven Wood shades feature a built-in stabilizer on outside mounts.
- Antique brass finish and brackets complements the shade's natural appearance.
- Available with upgraded operating systems including top-down/bottom-up, continuous loop, cordless lift, and RemoteLift motorization for enhanced control convenience.
- Unique light and privacy controls such as TriLight Shades and Tandem provide versatile operating flexibility.
- Optional operable privacy liners or optional fixed privacy liners provide additional light control features including light filtering, room darkening and a neutral outside appearance.
- Optional twill edge-bindings and faux silk bindings frame the shade and valance using a high-quality process, and add a finishing touch.
- Limited Lifetime Warranty ensures your customers' satisfaction.

WOVEN WOODS COLOR CHART

FABRIC CODE	COLOR CODE	COLOR NAME	DOWEL SIZE	TWILL EDGE BINDING	CORDLESS OPTION	PANEL TRACK
-------------	------------	------------	------------	--------------------	-----------------	-------------

FABRIC CODE	COLOR CODE	COLOR NAME	DOWEL SIZE	TWILL EDGE BINDING	CORDLESS OPTION	PANEL TRACK
-------------	------------	------------	------------	--------------------	-----------------	-------------

PRICE GROUP 1						
CUL	2108	Bimini	1/2"	Yes	Yes	No
TER	2002	Ensenada Terra	3/4"	Yes	Yes	No
TER	2004	Jolo	1/2"	Yes	Yes	No
TER	2076	Kota	1/2"	Yes	Yes	No
TER	2078	Ensenada Tranquil	3/4"	Yes	Yes	No
TER	2110	Kano Greywood	3/4"	Yes	Yes	No
TER	2111	Kano Mahogany	3/4"	Yes	Yes	No
TER	2208	Hi-Lo Espresso	3/4"	Yes	Yes	No

PRICE GROUP 4						
CUL	2060	Saba Sunset	3/4"	Yes	Yes	No
CUL	2061	Saba Dusk	3/4"	Yes	Yes	No
CUL	2072	Hunan	3/4"	Yes	Yes	Yes
CUL	2155	Katni Intrigue	3/4"	Yes	Yes	No
CUL	2223	Mesa Mocha	3/4"	Yes	Yes	No
EXO	2052	Serengeti Sunrise	3/4"	Yes	Yes	Yes
EXO	2053	Serengeti Cocoa	3/4"	Yes	Yes	Yes
EXO	2150	Sumatra Surprise	3/4"	Yes	Yes	Yes
EXO	2232	Taos	3/4"	Yes	Yes	Yes

PRICE GROUP 2						
CUL	2099	Tortuga Coral	3/4"	Yes	Yes	No
CUL	2100	Tortuga Cocoa	3/4"	Yes	Yes	No
ELI	2049	Katmandu	1/2"	Yes	Yes	No
ELI	2059	Veracruz Earth	1/2"	Yes	Yes	No
ELI	2080	Veracruz Mocha	1/2"	Yes	Yes	No
ELI	2083	Honduras Timbre	1/2"	Yes	Yes	No
ELI	2084	Honduras Rust	1/2"	Yes	Yes	No
TER	2003	Kaui	1/2"	Yes	Yes	No
TER	2011	Sonora Desert	3/4"	Yes	Yes	Yes
TER	2057	Ensenada Negro	1/2"	Yes	Yes	No
TER	2210	Hi-Lo White	3/4"	Yes	Yes	No
TER	2211	Hi-Lo Tan	3/4"	Yes	Yes	No
TER	2212	Hi-Lo Gray	3/4"	Yes	Yes	No

PRICE GROUP 5						
CUL	2070	Tobago	3/4"	Yes	Yes	Yes
CUL	2085	Antigua Maze	1/2"	Yes	Yes	Yes
CUL	2086	Antigua Surf	1/2"	Yes	Yes	Yes
ELI	2153	Sakura Etude	3/4"	Yes	Yes	Yes
EXO	2054	Indo Chic	3/4"	Yes	Yes	Yes
EXO	2068	Kiribati Jungle	3/4"	Yes	Yes	Yes
EXO	2069	Kiribati Rainforest	3/4"	Yes	Yes	Yes
EXO	2096	Zulu	3/4"	Yes	Yes	Yes

PRICE GROUP 3						
CUL	2157	Banjar Artisan	3/4"	Yes	Yes	No
CUL	2204	Kyoto Ebony	3/4"	Yes	Yes	No
ELI	2104	Nagoya Harvest	3/4"	Yes	Yes	Yes
EXO	2151	Mandalay Mystique	3/4"	Yes	Yes	No
EXO	2230	Kyoto Sunset	3/4"	Yes	Yes	No
TER	2234	Zee Gray	3/4"	Yes	Yes	No
TER	2236	Zee Tan	3/4"	Yes	Yes	No
TER	2237	Zee White	3/4"	Yes	Yes	No

- No wood dowel under edge-binding and/or cordless lift operation
- Seam option is not available with Woven Wood Shades due to the characteristic of the material.
- A surcharge will be added for shade/valance ordered with edge binding

IMPORTANT NOTE ABOUT NATURAL WOVEN MATERIALS:

Our Woven Wood shades are uniquely constructed from natural bamboo, reeds, jutes, rattan, grasses and woods. Many materials, such as natural grasses, are hand tied and braided with expert care. Each shade is one of a kind. **Slight cracks, imperfections and variations in color are all inherent in natural products and are not considered flaws.**

Shade material may stretch slightly over time and with use depending on the material style. The average stretching amount is approximately 1/2" for every 3 feet of shade length plus or minus 1/4".

Hold-downs are not available with shades made without wood dowel bottom rail (ex. cordless lift shade, shade with edge binding, and shade under Select Weave Collection).

The irreplaceable feature and beauty of the Natural Woven Shades is it's unique variation in the material.

DECORATIVE WOVENS COLOR CHART

COLOR CODE	COLOR NAME	DOWEL SIZE/ HEM BAR	FAUX SILK/ TWILL** EDGE BINDING	TWILL EDGE BINDING*** DEFAULT COLOR	SEAM/ CUSTOM SEAM PLACEMENT	CORDLESS OPTION	PANEL TRACK
PRICE GROUP 3							
9474	Celebes* Cornsilk	Hem Bar	Yes	Not Required	No	Yes	Yes
9475	Celebes* Seashell	Hem Bar	Yes	Not Required	No	Yes	Yes
9476	Celebes* Ivory	Hem Bar	Yes	Not Required	No	Yes	Yes
PRICE GROUP 6							
2337	Singapore Bisque	3/4"	Yes	Not Required	Yes	Yes	Yes
2338	Singapore Talc	3/4"	Yes	Not Required	Yes	Yes	Yes
2339	Singapore Cotton	3/4"	Yes	Not Required	Yes	Yes	Yes
9450	Singapore Gray	3/4"	Yes	Not Required	Yes	Yes	Yes
PRICE GROUP 7							
2304	Caracas Tortoise	3/4"	Yes	CT408 Beige	Yes	Yes	Yes
2305	Coban Parchment	3/4"	Yes	CT400 White	Yes	Yes	Yes
2310	Granada Cinnamon	3/4"	Yes	Not Required	Yes	Yes	Yes
2311	Granada Ginger	3/4"	Yes	Not Required	Yes	Yes	Yes
2312	Granada Nutmeg	3/4"	Yes	Not Required	Yes	Yes	Yes
2323	Luzon Whisper	3/4"	Yes	CT400 White	Yes	Yes	Yes
2324	Luzon Cornsilk	3/4"	Yes	CT403 Duck	Yes	Yes	Yes
2325	Luzon Greige	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
2331	Nassau Pewter	3/4"	Yes	CT404 Latte	Yes	Yes	Yes
2340	St. Lucia Sand	3/4"	Yes	Not Required	Yes	Yes	Yes
2343	St. Lucia Storm	3/4"	Yes	Not Required	Yes	Yes	Yes
2345	Zaire Camel	3/4"	Yes	Not Required	NA	Yes	Yes
2346	Zaire Earth	3/4"	Yes	Not Required	NA	Yes	Yes
9410	Coban Gray	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
9420	Granada Bark	3/4"	Yes	Not Required	Yes	Yes	Yes
9440	Nassau Cocoa	3/4"	Yes	CT418 Chocolate	Yes	Yes	Yes
PRICE GROUP 8							
9400	St. Kitts Dune	3/4"	Yes	CT403 Duck	Yes	Yes	Yes
9401	St. Kitts Greywood	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
9460	Aruba Summer	3/4"	Yes	CT400 White	Yes	Yes	Yes
9461	Aruba Straw	3/4"	Yes	CT403 Duck	Yes	Yes	Yes
9462	Aruba Sand Dune	3/4"	Yes	CT408 Beige	Yes	Yes	Yes
9463	Aruba Driftwood	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
9464	Aruba Café	3/4"	Yes	CT419 Espresso	Yes	Yes	Yes
9470	Martinique White Wash	3/4"	Yes	CT400 White	Yes	Yes	Yes
9471	Martinique Sea Grass	3/4"	Yes	CT403 Duck	Yes	Yes	Yes
9472	Martinique Surf	3/4"	Yes	CT420 Silver	Yes	Yes	Yes
9473	Martinique Coral	3/4"	Yes	CT409 Jute	Yes	Yes	Yes

* Not available under motorization.

** No wood dowel with twill edge-binding

*** A surcharge must be added for all patterns that require twill edge binding or shade/valance ordered with edge binding

NOTE:

- Hold-downs are not available with shades made without wood dowel bottom rail (ex. cordless, shades with edge binding, and Select Weaves)
- The irreplaceable feature and beauty of the Natural Woven Shades is its unique variation in the material.

DECORATIVE WOVENS COLOR CHART

SELECT WEAVES (SLW) COLOR CHART							
COLOR CODE	COLOR NAME	HEM BAR	FAUX SILK/ TWILL EDGE BINDING	TWILL EDGE BINDING** DEFAULT COLOR	SEAM/ CUSTOM SEAM PLACEMENT	CORDLESS OPTION	PANEL TRACK
PRICE GROUP 8							
2420	Macau	Yes	Yes	Not Required	NA	Yes	Yes
2423	Mali Tan	Yes	Yes	Not Required	NA	Yes	Yes
2436	Tai White	Yes	Yes	Not Required	Yes	Yes	Yes
2438	Suva	Yes	Yes	Not Required	NA	Yes	Yes
2526	Salvador Driftwood	Yes	Yes	Not Required	Yes	Yes	Yes
2527	Cancun Light Gray	Yes	Yes	CT403 Duck	NA	Yes	Yes
2528	Cancun Off White	Yes	Yes	CT402 Natural	NA	Yes	Yes
2529	Cano Cream	Yes	Yes	Not Required	NA	Yes	Yes
2530	Madeira Green	Yes	Yes	Not Required	NA	Yes	Yes
2531	Rio Gray	Yes	Yes	Not Required	NA	Yes	Yes
PRICE GROUP 9							
2411	Jaipur Natural	Yes	Yes	Not Required	NA	Yes	Yes
2417	Lagos	Yes	Yes	Not Required	NA	Yes	Yes
2419	Lomaloma	Yes	Yes	Not Required	NA	Yes	Yes
2431	Santos Natural	Yes	Yes	Not Required	NA	Yes	Yes
2433	Sintra Dust	Yes	Yes	Not Required	NA	Yes	Yes
2441	Tunisia	Yes	Yes	Not Required	NA	Yes	Yes

** A surcharge must be added for all patterns that require twill edge binding or shade/valance ordered with edge binding

NOTE:

- Hold-downs are not available with shades made without wood dowel bottom rail (ex. cordless, shades with edge binding, and Select Weaves)
- The irreplaceable feature and beauty of the Natural Woven Shades is it's unique variation in the material.

CUL
2108 Bimini

TER
2002 Ensenada Terra
2004 Jolo
2076 Kota
2078 Ensenada Tranquil
2110 Kano Greywood
2111 Kano Mahogany
2208 Hi-Lo Espresso

GROUP 1

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$220	281	296	346	361	396	424	492	534	587	643	694	753
42"	271	287	304	357	368	414	445	517	564	643	669	730	791
48"	277	296	312	368	375	430	459	534	587	674	705	767	831
54"	285	302	318	377	394	444	478	557	610	701	738	802	865
61"	291	324	355	397	445	459	498	582	632	736	761	834	906
66"	301	330	366	408	461	473	515	603	660	758	792	858	943
72"	307	341	380	422	473	491	533	624	680	795	823	895	970
78"	344	383	424	477	517	556	601	665	730	848	884	959	1046
84"	363	408	449	505	547	590	643	735	780	914	942	1029	1130
90"	382	431	477	531	581	629	683	786	833	970	1013	1110	1172
96"	405	456	505	570	612	673	730	834	887	1040	1086	1161	1222
108"	436	491	548	612	673	736	792	921	979	1150	1169	1223	1287

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- ① Use this grid to price your INDIVIDUAL valance.
- ② Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$81	86	92	97	106	119	131	145	153	165	179	192	203
6"	84	91	100	105	120	133	147	159	175	186	198	212	228
8"	89	102	108	119	131	147	161	176	192	209	220	234	256
10"	92	112	126	126	145	161	176	193	211	225	243	253	268
12"	94	123	130	139	158	175	201	211	228	246	249	262	271
16"	147	173	203	231	263	291	321	352	380	410	439	472	498
18"	151	181	212	243	274	305	337	366	402	431	459	491	525
20"	159	189	223	257	285	319	352	383	416	450	480	515	547
22"	165	195	231	265	299	335	366	403	436	469	505	534	570
24"	175	204	237	274	310	346	382	416	452	487	525	562	593

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
• Valance Returns for Inside Mounts
• Valance Custom Heights to 12"
• Control Positions (R or L)
• Extension Brackets
• Hold Down Brackets
• Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
• Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
• 2 On 1 Headrail.....Price as 2 separate shades and add \$97
• 3 On 1 Headrail.....Price as 3 separate shades and add \$119
• Top-Down add \$84
• Top-Down/Bottom-Up add \$95
• Continuous Cord Loop Surcharge..... add \$125
• Cordless Lift Surcharge (see pages 4-6 for pattern availability).. add \$172
• Operable Lining – add to grid size liner pricing..... add \$162
• Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) ... add \$158
– Shade Only (TSB, TSO) add \$100
– Valance Only (TVSB, TVSO)..... add \$60

CUL	ELI	TER
2099 Tortuga Coral	2049 Katmandu	2003 Kauai
2100 Tortuga Cocoa	2059 Veracruz Earth	2011 Sonora Desert
	2080 Veracruz Mocha	2057 Ensenada Negro
	2083 Honduras Timbre	2210 Hi-Lo White
	2084 Honduras Rust	2211 Hi-Lo Tan
		2212 Hi-Lo Gray

GROUP 2

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$254	369	405	450	470	519	554	610	671	741	816	886	929
42"	343	382	421	467	487	542	585	646	707	816	851	931	979
48"	358	396	436	486	498	565	601	677	743	867	901	981	1029
54"	371	411	450	503	526	593	612	707	777	901	949	1043	1088
61"	380	424	469	520	562	613	662	739	816	942	988	1096	1147
66"	396	439	487	540	579	635	696	767	847	979	1041	1128	1181
72"	403	455	495	556	593	660	718	800	883	1019	1069	1183	1239
78"	427	478	536	604	651	711	771	864	949	1103	1167	1222	1282
84"	455	511	578	645	704	772	827	923	1018	1197	1208	1284	1341
90"	481	548	610	691	757	823	890	988	1096	1245	1267	1326	1388
96"	508	579	654	735	803	881	959	1060	1152	1296	1296	1383	1457
108"	556	637	713	816	881	963	1060	1135	1215	1388	1388	1466	1561

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$88	97	106	114	119	130	145	158	168	184	197	211	225
6"	92	105	112	122	131	151	165	181	193	211	226	239	256
8"	95	109	128	131	153	167	184	201	218	237	253	271	285
10"	98	120	136	151	167	187	203	225	240	260	281	298	318
12"	100	134	140	161	170	201	218	239	253	276	284	324	374
16"	161	197	232	268	298	332	366	399	433	469	498	536	568
18"	172	206	243	281	316	351	388	424	456	495	529	564	601
20"	181	218	259	295	333	369	405	447	481	520	554	596	634
22"	189	232	271	312	351	388	427	467	505	545	585	624	662
24"	197	239	281	323	366	403	447	487	529	570	607	651	693

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
• Valance Returns for Inside Mounts
• Valance Custom Heights to 12"
• Control Positions (R or L)
• Extension Brackets
• Hold Down Brackets
• Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
• Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
• 2 On 1 Headrail.....Price as 2 separate shades and add \$97
• 3 On 1 Headrail.....Price as 3 separate shades and add \$119
• Top-Down add \$84
• Top-Down/Bottom-Up..... add \$95
• Continuous Cord Loop Surcharge..... add \$125
• Cordless Lift Surcharge (see pages 4-6 for pattern availability).. add \$172
• Operable Lining – add to grid size liner pricing..... add \$162
• Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) ... add \$158
– Shade Only (TSB, TSO) add \$100
– Valance Only (TVSB, TVSO)..... add \$60

CUL 2157 Banjar Artisan 2204 Kyoto Ebony	ELI 2104 Nagoya Harvest	EXO 2151 Mandalay Mystique 2230 Kyoto Sunset	GRW 9474 Celebes Cornsilk 9475 Celebes Seashell 9476 Celebes Ivory	TER 2234 Zee Gray 2236 Zee Tan 2237 Zee White
---	-----------------------------------	---	--	---

GROUP 3

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$354	419	456	512	539	598	649	722	799	879	963	1051	1100
42"	389	436	477	540	553	643	693	766	847	968	1026	1124	1186
48"	405	455	494	562	570	674	732	803	887	1023	1091	1192	1257
54"	419	477	505	585	613	707	747	848	940	1096	1155	1267	1320
61"	433	495	545	607	671	741	799	892	995	1152	1208	1338	1413
66"	453	511	575	649	713	767	842	937	1046	1208	1267	1402	1475
72"	463	529	596	674	739	814	881	987	1082	1251	1332	1478	1556
78"	498	568	643	724	792	875	949	1052	1172	1363	1461	1530	1628
84"	534	606	691	774	858	945	1018	1135	1282	1475	1514	1609	1704
90"	568	651	733	841	926	1013	1103	1239	1379	1527	1586	1687	1763
96"	610	699	792	893	998	1097	1189	1332	1441	1590	1646	1744	1824
108"	663	771	876	1004	1110	1222	1321	1452	1542	1729	1766	1894	1990

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft (Woven Woods) or 65 sq.ft. (Grass Weaves); dual battery wand or transformer is RECOMMENDED for shade exceed the limit.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- 1 Use this grid to price your INDIVIDUAL valance.
- 2 Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$92	109	116	131	145	154	172	201	207	228	254	285	332
6"	106	114	130	144	151	168	200	206	226	253	277	305	357
8"	109	126	140	150	165	197	203	225	251	274	298	349	382
10"	112	136	147	162	181	201	220	245	267	290	323	363	388
12"	120	137	148	168	193	211	229	256	271	295	340	383	391
16"	193	237	274	316	358	396	436	477	515	556	598	637	680
18"	206	253	291	337	380	421	467	508	550	596	637	680	724
20"	220	270	312	358	405	449	495	540	585	634	677	722	771
22"	234	281	327	377	427	475	525	570	617	669	718	766	816
24"	243	296	343	397	450	497	550	604	651	704	758	803	856

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
• Valance Returns for Inside Mounts
• Valance Custom Heights to 12"
• Control Positions (R or L)
• Extension Brackets
• Hold Down Brackets
• Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
• Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
• 2 On 1 Headrail.....Price as 2 separate shades and add \$97
• 3 On 1 Headrail.....Price as 3 separate shades and add \$119
• Top-Down add \$84
• Top-Down/Bottom-Up add \$95
• Continuous Cord Loop Surcharge..... add \$125
• Cordless Lift Surcharge (see pages 4-6 for pattern availability).. add \$172
• Operable Lining – add to grid size liner pricing add \$162
• Faux Silk Binding Option – Default - All add \$243
(Grass Weaves Only) – Custom Placement..... add \$161
– Valance Only add \$81
• Twill Edge-Binding Option – Shade & Valance add \$158
– Shade Only add \$100
– Valance Only add \$60

CUL	EXO
2060 Saba Sunset	2052 Serengeti Sunrise
2061 Saba Dusk	2053 Serengeti Cocoa
2072 Hunan	2150 Sumatra Surprise
2155 Katni Intrigue	2232 Taos
2223 Mesa Mocha	

GROUP 4

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$386	455	508	565	620	669	732	809	892	995	1096	1197	1262
42"	424	477	534	601	654	721	777	858	953	1097	1166	1282	1346
48"	447	498	562	635	687	752	820	915	1009	1166	1237	1368	1439
54"	461	529	581	663	721	799	867	976	1071	1240	1320	1452	1511
61"	481	548	631	699	786	837	915	1019	1135	1307	1394	1542	1618
66"	497	578	659	733	822	886	968	1071	1192	1363	1466	1628	1701
72"	515	598	676	766	839	929	1009	1130	1245	1447	1545	1701	1799
78"	554	643	727	828	920	1002	1096	1229	1360	1576	1676	1780	1880
84"	601	696	788	887	996	1088	1189	1332	1478	1721	1766	1878	1985
90"	643	741	844	954	1060	1167	1282	1435	1612	1791	1849	1959	2068
96"	685	799	912	1040	1156	1276	1383	1567	1688	1863	1923	2031	2161
108"	766	893	1013	1163	1287	1421	1548	1696	1824	2017	2087	2208	2353

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$95	98	111	128	145	159	176	190	211	226	240	259	274
6"	105	114	136	154	172	193	212	232	253	271	291	312	327
8"	111	136	158	181	201	226	246	271	295	318	323	327	355
10"	123	151	162	190	204	234	259	285	301	319	330	358	368
12"	126	153	167	198	209	239	265	290	309	327	337	368	377
16"	220	268	312	358	403	449	492	537	589	634	677	722	767
18"	237	282	333	382	431	481	529	578	629	677	727	774	822
20"	253	305	355	411	461	512	565	613	671	724	774	827	881
22"	270	323	377	436	492	548	604	655	713	771	823	881	935
24"	281	338	397	461	519	578	635	693	758	816	875	931	988

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
• Valance Returns for Inside Mounts
• Valance Custom Heights to 12"
• Control Positions (R or L)
• Extension Brackets
• Hold Down Brackets
• Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
• Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
• 2 On 1 Headrail.....Price as 2 separate shades and add \$97
• 3 On 1 Headrail.....Price as 3 separate shades and add \$119
• Top-Down add \$84
• Top-Down/Bottom-Up add \$95
• Continuous Cord Loop Surcharge..... add \$125
• Cordless Lift Surcharge (see pages 4-6 for pattern availability).. add \$172
• Operable Lining – add to grid size liner pricing..... add \$162
• Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) ... add \$158
– Shade Only (TSB, TSO) add \$100
– Valance Only (TVSB, TVSO)..... add \$60

CUL	ELI	EXO
2070 Tobago	2153 Sakura Etude	2054 Indo Chic
2085 Antigua Maze		2068 Kiribati Jungle
2086 Antigua Surf		2069 Kiribati Rainforest
		2096 Zulu

GROUP 5

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$417	491	550	617	679	735	805	893	990	1108	1212	1331	1404
42"	453	522	589	665	727	788	858	959	1066	1217	1304	1433	1511
48"	483	550	621	704	775	848	925	1037	1149	1304	1399	1536	1621
54"	500	584	659	741	800	901	979	1103	1217	1399	1495	1654	1740
61"	531	609	701	785	876	949	1038	1164	1289	1492	1597	1751	1867
66"	550	643	732	825	928	1007	1103	1225	1365	1562	1687	1845	1964
72"	571	671	761	869	946	1063	1155	1301	1457	1665	1779	1965	2077
78"	621	719	825	939	1040	1149	1259	1421	1572	1803	1951	2066	2197
84"	665	778	890	1013	1121	1248	1373	1530	1716	1993	2054	2160	2298
90"	716	841	965	1099	1215	1352	1488	1670	1869	2088	2146	2292	2430
96"	775	906	1049	1178	1323	1449	1603	1816	1950	2180	2251	2385	2545
108"	865	1007	1163	1337	1491	1651	1825	1951	2115	2348	2454	2587	2740

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 16 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- Use this grid to price your INDIVIDUAL valance.
- Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$109	112	122	136	154	175	190	211	226	240	260	277	296
6"	116	120	150	170	193	214	234	259	277	301	323	343	329
8"	122	126	161	184	203	232	257	288	299	330	343	351	358
10"	128	131	165	197	217	248	268	298	313	337	351	366	382
12"	133	159	170	203	220	257	276	302	319	341	357	386	399
16"	248	299	351	400	452	501	557	609	660	710	763	814	865
18"	268	323	377	436	491	545	601	659	713	767	823	881	934
20"	288	349	407	467	526	589	646	707	764	823	887	943	1002
22"	309	371	436	497	562	624	690	757	819	881	945	1010	1071
24"	324	391	455	531	596	663	733	799	867	934	1007	1071	1136

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TANDEM SHADES OPTION (SEE PAGES 40-42)

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

OPTIONS: NO CHARGE
• Valance Returns for Inside Mounts
• Valance Custom Heights to 12"
• Control Positions (R or L)
• Extension Brackets
• Hold Down Brackets
• Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
• Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
• 2 On 1 Headrail.....Price as 2 separate shades and add \$97
• 3 On 1 Headrail.....Price as 3 separate shades and add \$119
• Top-Down add \$84
• Top-Down/Bottom-Up add \$95
• Continuous Cord Loop Surcharge..... add \$125
• Cordless Lift Surcharge (see pages 4-6 for pattern availability).. add \$172
• Operable Lining – add to grid size liner pricing..... add \$162
• Twill Edge-Binding – Shade & Valance (ETO, TSVB, TS) ... add \$158
– Shade Only (TSB, TSO) add \$100
– Valance Only (TVSB, TVSO)..... add \$60

Grass Weave*
2337 Singapore Bisque
2338 Singapore Talc
2339 Singapore Cotton
9450 Singapore Gray

GROUP 6

* Most Grass Weave shades are available up to 72" widths without a seam.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$484	547	601	674	735	786	856	959	1068	1177	1298	1421	1489	1578	1671
42"	505	570	634	710	781	844	917	1015	1135	1304	1385	1527	1611	1709	1810
48"	529	596	666	750	814	890	973	1069	1191	1382	1477	1626	1710	1813	1922
54"	547	624	690	778	855	935	1013	1136	1262	1481	1562	1726	1794	1903	2018
61"	565	646	724	823	900	984	1061	1194	1334	1556	1637	1825	1933	2049	2171
66"	593	671	753	856	949	1018	1122	1256	1405	1639	1716	1919	2021	2141	2270
72"	609	693	783	893	982	1077	1170	1323	1460	1699	1811	2026	2138	2267	2402
78"	655	750	847	962	1055	1163	1268	1416	1587	1861	2001	2094	2236	2370	2513
84"	699	803	918	1032	1149	1267	1366	1537	1744	2031	2079	2205	2339	2479	2629
90"	753	865	981	1128	1250	1365	1488	1681	1889	2097	2178	2317	2419	2564	2718
96"	814	932	1065	1208	1348	1485	1620	1822	1978	2186	2256	2399	2507	2659	2816
108"	895	1037	1181	1363	1509	1663	1805	1989	2118	2384	2427	2612	2745	2909	3085
120"	948	1099	1253	1444	1603	1763	1909	2108	2242	2527	2572	2768	2909	3084	3267

RemoteLift Shades: Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 65 sq.ft.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- 1 Use this grid to price your INDIVIDUAL valance.
- 2 Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
4"	\$94	103	111	119	126	139	151	165	176	192	207	218	231	245	260
6"	100	105	116	133	148	164	181	195	211	225	243	260	273	288	305
8"	103	114	130	151	168	187	207	225	243	263	281	299	316	335	352
10"	109	128	150	170	192	214	232	254	276	296	318	338	360	382	402
12"	120	142	165	189	212	235	260	282	305	329	352	377	399	422	445
16"	190	225	263	301	337	375	408	445	481	519	557	593	627	666	701
18"	204	242	281	323	358	399	438	477	515	554	595	634	671	711	752
20"	215	256	296	340	382	422	463	505	548	589	632	673	713	753	799
22"	225	270	313	360	402	449	492	534	578	623	669	713	755	802	848
24"	239	284	329	379	422	470	517	562	612	655	704	750	794	842	890

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
• Valance Returns for Inside Mounts
• Valance Custom Heights to 12"
• Control Positions (R or L)
• Extension Brackets
• Hold Down Brackets
• Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
• Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
• 2 On 1 Headrail.....Price as 2 separate shades and add \$97
• 3 On 1 Headrail.....Price as 3 separate shades and add \$119
• Top-Down add \$84
• Top-Down/Bottom-Up..... add \$95
• Continuous Cord Loop Surcharge..... add \$125
• Cordless Lift Surcharge (see pages 4-6 for pattern availability).. add \$172
• Operable Lining – add to grid size liner pricing add \$162
• Faux Silk Binding Option – Default - All add \$243
(Grass Weaves Only) – Custom Placement..... add \$161
– Valance Only..... add \$81
• Twill Edge-Binding Option – Shade & Valance add \$158
– Shade Only add \$100
– Valance Only add \$60

Grass Weave*

- 2304 Caracas Tortoise
- 2305 Coban Parchment
- 2310 Granada Cinnamon
- 2311 Granada Ginger
- 2312 Granada Nutmeg
- 2323 Luzon Whisper
- 2324 Luzon Cornsilk
- 2325 Luzon Greige

Grass Weave*

- 2331 Nassau Pewter
- 2340 St. Lucia Sand
- 2343 St. Lucia Storm
- 2345 Zaire Camel
- 2346 Zaire Earth
- 9410 Coban Gray
- 9420 Granada Bark
- 9440 Nassau Cocoa

GROUP 7

* Most Grass Weave shades are available up to 72" widths without a seam.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$501	561	649	727	786	862	945	1043	1164	1296	1441	1584	1670	1772	1872
42"	539	607	674	769	831	926	1002	1111	1242	1441	1534	1699	1788	1895	2001
48"	567	637	696	799	836	968	1058	1184	1320	1534	1628	1819	1912	2029	2144
54"	589	674	696	827	867	1030	1119	1270	1405	1642	1743	1928	2010	2130	2251
61"	612	701	741	887	948	1085	1181	1331	1492	1729	1847	2057	2161	2293	2423
66"	634	738	837	949	1046	1147	1257	1401	1570	1802	1945	2178	2270	2404	2544
72"	659	766	862	985	1089	1205	1312	1478	1642	1914	2049	2273	2404	2552	2693
78"	716	823	939	1080	1189	1303	1430	1614	1796	2104	2247	2385	2517	2668	2822
84"	774	900	1026	1159	1301	1429	1567	1761	1967	2312	2363	2521	2667	2829	2987
90"	827	967	1103	1251	1393	1536	1690	1908	2160	2410	2479	2631	2777	2942	3110
96"	892	1044	1197	1368	1527	1687	1835	2097	2264	2505	2575	2723	2908	3084	3258
108"	999	1181	1338	1542	1712	1895	2065	2273	2454	2720	2808	2975	3171	3364	3555
120"	1058	1251	1419	1635	1816	2009	2188	2410	2600	2883	2978	3154	3364	3563	3767

RemoteLift Shades: Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer is RECOMMENDED for shade greater than 65 sq.ft.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- 1 Use this grid to price your INDIVIDUAL valance.
- 2 Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
4"	\$92	100	106	122	134	151	164	179	193	207	221	239	253	268	281
6"	105	111	128	147	164	181	201	217	237	254	271	288	309	326	341
8"	109	130	151	170	193	214	235	257	276	296	319	338	360	382	403
10"	125	150	172	200	220	245	271	295	318	341	368	389	414	441	467
12"	137	164	192	218	246	276	301	329	357	383	411	439	467	495	523
16"	215	257	296	338	380	427	467	505	550	592	635	674	718	761	805
18"	232	276	319	366	410	455	500	543	593	637	680	725	772	819	865
20"	246	295	340	389	439	487	536	584	634	679	730	777	827	876	926
22"	260	315	365	417	467	520	570	620	674	725	777	827	883	935	987
24"	276	329	382	439	492	550	603	655	713	767	823	878	934	990	1046

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
• Valance Returns for Inside Mounts
• Valance Custom Heights to 12"
• Control Positions (R or L)
• Extension Brackets
• Hold Down Brackets
• Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
• Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
• 2 On 1 Headrail.....Price as 2 separate shades and add \$97
• 3 On 1 Headrail.....Price as 3 separate shades and add \$119
• Top-Down add \$84
• Top-Down/Bottom-Up..... add \$95
• Continuous Cord Loop Surcharge..... add \$125
• Cordless Lift Surcharge (see pages 4-6 for pattern availability).. add \$172
• Operable Lining – add to grid size liner pricing add \$162
• Faux Silk Binding Option – Default - All add \$243
– Custom Placement..... add \$161
– Valance Only add \$81
• Twill Edge-Binding Option – Shade & Valance add \$158
– Shade Only add \$100
– Valance Only add \$60

Grass Weave*	Grass Weave*	Select Weave	Select Weave
9400 St. Kitts Dune	9464 Aruba Café	2420 Macau	2527 Cancun Light Gray
9401 St. Kitts Greywood	9470 Martinique White Wash	2423 Mali Tan	2528 Cancun Off White
9460 Aruba Summer	9471 Martinique Sea Grass	2436 Tai White	2529 Cano Cream
9461 Aruba Straw	9472 Martinique Surf	2438 Suva	2530 Madeira Green
9462 Aruba Sand Dune	9473 Martinique Coral	2526 Salvador Driftwood	2531 Rio Gray
9463 Aruba Driftwood			

GROUP 8

* Most Grass Weave shades are available up to 72" widths without a seam.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$564	649	725	808	845	976	1075	1189	1329	1497	1649	1819	1917	2032	2155
42"	596	687	772	884	942	1047	1147	1289	1439	1654	1774	1965	2074	2200	2332
48"	629	727	820	935	957	1131	1206	1387	1548	1774	1908	2108	2228	2363	2505
54"	659	771	833	985	979	1209	1229	1488	1651	1908	2045	2276	2396	2541	2692
61"	697	805	921	1046	1158	1273	1387	1570	1747	2040	2186	2415	2577	2729	2895
66"	727	853	970	1102	1229	1348	1485	1654	1852	2132	2315	2549	2713	2875	3048
72"	758	890	1018	1164	1284	1429	1547	1761	1982	2290	2444	2721	2878	3051	3233
78"	825	959	1105	1259	1405	1544	1705	1934	2153	2491	2701	2863	3048	3231	3426
84"	889	1046	1191	1368	1514	1690	1867	2090	2368	2777	2846	2995	3191	3384	3588
90"	960	1131	1303	1489	1654	1845	2034	2298	2591	2908	2981	3188	3381	3581	3796
96"	1046	1231	1425	1611	1810	1984	2200	2513	2706	3042	3127	3323	3549	3760	3987
108"	1177	1373	1590	1839	2057	2281	2535	2707	2944	3273	3423	3602	3827	4056	4299
120"	1245	1453	1685	1950	2180	2418	2682	2867	3121	3469	3630	3816	4054	4297	4557

RemoteLift Shades: Single battery wand size recommendation limit is 65 sq.ft (Grass Weaves) or 28 sq.ft. (Select Weaves); dual battery wand or transformer is RECOMMENDED for shade exceed the limit.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- 1 Use this grid to price your INDIVIDUAL valance.
- 2 Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
4"	\$109	112	122	133	154	175	189	212	226	240	257	277	299	318	337
6"	106	125	147	164	186	206	226	246	274	285	298	312	324	343	365
8"	125	150	154	197	207	237	254	284	296	313	326	338	354	375	397
10"	134	158	162	203	217	254	268	293	315	330	346	366	383	407	431
12"	153	164	170	209	220	267	276	310	319	341	357	379	399	422	447
16"	245	295	340	389	439	487	536	584	634	680	729	777	825	876	928
18"	265	318	371	422	475	526	579	634	682	735	788	842	893	946	1004
20"	284	340	396	453	509	565	621	679	733	792	847	904	960	1018	1079
22"	302	366	427	486	545	607	666	727	786	847	906	968	1029	1091	1156
24"	319	386	447	514	578	645	707	772	836	901	963	1030	1094	1159	1228

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

Shades over 96" are available in most styles with a center seam. See size specifications section for details.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
• Valance Returns for Inside Mounts
• Valance Custom Heights to 12"
• Control Positions (R or L)
• Extension Brackets
• Hold Down Brackets
• Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades)
• Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
• 2 On 1 Headrail.....Price as 2 separate shades and add \$97
• 3 On 1 Headrail.....Price as 3 separate shades and add \$119
• Top-Down add \$84
• Top-Down/Bottom-Up add \$95
• Continuous Cord Loop Surcharge..... add \$125
• Cordless Lift Surcharge (see pages 4-6 for pattern availability).. add \$172
• Operable Lining – add to grid size liner pricing add \$162
• Faux Silk Binding Option – Default - All add \$243
– Custom Placement..... add \$161
– Valance Only add \$81
• Twill Edge-Binding Option – Shade & Valance add \$158
– Shade Only add \$100
– Valance Only add \$60

Select Weave
2411 Jaipur Natural
2417 Lagos
2419 Lomaloma
2431 Santos Natural
2433 Sintra Dust
2441 Tunisia

GROUP 9

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
36"	\$691	792	903	1029	1163	1279	1404	1561	1698	1825	2007	2150	2314
42"	739	853	984	1124	1259	1391	1551	1707	1878	2088	2197	2385	2566
48"	794	931	1077	1223	1271	1531	1691	1873	2054	2273	2399	2601	2802
54"	847	1002	1192	1320	1600	1668	1836	2038	2223	2486	2662	2883	3118
61"	906	1074	1239	1424	1614	1808	1995	2225	2435	2706	2897	3138	3345
66"	963	1158	1324	1527	1732	1923	2149	2396	2643	2947	3168	3426	3645
72"	1023	1233	1424	1649	1873	2091	2325	2567	2844	3208	3401	3717	3998
78"	1100	1310	1531	1757	2018	2253	2524	2774	3085	3432	3653	4008	4333
84"	1166	1388	1626	1875	2146	2391	2675	2997	3284	3726	3952	4261	4614
90"	1239	1464	1730	2023	2300	2561	2869	3189	3529	3967	4201	4644	4918
96"	1309	1569	1839	2129	2433	2752	3057	3427	3746	4291	4558	4832	5160
108"	1430	1713	2012	2363	2709	3087	3421	3807	4208	4765	4974	5314	5641
120"	1516	1814	2135	2507	2872	3270	3625	4037	4460	5053	5272	5632	5980

RemoteLift Shades: Single battery wand size recommendation limit is 28 sq.ft., dual battery wand or transformer RECOMMENDED for shade greater than 28 sq.ft.

INDIVIDUAL VALANCE PRICING (AND OVER 12" HEIGHT SHADE VALANCE PRICING)

- 1 Use this grid to price your INDIVIDUAL valance.
- 2 Use this grid to price your extra high (above 12") SHADE valance as follows: For SHADE valance heights over 12", ADD extra height from this grid to your SHADE price from grid above. Example: For a 16" high SHADE valance, ADD the 4" price below to your SHADE price above.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"
HEIGHT TO:													
4"	\$148	159	176	198	214	234	253	281	293	323	341	357	380
6"	158	175	197	214	239	254	270	310	321	346	374	399	428
8"	172	193	214	239	265	291	319	349	375	403	431	459	487
10"	192	234	239	276	309	338	372	405	438	470	501	536	567
12"	229	237	271	309	343	382	419	455	494	531	567	606	643
16"	375	386	422	487	557	621	690	757	825	890	959	1029	1094
18"	410	421	463	536	607	680	757	828	898	971	1049	1125	1198
20"	445	452	498	579	659	736	817	895	974	1057	1135	1220	1296
22"	481	486	542	624	713	797	884	967	1054	1138	1226	1317	1401
24"	508	511	573	666	761	851	943	1035	1127	1220	1312	1408	1499

Note: Individual valances are built on the large 2-1/2" depth headrail unless specified. Returns are standard on outside mounts.

PRIVACY LINING PRICING (ALL PRICE GROUPS) SEE PAGE 16.

SIMPLICITY MOTORIZATION PRICING (ALL PRICE GROUPS) SEE PAGE 17.

REMOTELIFT PRICING (ALL PRICE GROUPS) SEE PAGE 17.

TRILIGHT SHADES OPTION (SEE PAGES 35-39)

TANDEM SHADES OPTION (SEE PAGES 40-42)

OPTIONS: NO CHARGE
<ul style="list-style-type: none"> • Valance Returns for Inside Mounts • Valance Custom Heights to 12" • Control Positions (R or L) • Extension Brackets • Hold Down Brackets • Cord Cleats (standard on Top-Down and Top-Down/Bottom-Up shades) • Cut-outs – maximum size 3" x 8" on bottom of shade (left or right side)

OPTIONS: EXTRA CHARGE
<ul style="list-style-type: none"> • 2 On 1 Headrail.....Price as 2 separate shades and add \$97 • 3 On 1 Headrail.....Price as 3 separate shades and add \$119 • Top-Down add \$84 • Top-Down/Bottom-Up..... add \$95 • Continuous Cord Loop Surcharge.....add \$125 • Cordless Lift Surcharge (see pages 4-6 for pattern availability)..add \$172 • Operable Lining – add to grid size liner pricingadd \$162 • Faux Silk Binding Option – Default - All add \$243 (Grass Weaves Only) – Custom Placement.....add \$161 – Valance Onlyadd \$81 • Twill Edge-Binding Option – Shade & Valanceadd \$158 – Shade Onlyadd \$100 – Valance Onlyadd \$60

GROUPS 1-9 (PRIVACY LINING PRICING IS THE SAME FOR ALL PRICE GROUPS)

Fixed Privacy Lining – Translucent (LF-# White, Ivory and Khaki)

Operable Privacy Lining – Light Filtering (OLF-# White, Cream, Café and Mink)

Add the price below to your shade price. For operable liners, also add the operable surcharge.

Lining is applied so the white side faces out and the colored side faces inside the room.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$72	86	100	111	117	130	136	159	175	190	197	203	211	229	248
42"	80	95	111	117	130	139	150	175	197	207	214	225	232	253	277
48"	84	100	117	131	145	159	167	192	211	221	232	246	257	282	307
54"	92	111	130	145	159	168	187	207	229	245	256	273	284	307	335
61"	95	116	136	154	167	187	198	225	249	267	277	290	307	335	365
66"	100	128	147	162	176	197	211	242	270	284	296	315	329	358	391
72"	108	131	159	175	192	207	225	256	284	299	319	333	357	389	422
78"	114	139	165	187	200	221	242	273	299	321	335	361	379	413	452
84"	117	147	175	197	214	235	256	288	319	335	361	382	400	436	475
90"	117	154	187	203	225	249	273	302	333	361	382	402	427	464	508
96"	130	161	192	214	242	267	285	321	357	379	400	427	449	487	531
108"	150	190	221	251	282	307	332	377	416	442	473	498	522	568	620

Note: Khaki Fixed Privacy Lining over 54" wide AND 54" high will be spliced together vertically, the maximum height is limited to 106", creating a seam. This applies to the lining ONLY and not the actual woven shade. Privacy Lining is attached to the back of the shade. Small slits are made in the lining at the ring cord-guide attachment locations. When Faux Silk or Twill Edge-Bindings are also ordered, the privacy lining will be sewn under the binding.

GROUPS 1-9 (PRIVACY LINING PRICING IS THE SAME FOR ALL PRICE GROUPS)

Fixed Privacy Lining – Room Darkening (RD-# White, Ivory, Khaki, Brown, Black, Beige-Deluxe, and Taupe-Deluxe)

Operable Privacy Lining – Room Darkening (OBO-# White, Cream, Café and Black)

Add the price below to your shade price. For operable liners, also add the operable surcharge.

Lining is applied so the white side faces out and the colored side faces inside the room.

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	108"	120"
HEIGHT TO:															
36"	\$91	111	131	145	159	167	181	207	231	245	256	270	282	305	333
42"	100	125	145	161	168	190	200	229	256	273	284	296	312	338	368
48"	111	134	159	175	192	207	221	251	282	293	312	327	340	369	403
54"	117	145	167	190	203	221	242	276	302	321	335	358	377	411	449
61"	130	159	181	200	221	245	259	293	327	346	368	389	407	445	484
66"	131	162	193	212	232	257	282	315	351	377	396	417	439	480	522
72"	139	175	203	229	251	277	299	335	377	397	424	447	470	514	559
78"	147	187	214	245	270	293	319	361	397	427	449	480	500	543	595
84"	159	193	229	256	284	313	335	382	424	449	480	505	533	581	634
90"	161	200	242	273	299	329	358	400	442	480	505	536	565	617	671
96"	168	212	251	285	319	346	379	424	470	500	533	568	598	652	710
108"	198	246	293	332	371	402	441	494	543	582	623	660	694	758	823

Note: Khaki, Brown and Black Fixed Privacy Lining over 54" wide AND 54" high will be spliced together and the maximum height will be reduced to 106", creating a seam. Beige-Deluxe and Taupe-Deluxe Privacy Lining over 60" wide AND 60" high will be spliced together and the maximum height will be reduced to 118" creating a seam. This applies to the lining ONLY and not the actual woven shade. Privacy Lining is attached to the back of the shade. Small slits are made in the lining at the ring cord-guide attachment locations. When Faux Silk or Twill Edge-Bindings are also ordered, are also ordered, the privacy lining will be sewn under the binding.

Motorization consists of a **motor, power source, and controller**. Be sure all of these elements are included when determining final price.

SIMPLICITY RECHARGEABLE OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER USE APPROPRIATE GRID FOR SHADE PRICE, THEN ADD EXTRA CHARGE(S) BELOW.	
• Simplicity Rechargeable Motor	add \$561 per motor
– 5 Channel Remote Control (Black Part #CS5138 or White Part #CS5138W)	add \$86 each
– Plug-in Charger	Part #CS5199..... add \$63 each
– Solar Panel (Part #CS52096 Solar Panel & mounting brackets) (Part #02-70-9021 Mounting bracket screws)	add \$304 each

REMOTELIFT™ OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (Must select RemoteLift power source when ordering)	
• RF RemoteLift Motorization Upgrade	add \$649 per shade
• RF Remote Control – 1 Channel	Part #RC445069 add \$204 each
• RF Remote Control – 5 Channel	Part #RC445079 add \$262 each
• RF Wireless Wall Switch – 1 Channel	Part #RC445135 add \$519 each
• RF Wireless Wall Switch – 5 Channel	Part #RC445136 add \$519 each
• RF Programmable Timer – 1 Channel	Part #1805237A add \$825 each
• RTS-Smoove 1 RTS	add \$268 each
• RTS-myLink RTS interface	add \$769 each
• RF Reloadable Single Battery Wand	Part #KITRWR..... add \$277 each
• RF Reloadable Dual Battery Wand.....	Part #KITRDWR..... add \$561 each
• RF Transformer	Part #1822192..... add \$279 each
• RF Battery Wand Extension Wire – 10".....	Part #9013282..... add \$21 each
• RF Battery Wand Extension Wire – 48".....	Part #9013279..... add \$28 each
• RF Battery Wand Extension Wire – 96".....	Part #9013277..... add \$38 each
• RF 8 AA Lithium Batteries (Reload-Wand)	Part #9014834..... add \$92 each

RemoteLift Shades: Single battery wand size recommendation limit is 16 sq.ft (Woven Wood), 65 sq.ft (Grass Weaves) or 28 sq.ft. (Select Weaves); dual battery wand or transformer RECOMMENDED for shade exceed the limit.


SHADE CONFIGURATION DIAGRAM

Shades and Individual Valances Are Built on 1 of 3 Headrail Depths:

- 1-1/2" Headrail Depth: Standard Rectangular, Waterfall Style, Top-Down, Top-Down/Bottom-Up & Turned Headrail
- 2-1/2" Headrail Depth: RemoteLift, Continuous Cord Loop, Operable Liner, 2 or 3 on 1 Headrail & Individual Valances
- 3/4" Headrail Depth: For narrow mounts

OUTSIDE MOUNT (& CEILING MOUNT) VALANCE WIDTH ADDITIONS FOR:

Standard, Top-Down, Top-Down/Bottom-Up & RemoteLift Shades (see next pages for Cord Loop and Cordless Lift Shades)
 A small width addition is made to the valance to create a "cornice style" box for approved appearance & shade operation/stacking.
 Valance Width ADDITION = +1/2" "PER SIDE = +1" Total



VALANCE NOTE:

Standard valances are 6" in height. When shades are under 18" in width, the valance is 4" in height for improved proportion.

Custom valances up to 12" in height may be ordered with **NO extra charge**.

Custom valances over 12" in height are charged **EXTRA**.

Refer to the valance price grids by Group.

RETURN NOTES:

Standard outside mount return depths are 1-3/4" for the small headrail and 2-3/4" for the large headrail.

Outside mount returns are attached to the valance using the **VRS SYSTEM on woven wood only**.

The VRS System is NOT featured on Decorative Wovens due to the sheerness and fabric weight. Returns will use the classic velcro for attachment.

The outside mount valance width addition covers the front facing edge of the return and creates a clean corner.

If optional returns are ordered on an IB Mount, they will use the classic velcro "dog ear" attachment method (not VRS).

Returns not available on turned headrail or 3/4" headrail shades.


VALANCE RETURN STABILIZER (VRS) SYSTEM



Outside mount shade valances come with the innovative Valance Return Stabilizers (VRS) System. The VRS System includes clear corner pieces and are attached to the valance and returns, keeping them stable and in perfect alignment. The valance also covers the front edge of the returns. A tiny spring mechanism in each VRS keeps the valance hanging straight down off the headrail, while also allowing you to raise the valance for installing the shade and for periodic dusting/cleaning underneath.

Not Available on Decorative Wovens. Returns with velcro are available under Decorative Wovens.

LIMITED LENGTH ADJUSTER



Woven Wood shade configurations that have a bottom dowel will include a Limited Length Adjuster. Shades that have an edge-binding or tape-binding on the bottom will NOT include the adjuster. The Limited Length Adjuster allows up to a 1" shade height reduction (depending upon the dowel size and woven material). It works by simply **SLIDING UP** the Adjuster on each side of the shade which in turn rolls the dowel up. This is an innovative solution to adjust for some woven shade stretching, which may occur to some extent over time with all woven wood materials.

Not Available on Decorative Wovens


CORD LOOP SHADE DIAGRAM

INSIDE MOUNT WIDTH DEDUCTIONS FOR: Cord Loop Shades

Minor adjustments are made to the standard IB width deductions for cord loop shades to improve the cord loop operation. These adjustments allow the loop control, cord loop and safety tensioner to be shifted toward the outside edge of the shade.

Headrail & Valance Width DEDUCTION = $-1/4"$ (STANDARD) IB WIDTH DEDUCTION ON BOTH SIDES = $-1/2"$ Total

Shade Panel Width DEDUCTION = $-1/4"$ (ADJUSTED) IB WIDTH DEDUCTION ON BOTH SIDES = $-1/2"$ Total




standard $-1/4"$ IB width deduction to headrail, fabric and valance ON BOTH SIDES

OUTSIDE MOUNT (& CEILING MOUNT) WIDTH ADDITIONS FOR: Cord Loop Shades

Minor adjustments are made to the standard OB width additions for cord loop shades to improve the cord loop operation. These adjustments allow the loop control, cord loop and safety tensioner to be shifted toward the outside edge of the shade.

Headrail Width ADDITION = $+1/4"$ ON BOTH SIDES = $+1/2"$ Total

Valance Width ADDITION = $+3/4"$ ON BOTH SIDES = $+1-1/2"$ Total



adjusted $+1/4"$ OB width addition to headrail ON BOTH SIDES

adjusted $+3/4"$ OB width addition to valance ON BOTH SIDES

NOTE: The adjusted OB width additions to the headrail ($+1/4"$ on each side) allow clearance for the cord loop and safety tensioner.

Valance and returns attach with the VRS system (Woven Woods only) which then adds the (standard) $+1/2"$ beyond the headrail width on each side.

CONTINUOUS CORD LOOP SYSTEM - MOUNTING AND WIDTH ADJUSTMENTS NOTES

Continuous Cord Loop Systems offer manually operated clutch mechanisms for raising and lowering shades. By simply putting on one side of the cord loop, shades can be quickly and precisely positioned. Left or Right side control positions may be specified.


Cord Loop shades are installed with special L-shaped (small roller shade cassette headrail style) mounting brackets, which snap into a flat, custom fit connector pre-attached to the headrail. This cord loop bracket system allows the cord loop mechanism to be shifted to the very edge of the headrail so that the cord loop is shifted toward the edge of the shade, rather than hanging in front of the shade. The width adjustments made on the cord loop control side allow the cord loop to hang straight down to the required, mounted safety tensioner and clear the edge of the woven material.

NOTE: There is a likelihood where cord will rub against the edge of the shade. Hence, edge binding is highly recommended.

CORDLESS LIFT SHADE DIAGRAM

INSIDE MOUNT WIDTH DEDUCTIONS FOR: CORDLESS LIFT


Headrail & Valance Width DEDUCTION = $-1/4"$ (STANDARD) IB WIDTH DEDUCTION ON BOTH SIDES = $-1/2"$ Total
Shade Panel Width DEDUCTION = $-1/4"$ (ADJUSTED) IB WIDTH DEDUCTION ON BOTH SIDES = $-1/2"$ Total



standard $-1/4"$ IB width deduction to headrail, fabric and valance ON BOTH SIDES

OUTSIDE MOUNT AND CEILING MOUNT WIDTH ADDITIONS FOR: CORDLESS LIFT

Headrail Width ADDITION = $+1/4"$ ON BOTH SIDES = $+1/2"$ Total
Valance Width ADDITION = $+3/4"$ ON BOTH SIDES = $+1-1/2"$ Total



adjusted $+1/4"$ OB width addition to headrail ON BOTH SIDES

adjusted $+3/4"$ OB width addition to valance ON BOTH SIDES

NOTE: The adjusted OB width additions to the headrail ($+1/4"$ on each side).

Valance and returns attach with the VRS system (Woven Woods only) which then adds the (standard) $+1/2"$ beyond the headrail width on each side.

CORDLESS LIFT SYSTEM – MOUNTING AND WIDTH ADJUSTMENT NOTES

Cordless Lift shades are installed with special L-shaped (small roller shade cassette headrail style) mounting brackets, which snap into a flat, custom fit connector pre-attached to the headrail. Cordless Lift shades do not install with the standard woven wood screw-post brackets through routes in the headrail.

LIMITED LENGTH ADJUSTER

Woven Wood cordless lift shade without edge-binding will have a limited length adjuster. Insert a phillips screwdriver into the adjuster. Turn left to shorten and right to lengthen.


This is a solution to allow limited adjustment for some woven shade stretching, which may occur to some extent over time with all woven wood materials.



SHADE CONFIGURATION OPTIONS


STANDARD RECTANGULAR

- Returns standard on outside mount
- Returns for inside mount available upon request
- Valance is 6" long (4" for shades under 18" wide)
- Built on 1-1/2" depth headrail (unless specified)
- Available with Simplicity and RemoteLift Motorization (on 2-1/2" headrails)




WATERFALL STYLE (FRONT-SIDE SHADE)

- Returns standard on outside mount
- Backside valance includes liner when ordered on shade
- Backside valance included on inside mount
- Front-side cord grommet (unless specified)
- Built on 1-1/2" depth headrail unless specified
- Available with Simplicity and RemoteLift Motorization (on 2-1/2" headrails)




3/4" HEADRAIL (FOR NARROW DEPTH MOUNTS ONLY)

- Available with standard or waterfall style only
- Returns are not available
- No valance width addition for outside mount
- Shade mounts with screws only, not brackets
- Mounting holes pre-drilled in headrail
- Not available as 2 or 3 on 1 headrail



2 OR 3 ON 1 HEADRAIL

- Standard, waterfall & top-down/bottom-up
- Cord loop, cordless, and Simplicity motorization are available under bottom-up in 2 on 1 only.
- Valance split at shade gap if over 96" wide
- Built on 1-1/2" and 2-1/2" depth headrails (see configurations)
- For 2 on 1 or 3 on 1 TDBU shade that is larger than 96" in width are build on 2-1/2" headrail




Note: We cannot guarantee fabric alignment on side-by-side shades.

SHADE CONFIGURATION OPTIONS


TOP-DOWN

- Returns standard on outside mount
- Backside valance included on inside mount
- Front & back valances include liner when ordered on shade
- Built on 1-1/2" depth headrail, unless specified
- Not available with remotelift or cordless
- Not available with waterfall style




TOP-DOWN/BOTTOM-UP

- Returns standard on outside mount
- Backside valance included on inside mount
- Front & back valances include liner when ordered on shade
- Top-Down/Bottom-Up shades are built on 1-1/2" depth headrail
- For 2 in 1 or 3 in 1 shade that is larger than 96" in width are built on 2-1/2" headrail
- Not available with Waterfall style




CONTINUOUS CORD LOOP

- Built on 2-1/2" depth headrail only
- Available as 2 on 1 headrail (not 3 on 1 headrail)
- Available with waterfall shades;
- If waterfall, loop cord is behind shade
- Not available with top-down or top-down/bottom-up
- Note: inside and outside mount width adjustments
- Cord may rub against side of the shade during operation. Edge binding is highly recommended.




SIMPLICITY RECHARGEABLE & REMOTELIFT MOTORIZATION

- Automated control options available
- Built on 2-1/2" depth headrail only
- Available with waterfall style
- Not available with top-down or top-down/bottom-up or 3 on 1 headrail
- When ordering multiple motorized shades/remotes, please provide programming instructions, otherwise, all shades will be programmed to one remote



CORDLESS

- Built on 2-1/2" depth headrail only
- Enclosed aluminum hem bar
- Available in standard rectangular style & waterfall
- Available as 2 on 1 headrail (not 3 on 1 headrail)
- Available with fixed liners
- Available with twill edge and faux silk bindings – valance sides & shade sides only




FAUX SILK BINDING SHADE & VALANCE UPGRADES

AVAILABLE ON DECORATIVE WOVEN PATTERNS


FAUX SILK BINDING OPTION (EFO)

Shade and valance sides and bottom available in all configurations




ESVB

Faux silk sides + bottom + valance sides




ES

Faux silk sides + valance sides




ESB

Faux silk sides + bottom



ESO

Faux silk sides only



NOTE: Valance returns do not include bindings. They are comprised of Decorative Woven Material only.

NOTE: Corners on shades with faux silk bindings on the side and bottom are mitered, providing a high-end drapery workroom look.

INDIVIDUAL VALANCE

Large 2-1/2" depth headrail

Returns standard on outside mount only

Valance without headrail uses velcro

EVSB

Faux silk VALANCE sides + bottom (binding not on returns)



EVSO

Faux silk valance sides only (binding not on returns)



FAUX SILK ORDER ABBREVIATION TABLE

EFO	- option (default = all sides & bottom)
ESVB	- sides + bottom + valance sides
ES	- sides + valance sides
ESB	- sides + bottom
ESO	- sides only
EVSB	- valance sides + bottom
EVSO	- valance sides only

NOTE:

On outside mounts, the valance widths are adjusted 1/2" wider on each side to create a "Cornice Style" box and to cover the front edge of the returns creating a clean corner.

Due to the valance width addition, trim on the valance sides will also extend out slightly as compared to the trim on the shade sides.


NOTE: Some styles require faux silk or twill edge-bindings. See color chart for detail. See "Options: Extra Charge" on each Price Group page for appropriate surcharge.

TWILL EDGE-BINDING SHADE & VALANCE UPGRADES

AVAILABLE ON WOVEN WOOD AND DECORATIVE WOVEN PATTERNS


EDGE-TAPE OPTION (ETO)

Shade and valance sides and bottom available in all configurations




TSVB

Tape sides + bottom + valance sides




TS

Tape sides + valance sides




TSB

Tape sides + bottom



TSO

Tape sides only



NOTE: Valance returns do not include bindings. They are comprised of woven material only.

NOTE: Corners on shades with twill edge-bindings are NOT mitered.

INDIVIDUAL VALANCE

Large 2 1/2" depth headrail
Returns standard on outside mount only
Valance without headrail uses velcro



TVSB

Tape valance sides + bottom (binding not on returns)



TVSO

Tape valance sides only (binding not on returns)



TWILL EDGE-BINDING ORDER ABBREVIATION TABLE

ETO	- edge tape option (default + all sides & bottom)
TSVB	- tape sides + bottom + valance sides
TS	- tape sides + valance sides
TSB	- tape sides + bottom
TSO	- tape sides only

TVSB	- tape valance sides + bottom
TVSO	- tape valance sides only

NOTE:

On outside mounts, the valance widths are adjusted 1/2" wider on each side to create a "Cornice Style" box and to cover the front edge of the returns creating a clean corner. See Shade Configuration Diagram. OB Valances and returns are attached using the "Valance Return Stabilizer" or VRS System. [Woven Wood patterns only].

Due to the valance width addition, edge-tape on the valance sides will also extend out slightly as compared to the edge-tape on the shade sides

NOTE: Some styles require faux silk or twill edge-bindings. See color chart for detail. See "Options: Extra Charge" on each Price Group page for appropriate surcharge.

BINDING FEATURES AND FABRIC LISTS

- Bindings come standard on shade and valance sides and bottom, front and back unless one of the custom placement options is specified.
- Bindings are sewn to the woven material for durability, structure, a cleaner appearance, and to protect the shade edges.
- Cordless only available with faux silk binding and twill edge-bindings.
- Not available on all woven materials – see color charts for availability.
- Available on all woven shade configurations.



Faux Silk Bindings



Twill Edge-Bindings

TWILL EDGE-BINDING FABRIC LIST

Available on Woven Woods & Decorative Wovens

Color #	5/8" Folded	1-1/2" Folded
White	CT400	NA
Natural	CT402	CT802
Duck	CT403	NA
Latte	CT404	NA
Dusk	CT405	CT805
Sand	CT406	CT806
Beige	CT408	CT808
Jute	CT409	CT809
Camel	CT410	CT810
Desert	CT412	CT812
Mocha	CT417	CT817
Chocolate	CT418	CT818
Espresso	CT419	CT819
Silver	CT420	NA
Steel	CT421	CT821
Black	CT424	CT824

FAUX SILK BINDING FABRIC LIST (1" WIDTH)

Available on Decorative Wovens ONLY

Color #	Color Name
FT550	Optic
FT551	Cashmere
FT552	Crystal
FT554	Bubbly
FT555	Angora
FT557	Natural
FT562	Sand

Color #	Color Name
FT565	Jute
FT566	Chipmunk
FT568	Tiramisu
FT572	Granite
FT573	Oyster
FT574	Smoke

- Corners are mitered for a custom workroom look

OPERABLE PRIVACY LINING OPTIONS

Features

- Operable privacy liners may be raised and lowered independently of the front woven shade using a separate lift cord & cordlock.
- Operable liners allow for the most versatile woven shade light control.
- Available on all woven materials.
- Available on Standard & Waterfall-Style shade configurations ONLY.
- Operable liners are neutral white to the outside, are NOT reversible, and include spaced horizontal "tabs" on the back-side for the lift cords.
- Operable liner safety cord shrouds are WHITE-ONLY. The lift cords are color-coordinated to the woven material and match the shade lift cords.
- Valances DO NOT include operable liners (or same-color fixed liners).
- Cut-outs not available.

Front View



Back View



FIXED PRIVACY LINING OPTIONS

Features

- Fixed (traditional) privacy liners are physically attached to the back of the woven shade and operate in unison WITH them.
- Available on all woven materials.
- Available on ALL woven shade configurations.
- Fixed liners are neutral white to the outside. Reversed liners (i.e. colored to the outside and white to the inside) must be specified when ordering.
- Front & back valances on Top-Down/Bottom-Up shades DO include liners.
- Back valances on Waterfall-Style shades DO include liners.
- Fixed liners are sewn UNDER faux silk, twill edge-binding when those options are ordered.
- Allows for traditional style woven wood shade light control.

Front & Back View



Back View with Binding



OPERABLE PRIVACY LINING

Family	Color #	Color Name
Light Filtering	OLF-4001	White
Light Filtering	OLF-4004	Cream
Light Filtering	OLF-4005	Café
Light Filtering	OLF-4007	Mink
Room Darkening	OBO-5001	White
Room Darkening	OBO-5004	Cream
Room Darkening	OBO-5005	Café
Room Darkening	OBO-5006	Black

Operable privacy liners are made of 100% Polyester.

FIXED PRIVACY LINING

Family	Color #	Color Name
Translucent	LF-1001	White
Translucent	LF-1002	Ivory
Translucent	LF-1003	Khaki
Room Darkening	RD-2001	White
Room Darkening	RD-2002	Ivory
Room Darkening	RD-2003	Khaki
Room Darkening	RD-2004	Brown
Room Darkening	RD-2006	Black
Room Darkening	RD-3008	Beige-Deluxe
Room Darkening	RD-3009	Taupe-Deluxe

Translucent fixed privacy liners are made of 100% Cotton.

Room Darkening fixed privacy liners are made of 30% Cotton and 70% Polyester.

Note: Khaki, Brown and Black Fixed Privacy Lining over 54" wide and 54" high will be spliced together and the maximum height will be reduced to 106", creating a seam. Beige-Deluxe and Taupe-Deluxe Privacy Lining over 60" wide and 60" high will be spliced together and the maximum height will be reduced to 118" creating a seam. This applies to the lining ONLY and not the actual woven shade. Privacy Lining is attached to the back of the shade. Small slits are made in the lining at the ring cord-guide attachment locations. When Faux Silk or Twill Edge-Bindings are also ordered, the privacy lining will be sewn under the binding.

PRODUCT SPECIFICATIONS

WOVEN WOODS, SELECT WEAVES, AND GRASS WEAVES

Shade Features		Footnotes
Number of Styles		92
Headrail Depth	(1)	3/4", 1-1/2" or 2-1/2"
Bracket Style (for each headrail size above)	(2)	L-Shaped
Swivel Multi Cord Lock & Pulley		Yes
Woven Valance	(3)	Yes
Valance Returns (Standard on OB)	(4)	Yes
Color-Coordinated Lift Cords		Yes
Color-Coordinated Decorative Wood Tassel		Yes
Color-Coordinated Cord Connector		Yes
Color-Coordinated Cord Tensioner		Yes
Wood Dowel Bottomrail	(5)	3/4"
Warranty		Lifetime Limited

Continuous Cord Loop Chart	
Shade Height	Cord Loop Length
12" to 18"	12"
18-1/8" to 26"	18"
26-1/8" to 38"	24"
38-1/8" to 50"	36"
50-1/8" to 62"	48"
62-1/8" to 74"	60"
74-1/8" to 86"	72"
86-1/8" to 98"	84"
98-1/8" to 120"	96"
special request, long cord loop	120"
special request, long cord loop	144"

Shade Configuration Options	
Faux Silk Bindings (not available on all patterns)	Yes
Translucent/Light Filtering Privacy Linings (Fixed or Operable)	Yes
Room Darkening Privacy Linings (Fixed or Operable)	Yes
Continuous Cord Loop System	(6) Yes
Cordless Lift Shades (see pages 4-6 for pattern availability)	Yes
Top-Down or Top-Down/Bottom-Up (TDBU)	(7) Yes
Top-Down/Bottom-Up Continuous Cord	No
Waterfall Style	(8) Yes
Simplicity Rechargeable & RemoteLift Motorization	Yes
2 or 3 On 1 Headrail	(9) Yes
3/4" Headrail (for extra shallow mounts)	Yes
Custom Valance Heights & Return Depths	(10) Yes

Stacking Chart	
Shade Height	Stack Height
24"	6" - 7"
36"	6" - 8"
48"	8" - 9"
60"	8" - 10"
72"	8" - 10"
84"	9" - 12"
96"	9" - 12"
108"	10" - 13"
120"	10" - 13"

NOTE: These are stacking averages for standard shades. Actual heights may vary + or - 1". Stacking heights for continuous cord and bindings add approximately 1" more (each).

Other Options	
Individual Valances	(3) Yes
Cut-Outs (max size 3"x8" on L or R shade bottom)	(10) Yes
Specialty Shapes	No
Control Positions	L or R
Ceiling Mount (Flat) Brackets	(2) Yes
Hold Down Brackets	Yes
Spacer Blocks; 3/4"	Yes
Extension Brackets; 2-1/2" and 4-1/2"	Yes
Cord Cleats (Standard with TD & TDBU)	(8) Yes

Please Note: fabric alignment on side-by-side shades cannot be guaranteed.

FEATURE & OPTION NOTES:
<ol style="list-style-type: none"> Continuous Cord Loop shades, Cordless Lift Shades, RemoteLift shades and Individual Valances are made with the larger 2-1/2" depth headrail. Wider shades may also come with ceiling mount bracket(s) used to support the center headrail area. Flat (T-Style) brackets may also be ordered by request. Custom shade valance heights may be specified to 12" at NO extra charge. Over 12" valance is charged EXTRA. Returns standard on OB shades and valance orders ONLY, unless specified. Return widths are 1-3/4" (for small HR) and 2-3/4" (for large HR). Either of 2 size wood dowel bottomrails are wrapped with the selected woven material. Dowel size used depends on material style - see dowel size detail under color chart. Cord may rub against Continuous Cordloop shade, edge binding is highly recommended. Top-Down and TDBU shades require an EXTRA LONG lift cord and come with a CORD CLEAT to wrap excess cord. These shades are built on 1-1/2" depth headrail. For 2 on 1 and 3 on 1 TDBU shades over 96" are built on a 2-1/2" headrail. Waterfall-Style shades may be motorized. They are not available in Top-Down or Top-Down/Bottom-Up. Widths over 96" will always receive a spliced valance split at the shade gap. There is a 1/2" gap between individual shades. Cord Loop, Cordless, RemoteLift, and Simplicity Motorization shades are not available with 3 on 1 headrail. Cut-Out maximum size is 3" x 8" and only available on the Left or Right bottom corner of the shade. Cut-Outs are NOT available when Edge-Binding, Twill Edge-Binding or Faux Silk Binding is ordered, or on operable liners.

SIZE SPECIFICATIONS: WOVEN WOODS

Standard, Waterfall Style, Top-Down & Top-Down/Bottom-Up Shades

MINIMUM WIDTH	10" (per panel)
MAXIMUM WIDTH	96"
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	108"

- All Standard Rectangular, Top-Down and Top-Down/Bottom-Up shades are built on a 1-1/2" depth headrail as standard, unless specified.
- For 2 on 1 or 3 on 1 TDBU shade that is larger than 96" in width are built on a 2-1/2" headrail.
- Waterfall Style shades come with a front-side oval grommet for easy cord access & control. They may also be ordered with "rear cord access", so no grommet, if desired.
- The turned headrail and 3/4" headrail options for narrow depth mounting is only available for Standard and Waterfall shades.

Continuous Cord Loop Shades

LARGE Headrail

MINIMUM WIDTH	22" NET
MAXIMUM WIDTH	96"
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	96" */108"

- Continuous Cord Loop shades are only built on the large 2-1/2" depth headrail.
- Cord Loop shades may be ordered as Waterfall Style, but only with "rear cord access".
The loop control will be BEHIND the shade, not through a front-side grommet.
- * Kota, Kyoto Sunset, Kyoto Ebony, Zee Gray, Zee Tan, and Zee White can only go up to 96" in height.

Cordless Lift Shades

LARGE Headrail

MINIMUM WIDTH	20" NET
MAXIMUM WIDTH	84"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless Lift shades are only built on the large 2-1/2" depth headrail.

2 or 3 on 1 Headrail Shades (Standard/Continuous Cord Loop)

2 on 1 Headrail

3 on 1 Headrail

MINIMUM WIDTH	10" / 22" (per panel)	10" (per panel) / NA
MAXIMUM WIDTH	144"	144"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	108"	108"

- Continuous Cord Loop shades are NOT available as 3 on 1 headrail.
- The 2 or 3 on 1 valance is continuous up to 96" wide. Over 96" require valance to be spliced at the shade gap between the individual panels.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.
- Individual shade panel widths are restricted to the standard width maximums.

2 on 1 Headrail Shades (Cordless Lift)

MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	84" per panel 120" overall width
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless Lift shades are NOT available as 3 on 1 headrail.

Simplicity Rechargeable Motorization

RF System

MINIMUM WIDTH	24" Net (single shade), 48.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- Simplicity motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Simplicity motorized shades can be ordered as Waterfall
- ** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details

RemoteLift Motorization – Radio Frequency (RF)

RF System

MINIMUM WIDTH	19" Net (single shade), 38.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- All RemoteLift motorized shades are built on LARGE 2-1/2" depth headrail ONLY without exception.
- Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer mandatory for shade equal or greater than 65 sq.ft.
- RemoteLift shades may be ordered as Waterfall Style.
- ** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details

Operable Privacy Lining

- Shades ordered with Operable Lining follow the same size specifications as the **configurations** listed above, for Standard and Waterfall Style shades ONLY.
- Operable liners are available on Standard and Waterfall Style shades ONLY.
- Waterfall Style shades ordered with operable privacy lining DO NOT include lining on the back-side valance.
- Cut-outs are not available on operable liner shades.

Fixed Privacy Lining

- Shades ordered with Privacy Lining follow the same size specifications as the **configurations** listed above.
- Top-Down and TDBU shades ordered with privacy lining DO include lining on the front valance.
- Waterfall Style shades ordered with privacy lining DO include lining on the back-side valance.
- Khaki Translucent Privacy Lining over 54" wide AND 54" high will be spliced together and the maximum height will be reduced to 106".
- Khaki, Brown and Black Room Darkening Privacy Lining over 54" width and 54" height will be SPLICED and the maximum height will be reduced to 106".
- Beige/Deluxe & Taupe/Deluxe Room Darkening Privacy Lining over 60" width and 60" height will be SPLICED and the maximum height will be reduced to 118".

SIZE SPECIFICATIONS: DECORATIVE WOVENS – GRASS WEAVES


	Standard, Waterfall, Operable Liner	Top-Down	Top-Down/Bottom-Up
MINIMUM WIDTH	12" (per panel)	12" (per panel)	12" (per panel)
MAXIMUM WIDTH	72" * / 96"	72" * / 96"	48"
MINIMUM HEIGHT	12"	12"	12"
MAXIMUM HEIGHT	108"	108"	108"

* Most patterns are available up to 96" with a center seam. Shades over 72" wide will come standard at no charge with 1 seam placed in the center of the shade except

Zaire collection can only go up to 72" in width, seam not available

Celebes collection can only go up to 96" in width, seam not available

- Custom seam placement is available on most patterns at a 15% surcharge, see detail under section "Color Chart". Allows up to 2 seams per shade. Minimum seam placement from the side edges of the shade is 5".
- All Standard Rectangular, Top-Down, Top-Down/Bottom-Up shades are built on a 1-1/2" depth headrail as standard. The 2-1/2" headrail must be specified. For 2 on 1 or 3 on 1 Top-Down/Bottom-Up shades that are larger than 96" in width are built on a 2-1/2" headrail.
- Waterfall shades come with a front-side oval grommet for easy cord access & control. They may also be ordered with "rear cord access", so no grommet, if desired.
- The 3/4" Headrail option for narrow depth mounting is only available for Standard and Waterfall shades.



Continuous Cord Loop Shades	2 1/2" Headrail
MINIMUM WIDTH	22" NET
MAXIMUM WIDTH	72" / 96" / 120" *
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	108"

* Patterns with Continuous Cord Loop control option are available in widths up to 120" with a seam. Shades over 72" wide will come standard at no charge with 1 seam placed in the center of the shade except:

Zaire collection can only go up to 72" in width, seam not available

Celebes collection can only go up to 96" in width, seam not available

- Custom seam placement is available on most patterns at a 15% surcharge, see detail under color chart section. Allows up to 2 seams per shade. Minimum seam placement from the side edges of the shade is 5".
- Shades are only built on the 2-1/2" depth headrail.
- Shades may be ordered as Waterfall, but only with "rear cord access". The loop control will be BEHIND the shade, not through a front-side grommet.

2 or 3 on 1 Headrail Shades (Standard / Continuous Cord)	2 on 1 Headrail	3 on 1 Headrail
MINIMUM WIDTH	12" / 22" (per panel)	12" (per panel) / NA
MAXIMUM WIDTH	144"	144"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	108"	108"

- Continuous Cord Loop shades are NOT available as 3 on 1 headrail.
- The 2 or 3 on 1 valance is continuous up to 72" wide and 96" with seam on most patterns. Over 96" require valance to be spliced at the shade gap between the individual panels.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.
- Individual shade panel widths are restricted to the standard width maximums.

Cordless Lift Shades	2 1/2" Headrail
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	72" * / 84"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- The following patterns with Cordless Lift control are only available up to 72" in width: **Zaire Camel and Zaire Earth**
- Shades are only built on the 2-1/2" depth headrail.

2 on 1 Headrail Shades (Cordless Lift)	2 on 1 Headrail
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	72" or 84" per panel / 120" overall width
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- The following patterns with Cordless Lift control are only available up to 72" in width: **Zaire Camel and Zaire Earth**
- Cordless shades are NOT available as 3 on 1 headrail.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.

Simplicity Rechargeable Motorization	RF System
MINIMUM WIDTH	24" Net (single shade), 48.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	72"/96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- These patterns are only up to 72" in width: **Zaire Camel and Zaire Earth**
- ** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details
- Simplicity motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Simplicity motorized shades can be ordered as Waterfall
- Due to the material construction, **Celebes** collection can't be motorized.

RemoteLift Motorization – Radio Frequency (RF)	RF System
MINIMUM WIDTH	19" Net (single shade), 38.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	72"/96" (single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies***

- These patterns are only up to 72" in width: **Zaire Camel and Zaire Earth**
- ** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details
- All battery-operated motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Single battery wand size recommendation limit is 65 sq.ft., dual battery wand or transformer mandatory for shade equal or greater than 65 sq.ft.
- Motorized shades may be ordered as Waterfall.
- Due to the material construction, **Celebes** collection can't be motorized.

SIZE SPECIFICATIONS: SELECT WEAVES

	Standard, Waterfall, Operable Liner	Top-Down	Top-Down/Bottom-Up
MINIMUM WIDTH	12" (per panel)	12" (per panel)	12" (per panel)
MAXIMUM WIDTH	96" / 120" *	96"	72"
MINIMUM HEIGHT	12"	12"	12"
MAXIMUM HEIGHT	120"	72"	72"

- * Tai White & Salvador Dritwood are available in widths up to 120" with a seam. Shades over 96" will come standard at no charge with 1 seam placed in the center of the shade.
- Custom seam placement is available only on above patterns at a 15% surcharge. Allows up to 2 seams per shade. Minimum seam placement from the side edges of the shade is 5".
- All Standard Rectangular, Top-Down, Top-Down/Bottom-Up shades are built on a 1-1/2" depth headrail as standard. The 2-1/2" headrail must be specified.
For 2 on 1 or 3 on 1 Top-Down/Bottom-Up shades that are larger than 96" in width are built on a 2-1/2" headrail
- Waterfall shades come with a front-side oval grommet for easy cord access & control. They may also be ordered with "rear cord access", so no grommet, if desired.
- The 3/4" Headrail option for narrow depth mounting is only available for Standard and Waterfall shades.

Continuous Cord Loop Shades	2 1/2" Headrail
MINIMUM WIDTH	22" NET
MAXIMUM WIDTH	96" / 120" *
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	96" * / 120"

- * The following pattern available only up to 96" in height: Macau
- * Tai White & Salvador Dritwood are available in widths up to 120" with a seam. Shades over 96" will come standard at no charge with 1 seam placed in the center of the shade.
- Custom seam placement is available only on above patterns at a 15% surcharge. Allows up to 2 seams per shade. Minimum seam placement from the side edges of the shade is 5".
- Shades are only built on the 2-1/2" depth headrail.
- Shades may be ordered as Waterfall Style, but only with "rear cord access". The loop control will be BEHIND the shade, not through a front-side grommet.

2 or 3 on 1 Headrail Shades (Standard/Continuous Cord)	2 on 1 Headrail	3 on 1 Headrail
MINIMUM WIDTH	12" / 22" (per panel)	12" (per panel) / NA
MAXIMUM WIDTH	144"	144"
MINIMUM HEIGHT	12"	12"
MAXIMUM HEIGHT	120"	120"

- Continuous Cord Loop shades are NOT available as 3 on 1 headrail.
- The 2 or 3 on 1 valance is continuous up to 96" wide. Over 96" require valance to be spliced at the shade gap between the individual panels.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.
- Individual shade panel widths are restricted to the standard width maximums.

Cordless Lift Shades	2 1/2" Headrail
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	84"
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Shades are only built on the 2-1/2" depth headrail.

2 on 1 Headrail Shades (Cordless Lift)	2 on 1 Headrail
MINIMUM WIDTH	20" (per panel)
MAXIMUM WIDTH	84" per panel / 120" overall width
MINIMUM HEIGHT	20"
MAXIMUM HEIGHT	84"

- Cordless shades are NOT available as 3 on 1 headrail.
- Woven vertical "thread patterns" on the valance may not align to thread patterns on multiple shades on 1 headrail.

Simplicity Rechargeable Motorization	RF System
MINIMUM WIDTH	24" Net (single shade), 48.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (Single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	96"
MAXIMUM AREA (SQUARE FEET)	Varies**

- ** 2 on 1 shade requires two motors (see "Simplicity Rechargeable Motorization Options" for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details
- Simplicity motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Simplicity motorized shades can be ordered as Waterfall

RemoteLift Motorization – Radio Frequency (RF)	RF System
MINIMUM WIDTH	19" Net (single shade), 38.5" Net (2 on 1 shade**)
MAXIMUM WIDTH - within max area limit	96" (Single shade), 120" (2 on 1 shade**)
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT - within max area limit	120"
MAXIMUM AREA (SQUARE FEET)	Varies**

- ** 2 on 1 shade requires two motors (see "Motorization" section for surcharge information).
- *** Refer to Maximum Motorization Area under Size Specification section for details
- All battery-operated motorized shades are built on 2-1/2" depth headrail ONLY without exception.
- Single battery wand size recommendation limit is 28 sq.ft., dual battery wand or transformer mandatory for shade equal or greater than 28 sq.ft.
- Motorized shades may be ordered as Waterfall

SIZE SPECIFICATIONS: MAXIMUM MOTORIZATION AREA

Collection	Code	Color Name	Maximum Shade Size Without Liner	Maximum Shade Size with Liner
Woven Wood	CUL-2085	Antigua Maze	30 SQF	20 SQF
Woven Wood	CUL-2086	Antigua Surf	30 SQF	20 SQF
Woven Wood	CUL-2157	Banjar Artisan	30 SQF	20 SQF
Woven Wood	CUL-2108	Bimini	20 SQF	15 SQF
Woven Wood	TER-2057	Ensenada Negro	15 SQF	10 SQF
Woven Wood	TER-2002	Ensenada Terra	15 SQF	10 SQF
Woven Wood	TER-2078	Ensenada Tranquil	15 SQF	10 SQF
Woven Wood	TER-2208	Hi-Lo Espresso	35 SQF	20 SQF
Woven Wood	TER-2212	Hi-Lo Gray	35 SQF	20 SQF
Woven Wood	TER-2211	Hi-Lo Tan	35 SQF	20 SQF
Woven Wood	TER-2210	Hi-Lo White	35 SQF	20 SQF
Woven Wood	ELI-2084	Honduras Rust	15 SQF	10 SQF
Woven Wood	ELI-2083	Honduras Timbre	15 SQF	10 SQF
Woven Wood	CUL-2072	Hunan	25 SQF	15 SQF
Woven Wood	EXO-2054	Indo Chic	35 SQF	20 SQF
Woven Wood	TER-2004	Jolo	15 SQF	10 SQF
Woven Wood	TER-2110	Kano Greywood	30 SQF	20 SQF
Woven Wood	TER-2111	Kano Mahogany	30 SQF	20 SQF
Woven Wood	ELI-2049	Katmandu	20 SQF	10 SQF
Woven Wood	CUL-2155	Katni Intrigue	25 SQF	15 SQF
Woven Wood	TER-2003	Kaui	15 SQF	10 SQF
Woven Wood	EXO-2068	Kiribati Jungle	40 SQF	30 SQF
Woven Wood	EXO-2069	Kiribati Rainforest	60 SQF	40 SQF
Woven Wood	TER-2076	Kota	15 SQF	10 SQF
Woven Wood	CUL-2204	Kyoto Ebony	25 SQF	15 SQF
Woven Wood	EXO-2230	Kyoto Sunset	25 SQF	15 SQF
Woven Wood	EXO-2151	Mandalay Mystique	30 SQF	20 SQF
Woven Wood	CUL-2223	Mesa Mocha	20 SQF	10 SQF
Woven Wood	ELI-2104	Nagoya Harvest	50 SQF	35 SQF
Woven Wood	CUL-2061	Saba Dusk	20 SQF	10 SQF
Woven Wood	CUL-2060	Saba Sunset	15 SQF	10 SQF
Woven Wood	ELI-2153	Sakura Etude	40 SQF	25 SQF
Woven Wood	EXO-2053	Serengeti Cocoa	40 SQF	30 SQF
Woven Wood	EXO-2052	Serengeti Sunrise	40 SQF	30 SQF
Woven Wood	TER-2011	Sonora Desert	25 SQF	15 SQF
Woven Wood	EXO-2150	Sumatra Surprise	50 SQF	35 SQF
Woven Wood	EXO-2232	Taos	40 SQF	25 SQF
Woven Wood	CUL-2070	Tobago	25 SQF	15 SQF
Woven Wood	CUL-2100	Tortuga Cocoa	20 SQF	15 SQF
Woven Wood	CUL-2099	Tortuga Coral	20 SQF	15 SQF
Woven Wood	ELI-2059	Veracruz Earth	15 SQF	10 SQF
Woven Wood	ELI-2059	Veracruz Earth	15 SQF	10 SQF
Woven Wood	ELI-2080	Veracruz Mocha	15 SQF	10 SQF
Woven Wood	TER-2234	Zee Gray	20 SQF	10 SQF
Woven Wood	TER-2236	Zee Tan	20 SQF	10 SQF
Woven Wood	TER-2237	Zee White	20 SQF	10 SQF
Woven Wood	EXO-2096	Zulu	35 SQF	25 SQF

Collection	Code	Color Name	Maximum Shade Size Without Liner	Maximum Shade Size with Liner
Select Weave	SLW-2527	Cancun Light Gray	50 SQF	30 SQF
Select Weave	SLW-2528	Cancun Off White	50 SQF	30 SQF
Select Weave	SLW-2529	Cano Cream	50 SQF	35 SQF
Select Weave	SLW-2411	Jaipur Natural	60 SQF	60 SQF
Select Weave	SLW-2417	Lagos	60 SQF	50 SQF
Select Weave	SLW-2419	Lomaloma	60 SQF	60 SQF
Select Weave	SLW-2420	Macau	40 SQF	30 SQF
Select Weave	SLW-2530	Madeira Green	60 SQF	40 SQF
Select Weave	SLW-2423	Mali Tan	50 SQF	35 SQF
Select Weave	SLW-2531	Rio Gray	60 SQF	40 SQF
Select Weave	SLW-2526	Salvador Driftwood	60 SQF	40 SQF
Select Weave	SLW-2431	Santos Natural	60 SQF	60 SQF
Select Weave	SLW-2433	Sintra Dust	60 SQF	40 SQF
Select Weave	SLW-2438	Suva	40 SQF	30 SQF
Select Weave	SLW-2436	Tai White	40 SQF	25 SQF
Select Weave	SLW-2441	Tunisia	60 SQF	60 SQF

Collection	Code	Color Name	Maximum Shade Size Without Liner	Maximum Shade Size with Liner
Grass Weave	GRW-9464	Aruba Café	60 SQF	60 SQF
Grass Weave	GRW-9463	Aruba Driftwood	60 SQF	60 SQF
Grass Weave	GRW-9462	Aruba Sand Dune	60 SQF	60 SQF
Grass Weave	GRW-9461	Aruba Straw	60 SQF	60 SQF
Grass Weave	GRW-9460	Aruba Summer	60 SQF	60 SQF
Grass Weave	GRW-2304	Caracas Tortoise	60 SQF	60 SQF
Grass Weave	GRW-9410	Coban Gray	60 SQF	60 SQF
Grass Weave	GRW-2305	Coban Parchment	60 SQF	60 SQF
Grass Weave	GRW-9420	Granada Bark	60 SQF	60 SQF
Grass Weave	GRW-2310	Granada Cinnamon	60 SQF	60 SQF
Grass Weave	GRW-2311	Granada Ginger	60 SQF	60 SQF
Grass Weave	GRW-2312	Granada Nutmeg	60 SQF	60 SQF
Grass Weave	GRW-2324	Luzon Cornsilk	60 SQF	60 SQF
Grass Weave	GRW-2325	Luzon Greige	60 SQF	60 SQF
Grass Weave	GRW-2323	Luzon Whisper	60 SQF	60 SQF
Grass Weave	GRW-9473	Martinique Coral	60 SQF	60 SQF
Grass Weave	GRW-9471	Martinique Sea Grass	60 SQF	60 SQF
Grass Weave	GRW-9472	Martinique Surf	60 SQF	60 SQF
Grass Weave	GRW-9470	Martinique White Wash	60 SQF	60 SQF
Grass Weave	GRW-9440	Nassau Cocoa	60 SQF	60 SQF
Grass Weave	GRW-2331	Nassau Pewter	60 SQF	60 SQF
Grass Weave	GRW-2337	Singapore Bisque	60 SQF	60 SQF
Grass Weave	GRW-2339	Singapore Cotton	60 SQF	60 SQF
Grass Weave	GRW-9450	Singapore Gray	60 SQF	60 SQF
Grass Weave	GRW-2338	Singapore Talc	60 SQF	60 SQF
Grass Weave	GRW-9400	St. Kitts Dune	60 SQF	60 SQF
Grass Weave	GRW-9401	St. Kitts Greywood	60 SQF	60 SQF
Grass Weave	GRW-2340	St. Lucia Sand	60 SQF	60 SQF
Grass Weave	GRW-2343	St. Lucia Storm	60 SQF	60 SQF
Grass Weave	GRW-2345	Zaire Camel	60 SQF	60 SQF
Grass Weave	GRW-2346	Zaire Earth	60 SQF	60 SQF

SIZE SPECIFICATIONS: WOVEN WOODS, SELECT WEAVES, AND GRASS WEAVES

Headrail Sizes	Headrail SIZE	Headrail DEPTH
Standard, Waterfall Style and Top-Down Shades	Small	1-1/2"
2 or 3 on 1 Headrail Shades (for Standard, Waterfall & Top-Down Shades)	Small	1-1/2"
3/4" Headrail Shades (Standard and Waterfall Shades ONLY) (Valance returns not available)	3/4"	3/4"
Top-Down / Bottom-Up Shades*	Small/Large	1-1/2" / 2-1/2"
Continuous Cord Loop Shades (all shade sizes)	Large	2-1/2"
Cordless Lift Shades (all shade sizes)	Large	2-1/2"
Simplicity Rechargeable & RemoteLift Motorized Shades	Large	2 1/2"
2 on 1 Headrail Shades (Continuous Cord, Cordless & Simplicity Motorization)	Large	2 1/2"
2 on 1 or 3 on 1 Headrail Shades (TDBU)*	Small/Large	1-1/2" / 2-1/2"
Individual Valances – Standard	Narrow (IB) / Large	3/4" / 2-1/2"
Individual Valances – Optional	Small	1-1/2"

- All Standard Rectangular shades are built on SMALL 1-1/2" depth headrail unless the LARGE 2-1/2" depth headrail is specified on the order.
- * Top-Down/Bottom-Up shades are built on 1-1/2" depth headrail. For 2 on 1 or 3 on 1 TDBU shades that are larger than 96" in width are built on a 2-1/2" headrail
- ** Continuous Cord Loop, Cordless and Simplicity Motorization shades are only built on the large 2-1/2" depth headrail and not available on 3 on 1.

Twill Edge-Binding and Faux Silk Binding

- Shades ordered with Twill Edge-Binding or Faux Silk Binding follow the same size specifications as listed on the preceding pages.
- **On Cordless, binding can only go onto shade sides and/or valance sides (ES or ESO and TS or TSO) if ordered.**

SHADE Valances	Shade Height	Valance Height
ALL Shades	Under 18"	4"
ALL Shades	18" and Over	6"
MAXIMUM Custom Valance Height - With NO Extra Charge	any	Up to 12"
MAXIMUM Valance Height - With EXTRA Charge	any	Over 12", up to 24"

- Valance heights may vary by + or - 3/4" due to the variations in woven materials.
- Custom valance heights up to 12" are free of charge. For extra charge on custom valance height over 12", refer to valance price grid.
- OB valances will include the Valance Return Stabilizer (VRS) System (Woven Wood patterns only).

SHADE Valance returns depth for standard cordlock				
Headrail Size	Mount Type	Standard	Minimum	Maximum
1-1/2" (Small)	Inside Mount - default no returns	1-1/2"	1-1/2"	2"
	Outside Mount	1-3/4" / 1-1/2" (waterfall)	1-1/2"	2"
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	2-3/4" / 2-1/2" (waterfall)	1-1/2"	3"

SHADE Valance returns depth for continuous cord loop & cordless lift				
Headrail Size	Mount Type	Standard	Minimum	Maximum
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	3-1/8"	1-1/2"	3-1/8"

SHADE Valance returns depth for remotelift & simplicity motorization				
Headrail Size	Mount Type	Standard	Minimum	Maximum
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	2-3/4" / 2-1/2" (waterfall)	1-1/2"	3"

INDIVIDUAL Valances	Standard
MINIMUM WIDTH	10"
MAXIMUM WIDTH*	72" / 96" (without seam)
MINIMUM HEIGHT	4"
MAXIMUM HEIGHT	24"

- Valance heights may vary by + or - 3/4" due to the variations in woven materials. Individual valances are built on the 2-1/2" depth headrail unless specified.
- OB valances will include the Valance Return Stabilizer (VRS) System if ordered on a headrail (Woven Wood patterns only).
- * Maximum width can go up to 120" with seam for Tai White & Salvador Driftwood as well as most grass weave patterns except Zaire Camel & Zaire Earth.

INDIVIDUAL Valance returns depth				
Headrail Size	Mount Type	Standard	Minimum	Maximum
3/4" (Narrow)	Inside Mount - default no returns	N/A	N/A	N/A
1-1/2" (Small)	Inside Mount - default no returns	1-1/2"	1-1/2"	2"
	Outside Mount	1-3/4"	1-1/2"	2"
2-1/2" (Large)	Inside Mount - default no returns	2-1/2"	1-1/2"	3"
	Outside Mount	2-3/4"	1-1/2"	3"

To order Woven material only in linear widths, contact customer service.

PRODUCT SPECIFICATIONS: WOVEN SHADES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

TRADITIONAL, TOP-DOWN, TOP-DOWN/BOTTOM-UP

Inside (IB/IS) Mount	
Headrail, Valance & Fabric Width	- 1/2"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail Width	ordered width
Valance Width*	+ 1"
Fabric Width	ordered width
Shade Height	ordered height

2 on 1 (and 3 on 1) Headrail	
Gap Between Panels	- 1/2"

Inside (IB/IS) Mount	
Headrail, Valance & Fabric Width	- 1/2"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail Width	+ 1/2"
Valance Width*	+ 1 1/2"
Fabric Width	ordered width
Shade Height	ordered height

2 on 1 Headrail	
Gap Between Panels	- 1/2"

Note: Cord Loop Shades have adjusted IS width deductions and OS width additions to allow operational clearance for the cord loop and safety tensioner.

FINISHED DIMENSION & MOUNTING NOTES

Note: Ceiling mount shades are OB/OS by default and have the same finished dimensions. IB/IS shades may also be "TOP" mounted using the standard L-style brackets or using the optional Flat brackets.

* OB/OS Valances and returns are attached using a Valance Return Stabilizer. The OB/OS valance width additions indicated above create a "cornice style" box for improved appearance and operation.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

1 1/2" Headrail Clearance Requirement

Inside (IB/IS) Mount	
Minimum Mounting Depth	1 1/2"
Minimum Mounting Depth, Flush Mount **	2 1/4"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 1/2" Headrail Clearance Requirement

Inside (IB/IS) Mount	
Minimum Mounting Depth	1 1/2"
Minimum Mounting Depth, Flush Mount **	3 1/4"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 1/2" Headrail Clearance Requirement

Inside (IB/IS) Mount	
Minimum Mounting Depth	1 1/2"
Minimum Mounting Depth, Flush Mount **	3 1/4"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

** The flush mount depth requirements indicated above include space for the woven material attached to the front (valance) and back (shade) sides of the headrail. These are AVERAGE depths as the different woven wood materials have varying degrees of thickness. Verify your individual shade's depth before mounting, then position brackets accordingly for an EXACT flush mount.

Note: Add an extra + 1/2" to the mounting depths for Traditional (standard) and Old Style (waterfall) shades with operable liner.

PRODUCT SPECIFICATIONS: WOVEN SHADES

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

SIMPLICITY MOTOR & REMOTELIFT (Bottom Up Only)

2 1/2" Headrail (Standard Fold)	
Inside (IB/IS) Mount	
Headrail, Valance & Fabric Width	- 1/2"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail Width	order width
Valance Width*	+1"
Fabric Width	ordered width
Shade Height	ordered height

2 1/2" Headrail (Standard Fold) Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 1/2"
Minimum Mounting Depth, Flush Mount **	3 1/4"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 1/2" Headrail (Waterfall)	
Inside (IB/IS) Mount	
Headrail & Fabric Width	- 1/2"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail & Fabric Width	ordered width
Shade Height	ordered height

2 1/2" Headrail (Waterfall) Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 1/2"
Minimum Mounting Depth, Flush Mount **	3"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

Waterfall Style (Front Side Shade, No Valance) - VALANCE IN BACK OF SHADE

Inside (IB/IS) Mount	
Headrail & Fabric Width	- 1/2"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail & Fabric Width	ordered width
Shade Height	ordered height

1 1/2" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 1/2"
Minimum Mounting Depth, Flush Mount **	2"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

2 on 1 (and 3 on 1) Headrail	
Gap Between Panels	- 1/2"

2 1/2" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	1 1/2"
Minimum Mounting Depth, Flush Mount **	3"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1"

Note: A backside valance is provided on IB/IS mounts to hide the components under the headrail from outside view.

3/4" HEADRAIL SHADES (For Narrow-Depth Mounts)

Inside (IB/IS) Mount	
Headrail & Fabric Width	- 1/2"
Shade Height	ordered height
Outside (OB/OS) & Ceiling Mount	
Headrail, Fabric & Valance Width	ordered width
Shade Height	ordered height

3/4" Headrail Clearance Requirement	
Inside (IB/IS) Mount	
Minimum Mounting Depth	3/4"
Minimum Mounting Depth, Flush Mount **	1 1/4"
Outside (OB/OS) Mount	
Minimum Flat Vertical Surface	1/2"

2 on 1 (and 3 on 1) Headrail	
Gap Between Panels	- 1/2"

Note: Valance returns are NOT included with narrow headrail shades.

FINISHED DIMENSION & MOUNTING NOTES

Note: Ceiling mount shades are OB/OS by default and have the same finished dimensions. IB/IS shades may also be "TOP" mounted using the standard L-style brackets or using the optional Flat brackets.

** The flush mount depth requirements indicated above include space for the woven material attached to the front (valance) and back (shade) sides of the headrail. These are AVERAGE depths as the different woven wood materials have varying degrees of thickness. Verify your individual shade's depth before mounting, then position brackets accordingly for an EXACT flush mount.

* OB/OS Valances and returns are attached using a Valance Return Stabilizer. The OB/OS valance width additions indicated above create a "cornice style" box for improved appearance and operation.

Note: Add an extra + 1/2" to the mounting depths for Traditional (standard) and Old Style (waterfall) shades with operable liner.



SMART FACTS



POSITIONED AS ALL SHEER



POSITIONED HOWEVER YOU DESIRE



POSITIONED AS FULL SHADE

- The beautiful combination of a sheer pleated shade on top and woven shade on the bottom provides maximum versatility in a single window covering.
- Performs like a top-down/bottom-up shade, but the sheer pleated shade offers more benefits: diffuses harsh light entering the room; offers moderate privacy during the day; protects furnishings from harmful UV rays.
- Four sheer pleated styles are available in multiple colors to meet most decorating tastes.
- Shade is built on the large 2-1/2" depth stained wood headrail for durability and easy installation.
- The hardware system uses the same quality components as the top-down/bottom-up woven shade.
- The standard cordlock lifts and lowers the shade with ease. The right cord operates the middle rail and the left cord operates the bottomrail.
- The headrail and operating system is hidden by a 6" valance on the front and back side of the shade for a clean interior and exterior appearance. Included on both inside (IB) and outside (OB) mounts. Custom valance heights to 12" at no extra charge.
- The woven panel is available with a fixed privacy lining. When shade is ordered with the optional fixed liner, the valances will also include a liner.

SELECTING A TRILIGHT SHADE

1. Choose a woven style and color for the bottom shade.
 2. Choose a sheer pleated fabric for the top shade. See Color Chart.
 3. Refer to the woven price grids on pages 7-15 to determine your woven wood shade price.
 4. Refer to the sheer pleated grids A on page 37 to find your top shade price. Then simply add the prices (by shade size) of the sheer pleated fabric and woven material together to determine your final price.
- > TriLight Shades are available as a standard rectangle only.
 - > Standard control system—right operates the intermediate rail; left operates the bottomrail. (Note: grouped controls not available.)
 - > Fixed liners are available for the bottom woven shade.



COLOR CHART

TriLight Pleated Sheer (TOP Panel)	
SKU #	PATTERN NAME
P05-500	Snow White
P05-501	Ice
P05-502	Heirloom
P05-503	Soft Ivory
P05-504	Crystal
P05-505	Light Taupe
P05-506	Bisque
P05-507	Latte
P05-508	Chocolate
P05-509	Twilight

TriLight NOT AVAILABLE in following Patterns	
SKU #	PATTERN NAME
GRW-2304	Caracas Tortoise
GRW-2305	Coban Parchment
GRW-2323	Luzon Whisper
GRW-2324	Luzon Comsilk
GRW-2325	Luzon Greige
GRW-2331	Nassau Pewter
GRW-9400	St. Kitts Dune
GRW-9401	St. Kitts Greywood
GRW-9410	Coban Gray
GRW-9440	Nassau Cocoa
GRW-9460	Aruba Summer
GRW-9461	Aruba Straw
GRW-9462	Aruba Sand Dune
GRW-9463	Aruba Driftwood
GRW-9464	Aruba Café
GRW-9470	Martinique White Wash
GRW-9471	Martinique Sea Grass
GRW-9472	Martinique Surf
GRW-9473	Martinique Coral
SLW-2528	Cancun Off White
SLW-2527	Cancun Light Gray

SHEER PLEATED MAXIMUM WIDTHS	% UV BLOCKAGE
Whisper 83"	60



Determine the top shade price by using the charts below.
 Add the sheer pleated and woven shade prices together to determine your final price.

GROUP A (Sheer Pleated Rectangular)

• WHISPER SHEER (83")


WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	83"
HEIGHT TO:											
36"	\$114	130	145	162	181	190	211	223	243	253	276
42"	125	137	158	181	190	211	229	245	263	284	302
48"	130	148	172	189	211	229	245	268	287	309	330
54"	137	158	183	201	223	243	268	287	313	337	360
61"	147	170	190	215	240	263	285	309	337	361	385
66"	156	181	203	229	253	282	302	335	361	385	414
72"	162	187	215	243	276	299	326	358	382	411	439
78"	172	195	229	253	287	318	347	377	408	439	466
84"	178	203	237	268	302	330	361	393	422	458	487
90"	183	215	245	282	318	349	382	421	455	487	520
96"	189	223	260	296	330	361	402	435	472	506	545

TRILIGHT OPTIONS & CONFIGURATION SPECIFICATIONS

OPTIONS: NO EXTRA CHARGE

- **Extension Brackets**
- **Spacer Blocks**
- **Special Cord Length** – Standard length is approximately 40% the height of the shade

TRILIGHT – STANDARD



Shade is built on the large 2-1/2" depth wood headrail.
Standard operating controls: Right operates the intermediate rail; left operates the bottomrail. Grouped controls are not available.

TriLight Shades	LARGE Headrail
MINIMUM WIDTH	22"
MAXIMUM WIDTH	84"
MINIMUM HEIGHT	12"
MAXIMUM HEIGHT	96"
MAXIMUM AREA (SQ/FT)	48 to 72 sq/ft*

- TriLight shades are built on the large 2-1/2" depth headrail.
- TriLight shades are NOT available as 2 or 3 on 1 headrail.
- TriLight shades are not available with twill edge-binding, faux silk binding or operable privacy liners. TriLight shades ARE available with fixed liners on the woven panel.
- TriLight shades maximum width is dependent on the maximum width of the ordered Pleated TOP panel fabric which is 84" wide.
- TriLight shades are only available with SPLIT controls (grouped controls are not available).
- Cut-outs are not available on TriLight shades.

* TriLight shades maximum area (sq/ft) is dependent on the ordered woven material. Heavier materials are limited to 48 sq/ft, medium to 60 sq/ft and light to 72 sq/ft.

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.
Measurements may vary +/- 1/8".

Inside (IB) Mount	
Headrail & Valance Width *	- 1/2"
Fabric Width	- 1/2"
Shade Height	ordered height
Outside (OB) & Ceiling Mount	
Headrail Width	ordered width
Valance Width *	+ 1"
Fabric Width	ordered width
Shade Height	ordered height
2 on 1 (and 3 on 1) Headrail	
NOT AVAILABLE WITH TRILIGHT	N/A

Note: A backside valance is provided on both IB and OB mounts to hide the additional components under the headrail from outside view.

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	Large, 2-1/2" Headrail
Minimum Mounting Depth	1-1/2"
Minimum Mounting Depth, Flush Mount **	3-1/4"
Outside (OB) Mount	Large, 2-1/2" Headrail
Minimum Flat Vertical Surface	1"

TriLight Stacking	
Shade Height	Stack Height
24"	7"
48"	9"
72"	11"
96"	13"
108"	15"

FINISHED DIMENSION & MOUNTING NOTES

Note: Ceiling mount shades are OB by default and have the same finished dimensions. IB shades may also be "TOP" mounted using the the standard L-style brackets or using the optional Flat brackets.

** The flush mount depth requirements indicated above include space for the woven material attached to the front (valance) and back (shade) sides of the headrail. These are AVERAGE depths as the different woven wood materials have varying degrees of thickness. Verify your individual shade's depth before mounting, then position brackets accordingly for an EXACT flush mount.

* OB Valances and returns are attached using the Valance Return Stabilizer (VRS) System for woven wood only. The OB valance width additions indicated above create a "cornice style" box for improved appearance and operation.



TRILIGHT STACKING INFORMATION

TriLight Stacking Chart	
Shade Height	Stack Height
24"	7"
48"	9"
72"	11"
96"	13"
108"	15"

NOTE: These are stacking averages for standard shades.
Actual heights may vary + or - 1".


TRILIGHT – STANDARD RECTANGULAR

TRILIGHT

- Returns standard on outside mount
- Backside valance included on inside and outside mounts
- Front & back valances include liner when ordered on shade
- Built on 2 1/2" depth headrail
- Split controls only (grouped controls not available)

The following options are not available on trilight:


- Waterfall style, continuous cord loop, cordless, remotelift
- Twill edge-binding, faux silk binding, operable liners
- 2 or 3 on 1 headrail, cut-outs




Folds Up

 Folds Down

TriLight
(basic) side view



TriLight
intermediate connecting rail
detail view





SMART FACTS



- Innovative design allows choice of woven shade fabric for the front shade to achieve just the right style and color desired.
- The back liner roller shade offers total flexibility when controlling light and privacy.
- The back liner also provides an extra layer of insulation to help reduce energy costs.
- Liners are available in light-filtering, blackout and screen styles to fit varying needs.
- Optional side seals eliminate light leaks from the sides of shades. They fit neatly inside the window frame and are hidden behind the front shade so they don't detract from the beauty of the shade.
- Optional side seals provide additional energy efficiency. Together with the back liner, they form a complete barrier between the window and the room — keeping rooms cooler in summer and warmer in winter.

SELECTING A TANDEM SHADE

1. Choose a woven style and color.
 2. Choose a liner (back roller shade) style and color. See Color Chart.
 3. Refer to the woven price grids on pages 7-15 to determine your woven shade price. Add in the Tandem option pricing found on the next page to determine the final shade price.
- Tandem woven is available as a single rectangular shade with standard controls only
 - Right cordlock operates the front shade; cord loop operates the back liner. Shades operate independently of each other.
 - Reverse controls available; no grouped controls
 - Side seals available as a surcharge option
Note: Available colors 973 Oyster and 661 White



COLOR CHART

OPACITY	MAX. WIDTH	COLOR #	COLOR NAME
Light Filtering	72"	R7201	White
Light Filtering	72"	R7202	Oyster
Blackout	72"	R4001	White
Blackout	72"	R4004	Black
Blackout	72"	R4006	Oyster
Blackout	72"	R4014	Golden Leather
Blackout	72"	R4016	Milk Chocolate
Blackout	72"	R4018	Mocha

Tandem not available in following Patterns			
SKU #	PATTERN NAME	SKU #	PATTERN NAME
GRW-2304	Caracas Tortoise	GRW-9460	Aruba Summer
GRW-2305	Coban Parchment	GRW-9461	Aruba Straw
GRW-2323	Luzon Whisper	GRW-9462	Aruba Sand Dune
GRW-2324	Luzon Cornsilk	GRW-9463	Aruba Driftwood
GRW-2325	Luzon Greige	GRW-9464	Aruba Café
GRW-2331	Nassau Pewter	GRW-9470	Martinique White Wash
GRW-9400	St. Kitts Dune	GRW-9471	Martinique Sea Grass
GRW-9401	St. Kitts Greywood	GRW-9472	Martinique Surf
GRW-9410	Coban Gray	GRW-9473	Martinique Coral
GRW-9440	Nassau Cocoa	SLW-2528	Cancun Off White
		SLW-2527	Cancun Light Gray

TANDEM OPTION PRICING

Find your shade width on the price grids below. Add the surcharge to the price of each shade(s). If ordering optional side seals, include the additional **\$77 surcharge** to the price of each shade(s).

Light Filtering and Blackout (Max. Width 72")

WIDTH TO:	24"	30"	36"	42"	48"	54"	60"	66"	72"
	\$184	217	253	284	310	338	365	408	453

Optional Side Seals: Add \$49

Available colors 973 Oyster and 661 White.



PRODUCT CONFIGURATION SPECIFICATIONS

SIZE STANDARDS	
Minimum Width	
All liners	12"
Maximum Width	
Light Filtering	72"
Blackout	72"
Minimum Height	
All liners	12"
Maximum Height	
Light Filtering	84"
Blackout	82"
MOUNTING REQUIREMENTS	
Inside Mount, IB	
Minimum Mounting Depth	1-5/8"
Mounting Depth, Flush	3" (includes valance; dependent upon fabric thickness)
Outside Mount, OB	
Minimum Mounting Height	2"

FINISHED DIMENSIONS	
Headrail Unit (including mounting rail)	
Inside Mount	Ordered width less 1/8"
Outside Mount	Ordered width
Finished Height	
Inside Mount	Ordered height
Outside Mount	Ordered height
Front Shade Fabric Width	
Inside Mount	Ordered width less 1"
Outside Mount	Ordered width less 7/8"
Valance Width	
Inside Mount	Ordered width less 1/8"
Outside Mount	Ordered width plus 1"
Back Shade Fabric Width	
Inside Mount	Ordered width less 1 3/8"
Outside Mount	Ordered width less 1 1/4"

Valance included on all shades. 6" drop only.

Outside mount valances come standard with returns and feature the Valance Return Stabilizer (VRS) system (Woven Wood patterns only).

Inside mount valances do not come with returns.

WOVEN WOOD STACKING CHART

Shade Height	Stack Height
21"	5"
42"	7"
63"	9"
84"	11"

Note: These are stacking averages for standard shades. Actual height may vary approximately + or -1". Stack height does not include the headrail size: 2 1/4".

LOOP SPECIFICATIONS


The cord loop operates the back liner.

Shade Height	Cord Loop Drop	Loop Color
Up to 38"	24" loop	Color Coordinated
38 1/8" to 50"	36" loop	Color Coordinated
50 1/8" to 62"	48" loop	Color Coordinated
62 1/8" to 84"	60" loop	Color Coordinated
Special Request	84" loop	Color Coordinated

SIMPLICITY RECHARGEABLE MOTORIZATION: OVERVIEW

Simplicity Rechargeable

- The Rechargeable Simplicity motor program features an integrated rechargeable lithium ion battery in the motor casing and is fully concealed by the inner tube.
- Rechargeable battery is included with the motor. The average battery charge will last 6-12 months based on an average sized shade raised and lowered once per day. The life of the battery charge will vary based on the type of window covering selected, the size and weight of the window covering and the number of times the shade is operated on a daily basis. The battery can be recharged up to 500 times. It takes approximately 5 hours to recharge the motor when fully depleted.



Battery Charger

- An 8.4 Volt charger requires a standard power outlet to recharge the battery. The charger must be specified when ordering Simplicity Rechargeable Motorized shade option. The charger plugs into the charging port of the motor. The charger is black and comes with a 156" wire. The dimensions are 1" wide x 2-1/2" length x 1-3/4" deep. Sold separately.



Solar Panel Recharge Option

- Plugs in to any Simplicity Rechargeable motorized shading. Provides constant trickle charge to 7.4v Li-ION Rechargeable battery packs. Does not require direct sunlight, but performs best in regular direct sunlight applications. Will prolong the life of the charge of the 7.4v rechargeable battery packs, and in some applications will maintain charge indefinitely.
- Life of charge is subject to application variables such as, size and weight of shade, frequency of use, amount of direct sunlight exposure, etc.



5 Channel Remote

- The remote can operate up to five shadings simultaneously, individually or in groups. Remotes and holders are available in white or black. The remote comes with a holder which can be mounted to a wall for easy storage. The range of the remote is approximately 80 feet.



White
(Part #CS5138W)



Black
(Part #CS5138)

Please Note:

- Not all motors run at the same rate of speed.
- Simplicity motors have a "Favorites" position setting. To set a "Favorites" position, follow instructions provided in the installation instructions.

REMOTELIFT™ MOTORIZATION: OVERVIEW

With our RemoteLift™ motorized shades, tasks such as adjusting those hard-to-reach window coverings, controlling glare or protecting valuable furnishings from the sun are now simplified. At the touch of a button, window coverings can be instantly adjusted to changing activities or the varying sun conditions.



Glare can be annoying while trying to watch your favorite television show, surf the web or read the morning paper. An ideal solution is to manage glare with a RemoteLift™ hand-held remote control. At the simple touch of a button, shades and blinds will open or close to adjust to the changing sunlight in a room.



RemoteLift motorized shades provide ultra-quiet operation. The RF system enables shades to be operated from virtually anywhere in the house without direct line of sight. Similar to how a garage door opener operates, radio signals travel through walls and make it possible to control multiple coverings throughout the home alone or as a group. The RF system is available in both a 1-channel and a 5-channel version to allow for independent control of individual shades and/or group control.

The RemoteLift motorization system provides many benefits, such as improving energy efficiency, providing easily controllable privacy and also enhancing home security.

Many homeowners too often experience the damaging effects of the sun's UV rays on floor coverings, furniture, wall coverings and artwork. Programming shades to raise or lower at certain times of the day helps to manage heat gain in summer months and heat loss during winter - reducing monthly energy bills.



The RemoteLift RF timer allows users to program specific times of the day to automatically adjust shades in different areas of the house, protecting interiors from the fading effects of direct sunlight. This feature provides added security to an unoccupied home by creating a lived in look even while homeowners are away on vacation.




The battery powered RemoteLift RF wireless wall switch allows shades to be controlled when entering or exiting a room, just like the lights. The switch may be seamlessly installed without wiring next to any light switch or stand alone, and is never misplaced. This one touch privacy helps create the ideal environment whether preparing for a bath, relaxing in bed or enjoying time with the family at home.

Our RemoteLift motorized shades are powered by Somfy, the industry leader in automated window coverings. All motorized products are backed by a 5-year warranty.



REMOTELIFT™ MOTORIZATION: FEATURES & OPTIONS













RADIO FREQUENCY (RF) MOTORIZATION FEATURES:


- Highest quality patent protected design by Somfy
- Advanced motor, capable of lifting shadings up to 12 LBS.
- Quiet operation
- Installs with standard installation hardware
- RF motor is programmable

Note: The power source must be selected when ordering. The options are: reloadable single battery wand, reloadable dual wand, and the plug-in transformer.




 <p>Radio Frequency (RF) RemoteLift Motor Motor (Part #1002481) Crown (Part #9018475)</p>	<ul style="list-style-type: none"> • Fully concealed motor unit • Flexible and programmable operation • 12 Volt System
 <p>Radio Frequency (RF) Remote Control (must order separately) Color: 2 tone white and gray 2 Types: programmable 1-channel and programmable 5-channel (1-Channel: Part #RC445069) (5-Channel: Part #RC445079)</p>	<ul style="list-style-type: none"> • Controls shade operation • Programmable features • Easy shade positioning up to 90 feet away • 5-channel remote allows for multiple and independent shade operation
 <p>Single Battery Wand (reloadable) and Installation Clips Wand (Part #RC445268) Clips (Part #9013263) 8 AA Lithium Batteries (not shown) (Part #9014834)</p>	<ul style="list-style-type: none"> • On initial shade orders, the reloadable wand comes with 8 AA lithium batteries • Comes with mounting installation clips • For parts ordering the reloadable wand INCLUDING 8 AA lithium batteries, order both part #s • Replacement 8 AA lithium batteries may also be ordered separately
 <p>Optional, Dual Battery Wand (reloadable) and Installation Clips (Kit: Part #KITRDWR) (Clips: Part #9013263) (Y-Harness: Part #9015580) (Y-Harness Ext. Cable: Part #9016736)</p>	<ul style="list-style-type: none"> • On initial shade orders, the reloadable wands come with 16 AA lithium batteries • Combines (reloadable) Single Battery Wands for added lifting capacity and/or extended life • Comes with mounting installation clips
 <p>Transformer (Part #1822445)</p>	<ul style="list-style-type: none"> • Plug-in operation, no batteries required • Works in standard wall outlet (includes 10' long wire)
 <p>Battery Wand Extension Cables Color: White (10" Cable: Part #9018686A) (48" Cable: Part #9016736) (96" Cable: Part #9018624)</p>	<ul style="list-style-type: none"> • Available in 10", 48" and 96" • Allows battery wand installation away from headrail
 <p>Wireless Wall Switch Color: white 2 Types: programmable 1-channel and 5-channel (1 Channel: Part #RC445135) (5 Channel: Part #RC445136)</p>	<ul style="list-style-type: none"> • Control wireless operation from the wall up to 90 feet away • Works like turning a light on/off
 <p>Programmable Timer 1 Type: programmable 1-channel (Part #1805237A)</p>	<ul style="list-style-type: none"> • Program operation based on pre-set times • Excellent home security feature
 <p>Smoove 1 RTS – single channel surface mount control Color: Pure (Part #1811533)</p>	<ul style="list-style-type: none"> • Battery operated • Tactile buttons for UP/DOWN/MY/STOP control • LED for visual feedback
 <p>myLink Interface Color: White (Part #1811403)</p>	<ul style="list-style-type: none"> • Smartphone and Tablet Interface 120V AC • App Control • Remote Access • Compatible and controls all Radio Technology Somfy RTS products. • Can control up to 5 channels of RTS motorized products using myLink apps for iOS and android devices.


PRODUCT COMPONENTS: WOVEN SHADES



OPTIONAL BRACKETS AND COMPONENTS




WOVEN SHADES CORDLESS LIFT SYSTEM



PRODUCT COMPONENTS: TANDEM™ SHADES



OPTIONAL (Standard when side seals are ordered)



STANDARD

