// Retail Price List & Product Info Guide





WOOD BLINDS

Effective February 4, 2019

design simplified

TABLE OF CONTENTS

Product Overview	
• Features & Benefits	
• Color Chart	,
Pricing Information	
• 2" Smooth Finish Price Group and Option Charges	
• 2" Coastal Price Group and Option Charges5	,
• 1-3/8" and 2-3/8" Smooth Finish Price Group and Option Charges	i
• RemoteTilt™ System Option Surcharges and Specifications	,
Valance Upgrade Information	
Individual Valance Ordering and Pricing8	,
Tape Valance Option and Color Chart	,
Valance and Valance Return Information and Specifications	1
Cordless Lift & Lock Bottomrail Color Coordination	1
Solid and Decorative Tape Option and Listing	
Product and Specifications	
• Features and Options	
• Size Specifications	j
• Finished Dimensions and Mounting Requirements	,
Controls, Components, Ladder/Tape Placement and Stack-up Charts	
• Standard Rectangular14	
• Cordless Lift	,
• RemoteTilt	i
Cordless Lift & Lock™	
• Product Components	1
RemoteTilt Motorization	
• RemoteTilt Motorization – Overview	
Padio Fraguency (PF) Features, Ontions and Part Numbers	,

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width are considered oversize. Therefore, a net shipping charge of \$40 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.



WHAT'S NEW FOR 2018

- Refreshed color palette featuring new paints, stains and Coastal finish choices
- New Modern valance style offers a flat, contemporary profile all valance profiles now available in Coastal finish
- · Cordless now available on 2-3/8" and 1-3/8" slats
- · Improved fabrication of LightsOut routeless slats option to reduce slat displacement
- · Spliced valance available up to 168"
- Updated solid cloth tape colors



FEATURES & BENEFITS

- Offered in 1-3/8", 2", and 2-3/8" slat sizes to fit any scale window.
- A wide range of colors and styles, from whites and neutrals to rich wood tones and updated gray selections, or add a unique design element with our distinctive Coastal collection.
- · A stylish collection of optional solid and decorative tapes add a fashion accent.
- Optional LightsOut routeless feature helps block additional light, enhances privacy.
- · Modern trapezoid bottomrail shape improves appearance and enables blinds to close tighter.
- Your choice of valance styles standard Decorative, contemporary Crescent, simply elegant Modern, or the larger profile Forte valance.
- Innovative magnetic valance attachment system is secure, easy to install, and fully adjustable.
- Available with upgraded operating systems including cordless Lift & Lock™, cordless lift and RemoteTilt™
 motorization for enhanced control convenience.
- Cordless Lift & Lock™ is certified Best For Kids when ordered with wand tilt
- · Limited Lifetime warranty ensures your customers' satisfaction.

COLOR CHART

Wood Styles & Names	1-3/8" COLOR #	2" COLOR#	2-3/8" COLOR #
SMOOTH FINISH (paints & stains)			ļ.
Amber	W138-287	W2-287	W238-287
Ashen		W2-401	
Barn Door		W2-316	
Chocolate		W2-320	
Dark Mocha		W2-295	W238-295
Eastern Cherry		W2-315	
English Walnut		W2-299	
Golden Oak	W138-124	W2-124	W238-124
Golden Pine		W2-285	
Gray Day		W2-402	
Lunar		W2-301	W238-301
Mahogany	W138-125	W2-125	W238-125
Mesquite	W138-291	W2-291	W238-291
Milky White	W138-282	W2-282	W238-282
Neuvo White		W2-284	W238-284
New Oak		W2-117	
Provincial		W2-319	
Pure White	W138-026	W2-026	W238-026
Raven		W2-400	
Rich Walnut	W138-133	W2-133	W238-133
Rose Mahogany		W2-293	
Snow White		W2-296	
Snowflake		W2-013	W238-013
Spice	W138-134	W2-134	W238-134
Stewart Pecan		W2-318	
Storm Cloud		W2-317	
Sugar		W2-300	W238-300
Sunset Pine		W2-288	
Traditional White		W2-283	
Winter White	W138-012	W2-012	W238-012

COASTAL

Boardwalk	WBR-807	
Driftwood	WBR-801	
Ocean Mist	WBR-806	
Sailcloth	WBR-800	
Sand Dollar	WBR-803	
Winter Surf	WBR-805	

= NOT AVAILABLE



2" SMOOTH FINISH

3" Standard Decorative Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
HEIGHT TO:															
30"	\$169	181	203	221	243	268	297	344	371	400	426	466	505	547	594
36"	180	200	220	237	268	291	324	375	403	440	474	524	554	601	652
42"	196	218	239	265	297	322	360	412	451	491	531	585	618	671	727
48"	211	233	258	284	319	341	388	451	490	530	578	636	674	733	801
54"	239	268	290	323	360	395	440	509	546	601	658	721	765	827	896
61"	257	284	315	319	386	396	472	534	589	647	713	778	830	896	976
66"	272	302	335	363	415	457	510	586	637	698	764	845	893	970	1057
73"	290	324	363	363	455	495	553	637	696	761	833	918	987	1061	
78"	309	345	382	414	470	513	598	688	746	798	878	991	1050		•
84"	328	364	403	441	502	554	637	721	780	838	950	1046		ı	
90"	345	384	428	466	524	583	671	754	813	895	988		='		
96"	363	403	451	495	557	615	699	790	859	942		_			
102"	379	421	468	510	576	636	735	840	913		Note: BI	inds over	50 sq. ft		
108"	417	462	510	550	616	685	780	895	977		require :	2 or 3 on	1 Headra	ail	
114"	433	481	523	568	637	710	807	929		•					
120"	451	509	554	600	674	746	856	975			Cordles	s Lift & Lo	ock not a	vailable i	n sizes
126"	473	527	576	636	717	790	900				over 45	sq ft outs	ide the th	nick black	k line

SOLID AND DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with cordless lift upgrade, Cordless Lift & Lock upgrade, or LightsOut option.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
Solid	\$36	36	36	36	43	43	43	53	53	53	53	61	61	61	69
Decorative	78	78	78	78	97	97	97	116	116	116	116	136	136	136	153

FORTE VALANCE UPGRADE SURCHARGE

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
4" Forte	\$27	27	27	27	43	43	43	43	58	58	58	58	71	71	71	91	91	91	112	112

OPTIONS: NO CHARGE - SPECIFY ON ORDER

- 3" Crescent Valance (in place of 3" Standard Deco Valance)
- 3" Modern Valance (in place of 3" Standard Deco Valance)
- · LightsOut Routeless Feature (not available with Cordless Lift, Cordless Lift & Lock, or blinds with Tapes)
- Controls LR, RL, or Grouped (Standard Only)
- Tile Cut Out maximum 5-1/2" width each side (not available with Cordless Lift & Lock)
- · Hold-Down Brackets
- · Short and Long Extension Brackets

- Spacer Blocks small (3/8") and large (3/4")
- Special Wand/Cord Length (please see available wand sizes on p.14)
- 2 or 3 On 1 Headrail (maximum 120") price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift) (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size, and color.)

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER

- Cordless Lift & Lock™ Systemadd \$124 each Blinds Under 12" Wideadd \$21 each
- Cordless Lift Systemadd \$180 each Tape Valance (on 3" Standard Deco Valance Only)add \$20 each

 - Keystone Valance option (for blinds under 102" wide)add \$21

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™	2" RemoteTilt Motorization*
Minimum Width (Net)	8"	18"	10-1/2"	12"
Thin in the sit (166)	12" with Tapes			14" with Tapes
Maximum Width (One blind)	102"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"
Max. AREA (SQ/FT)	50 sg/ft	45 sq/ft	45 sq/ft	50 sa/ft
- Blinds over 50 SQ/FT require 2 or 3 on 1 headrail (where available)	50 Sq/II	45 Sq/II	45 Sq/II	50 Sq/II
Maximum Width 2 on 1 Headrail	120"	N/A	120"	N/A
Maximum Width 3 on 1 Headrail	120"] 19/A	N/A	N/A
Maximum continuous valance width (not spliced)	102"	102"	102"	102"



2" COASTAL

3" Standard Decorative Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
HEIGHT TO:															
30"	\$175	193	215	233	260	284	319	366	396	430	468	512	543	583	634
36"	189	211	232	255	286	313	345	403	433	473	514	563	598	647	700
42"	210	232	255	282	316	345	388	446	484	530	575	636	673	731	786
48"	224	250	276	305	344	375	418	488	527	579	627	695	739	797	869
54"	257	283	316	348	388	428	476	553	596	655	711	789	833	900	977
61"	272	302	338	373	418	458	514	594	645	711	771	856	900	977	1063
66"	288	327	363	399	450	497	557	640	694	761	833	924	977	1070	1161
73"	315	350	393	428	490	538	604	696	762	837	919	1008	1075	1167	
78"	334	370	411	451	512	559	652	750	811	877	953	1089	1156		
84"	350	395	441	481	545	603	698	791	860	924	1019	1150			
90"	373	412	462	509	575	634	732	829	895	990	1049		•		
96"	392	440	491	541	611	673	771	869	954	1039					
102"	408	458	513	554	634	698	809	914	995		Note: BI	inds ove	r 50 sq. ft		
108"	450	502	557	598	677	747	859	976	1068		require 2	2 or 3 on	1 Headra	ail	
114"	468	523	575	618	700	775	888	1013							
120"	491	546	603	654	743	820	937	1039			Cordless	s Lift & L	ock not a	vailable i	n sizes
126"	513	572	627	694	784	864	1005		-		over 45	sq ft outs	side the th	nick black	k line

SOLID AND DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with Cordless Lift upgrade, Cordless Lift & Lock upgrade or LightsOut option.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
Solid	\$36	36	36	36	43	43	43	53	53	53	53	61	61	61	69
Decorative	78	78	78	78	97	97	97	116	116	116	116	136	136	136	153

FORTE VALANCE UPGRADE SURCHARGE

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
4" Forte	\$27	27	27	27	43	43	43	43	58	58	58	58	71	71	71	91	91	91	112	112

OPTIONS: NO CHARGE - SPECIFY ON ORDER

- 3" Crescent Valance (in place of 3" Standard Deco Valance)
- 3" Modern Valance (in place of 3" Standard Deco Valance)
- · LightsOut Routeless Feature (not available with Cordless Lift System, · Cord Tilter Cordless Lift & Lock, or blinds with Tapes)
- · Controls LR, RL, or Grouped (Standard Only)
- Tile Cut Out maximum 5-1/2" width each side (not available with Cordless Lift & Lock)
- · Hold-Down Brackets
- · Short and Long Extension Brackets

- Spacer Blocks small (3/8") and large (3/4")
- Special Wand/Cord Length (please see available wand sizes on p.14)
- 2 or 3 On 1 Headrail (maximum 120") price as separate blinds (2 or 3 on 1 headrail not available with Cordless Lift) (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size, and color.)

OPTIONS: EXTRA CHARGE - SPECIFY ON ORDER

- Cordless Lift & Lock™ Systemadd \$124 each Blinds Under 12" Wideadd \$21 each

- Cordless Lift Systemadd \$180 each Tape Valance (on 3" Standard Deco Valance Only)add \$20 each
 - Keystone Valance option (for blinds under 102" wide)add \$21

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™	2" RemoteTilt Motorization*
Minimum Width (Net)	8"	18"	10-1/2"	12"
	12" with Tapes			14" with Tapes
Maximum Width (One blind)	102"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"
Max. AREA (SQ/FT)	50 sq/ft	45 sg/ft	45 sg/ft	50 sq/ft
- Blinds over 50 SQ/FT require 2 or 3 on 1 headrail (where available)	50 Sq/II	45 Sq/II	45 Sq/II	50 Sq/II
Maximum Width 2 on 1 Headrail	120"	N/A	120"	N/A
Maximum Width 3 on 1 Headrail	120"	11/71	N/A	N/A
Maximum continuous valance width (not spliced)	102"	102"	102"	102"

5

// Wood Blinds - 1-3/8" and 2-3/8"



1-3/8" SMOOTH AND 2-3/8" SMOOTH FINISHES

3" Standard Decorative Valance Included in Price

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
HEIGHT TO:															
30"	\$198	214	242	264	290	320	357	410	444	482	525	576	611	653	711
36"	213	239	262	285	321	349	387	454	487	530	581	634	670	726	787
42"	236	262	285	316	354	387	438	502	545	594	647	714	759	823	887
48"	250	278	310	341	385	420	471	548	591	650	706	780	831	893	974
54"	287	318	354	392	438	479	533	622	668	736	798	888	936	1012	1099
61"	306	339	380	418	471	515	581	666	724	798	867	961	1012	1099	1196
66"	324	367	405	449	507	558	627	719	778	856	936	1038	1099	1201	1306
73"	352	395	441	479	550	602	680	782	857	941	1032	1135	1207	1314	
78"	375	415	461	509	576	629	732	841	910	987	1071	1222	1300		•
84"	395	443	495	540	612	678	783	892	966	1038	1143	1291		•	
90"	418	461	520	573	647	711	824	931	1007	1114	1180				
96"	440	494	551	607	688	759	867	974	1074	1170					
102"	459	515	578	624	711	783	908	1027	1119		Note: BI	inds ove	r 50 sq. ft		
108"	507	565	627	670	762	837	964	1097	1199		require 2	or 3 on	1 Headra	ail	
114"	525	586	647	696	787	870	999	1137		- 1					
120"	551	614	678	734	833	923	1056	1170			Cordless	s Lift & L	ock not a	vailable i	n sizes
126"	578	645	706	778	885	971	1132		1		over 50	sq ft outs	side the th	nick black	k line

SOLID AND DECORATIVE TAPE SURCHARGE

NOTE: See Tape section for sizes & availability. Tapes are NOT available with LightsOut option, Cordless Lift & Lock upgrade, or on 1-3/8" Wood Blinds.

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"
Solid	\$43	43	43	43	51	51	51	63	63	63	63	73	73	73	83
Decorative	93	93	93	93	116	116	116	139	139	139	139	162	162	162	183

FORTE VALANCE UPGRADE SURCHARGE

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
			-	•••			<u> </u>	•••	•••			٠.	•••	•••						
4" Forte	\$32	32	32	32	51	51	51	51	70	70	70	70	84	84	84	109	109	109	134	134

OPTIONS: NO CHARGE - SPECIFY ON ORDER

- 3" Crescent Valance (in place of 3" Standard Deco Valance)
- 3" Modern Valance (in place of 3" Standard Deco Valance)
- LightsOut Routeless Feature (not available on blinds with Tapes)
- Controls LR, RL, or Grouped (Standard Only)
- Tile Cut Out maximum 5-1/2" width each side (not available with Cordless Lift & Lock)
- Hold-Down Brackets (not available with Cordless Lift & Lock)
- Short and Long Extension Brackets

- Spacer Blocks small (3/8") and large (3/4") (one 3/8" spacer set standard with 2-3/8" blinds)
- Special Wand/Cord Length (please see available wand sizes on p.14)
- 2 or 3 On 1 Headrail (maximum 120") price as separate blinds (3 on 1 headrail not available with Cordless Lift & Lock)
- Side by Side (slat alignment guaranteed within 1/4" when requested at time of order. Blinds must be the same height, slat size, and color.)

OPTIONS: EXTRA CHARGE - SPECIFY ON ORDER

- Cordless Lift & Lock™ Systemadd \$148 each Blinds Under 12" Wideadd \$25 each
- (not available on 1-3/8" blinds) Tape Valance (on 3" Standard Deco Valance Only).....add \$24 each

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

* RemoteTilt Motorization is not available with Cordless Lift & Lock. Tapes option and Cordless Lift & Lock are not available with 1-3/8" blinds.

SIZE SPECIFICATIONS	1-3/8" Standard	2-3/8" Standard	1-3/8" & 2-3/8" Cordless	2-3/8" Cordless Lift & Lock™	1-3/8" & 2 3/8" RemoteTilt Motorization*	
Minimum Width (Net)	8"	12" 12" with Tapes	18"	10-1/2"	12" 14" with Tapes	
Maximum Width (One blind)	102"	102"	78"	96"	96"	
Minimum Height	12"	12"	12"	12"	12"	
Maximum Height	126"	126"	84"	84"	96"	
Max. AREA (SQ/FT) - Blinds over 50 SQ/FT require 2 or 3 on 1 headrail	50 sq/ft	50 sq/ft	45 sq/ft	50 sq/ft	50 sq/ft	
Maximum Width 2 on 1 Headrail	120"	120"	N/A	120"	N/A	
Maximum Width 3 on 1 Headrail	120"	120"] IN/A	N/A	IN/A	
Maximum continuous valance width (not spliced)	102"	102"	102"	102"	102"	



REMOTETILT™ - Tilt Motorization System

NOTE: Must select RF RemoteTilt power source when ordering.

Radio Frequency (RF) RemoteTilt power options are: (1) Single Battery Wand (reloadable), (2) Dual Battery Wand (reloadable), and (3) Transformer (plugs into wall outlet). Each Reloadable Battery Wand comes with a set of 8 AA lithium batteries on initial shade orders at the prices shown below. The part # below references the battery wand only.

OPTIONS: EXTRA CHARGE – SPECIFY ON ORDER (Must select RF RemoteTilt power source when ordering)									
RADIO FREQUENCY (RF) MOTORIZATION									
Radio Frequency (RF) Tilt Motor	add \$497 per blind								
Radio Frequency (RF) Remote Control Unit – 1 Channel	Part #RC445069 add \$181 each								
Radio Frequency (RF) Remote Control Unit – 5 Channel	Part #RC445079 add \$232 each								
Radio Frequency (RF) Wireless Wall Switch – 1 Channel	Part #RC445135 add \$459 each								
Radio Frequency (RF) Wireless Wall Switch – 5 Channel	Part #RC445136 add \$459 each								
Radio Frequency (RF) Programmable Timer – 1 Channel	Part #1805237A add \$731 each								
Radio Frequency (RF) Single Battery Wand – Reloadable (Includes 8 AA)									
Radio Frequency (RF) Dual Battery Wand – Reloadable (Includes 16 AA)									
Radio Frequency (RF) Transformer	Part #1822192 add \$247 each								
Radio Frequency (RF) 10" Battery Wand Extension Cable	Part #9013282 add \$18 each								
Radio Frequency (RF) 48" Battery Wand Extension Cable	Part #9013279 add \$27 each								
Radio Frequency (RF) 96" Battery Wand Extension Cable	Part #9013277 add \$35 each								
Radio Frequency (RF) 8 AA Lithium Batteries - Reloadable Wand Replacements	Part #9014834 add \$82 each								
	D								
Solar Recharge Kit (batteries NOT included)									
(Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mobrackets – 4 qty.)	ount adhesive tape, solar panel mounting								
NiMh Rechargeable Batteries (quantity of 10)	Part #9018621add \$127 each								
Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 120" cable)	Part #9018620 add \$447 each								
48" Extension Cable for Y Harness	Part #9016736add \$29 each								

Notes: • For surcharges on oversize common carrier delivery, express ship program, shipments to Hawaii, Alaska and Puerto Rico, see General Information Section

REMOTETILT MOTORIZATION SIZE SPECIFICATIONS	1-3/8"	2"	2-3/8"
	12"	12"	12"
Minimum Width (Net)	N/A with Solid or Decorative Tapes	14" with Solid or Decorative Tapes	14" with Solid or Decorative Tapes
Maximum Width (One blind)	96"	96"	96"
Maximum Height	96"	96"	96"
Maximum AREA (SQ/FT)	50 sq/ft	50 sq/ft	50 sq/ft
Maximum continuous valance width (not spliced)	102"	102"	102"

RemoteTilt is not available with Cordless Lift & Lock

7

INDIVIDUAL VALANCE ORDERING & PRICING



Refer to this pricing for "individual" valances only. (Valances on all blind orders are already standard and included in the blind price.)

Valance Deductions for Wood Blinds

C	Order Configuration	How Valance Will Be Produced
IB	RETURN LENGTH OVERRIDE	Inside miter to miter valance will be 1" wider than ordered width
ОВ	NET (Valance Only)	Inside miter to miter valance will be exact ordered width
IB	NET (Valance Only)	Valance will be exact ordered width
IB	CONTINUOUS	Valance will be exact size of continuous valance measurement
IB	CONTINUOUS with RETURN LENGTH OVERRIDE	Inside miter to miter valance will be 1" wider than ordered width
ОВ	CONTINUOUS	Inside miter to miter valance will be exact ordered width

	SMOOTH FINISH	3" Standard Decorative, 3" Crescent, 3" Modern, and 4" Forte Valance Color #						
	Amber	287						
	Ashen	401						
	Barn Door	316						
l	Chocolate	320						
	Dark Mocha	295						
	Eastern Cherry	315						
	English Walnut	299						
	Golden Oak	124						
	Golden Pine	285						
	Gray Day	402						
	Lunar	301						
	Mahogany	125						
	Mesquite	291						
	Milky White	282						
	Neuvo White	284						
	New Oak	117						
	Provincial	319						
	Pure White	026						
	Raven	400						
	Rich Walnut	133						

SMOOTH FINISH	3" Standard Decorative, 3" Crescent, 3" Modern, and 4" Forte Valance Color #
Rose Mahogany	293
Snow White	296
Snowflake	013
Spice	134
Stewart Pecan	318
Storm Cloud	317
Sugar	300
Sunset Pine	288
Traditional White	283
Winter White	012

COASTAL	3" Standard Decorative, 3" Crescent, 3" Modern, and 4" Forte Valance Color #
Boardwalk	807
Driftwood	801
Ocean Mist	806
Sailcloth	800
Sand Dollar	803
Winter Surf	805

INDIVIDUAL VALANCE PRICING

WIDTH TO:	24"	28"	32"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"	144"	168"
3" Std Deco, Crescent, Modern	\$36	36	36	36	57	57	57	57	79	79	79	79	94	94	94	123	123	123	158	192
4" Forte	62	62	62	62	100	100	100	100	137	137	137	137	164	164	164	214	214	214	262	312

NOTE: The maximum continuous valance width is 102". Valances over the maximum width will be spliced in the center.

TAPE VALANCE OPTION



With this option, the 1" Solid, 1" or 1-1/8" Decorative Tape is attached (glued) across the flat section of the 3" Standard Decorative Valance. Refer to the wood/tape sample deck to coordinate wood and tape colors to your liking. The tape names available for this option and the 4 digit tape color numbers are listed below. (Tape pattern orientation flows from left to right.)

SOLID TAPE NAMES	Color Number
Alabaster	1113
Black	1899
Chocolate	1376
Dark Beige	1323
Dark Gray	1850
Light Beige	1322
Light Gray	1861


SOLID TAPE NAMES	Color Number
Pecan	1334
Steel	1867
Taupe	1302
White	1100
DECORATIVE TAPE NAMES	Color Number
Gray Cream Band	5007
Gray Gold Band	5006

NOTE: Decorative Keystone can be ordered with the tape valance option but the tape will not be placed on the Keystone, as it will butt up to it on each side.

8

VALANCES

STANDARD VALANCE & RETURN CONFIGURATIONS (OUTSIDE MOUNTS)



Standard Decorative - 3" Profile

Standard on All Styles

Crescent Valance - 3" Profile (optional)

· Optional for All Styles

Modern Valance - 3" Profile (optional)

· Optional for All Styles

Forte Valance - 4" Profile (upgrade)

· Optional for All Styles

NOTE: Outside mount returns are adjusted longer by the factory when short or long extension brackets or when small or large (3/8" or 3/4") spacer blocks are ordered. Only the 1st set of ordered spacer blocks will affect the return length adjustment. Please specify longer custom-return lengths when ordering if necessary.

Slat Size/Style	Standard OB Returns
• 1-3/8" Woods	3"
• 2" Woods	3"
• 2-3/8" Woods (+ 3/8" spacer blo	ocks) 3-3/8"
 2" Coastal Woods 	3"

Note: Inside mount blind valances do not come with returns unless specified on the order.

Forte

KEYSTONE VALANCE OPTION

Keystones are designed to cover splices in oversized valances or can be used as a decorative element to add dimensional appeal.

Valances under 102" – a keystone may be added to a valance for a small surcharge. The valance will come fully assembled with the keystone positioned in the center. The color of the keystone will match the valance.



Valances over 102" that are spliced - a keystone will automatically be provided at no charge to join the sides and cover the splice. Will require assembly.

Note: the addition of a keystone will not affect the overall width of the valance.



VALANCE / RETURN SPECIFICATIONS

• Custom valance widths are available upon request. Maximum widths for valance are as follows:

The maximum Continuous Valance width is 102".

The maximum Spliced Valance width is 168". (See note below).

• Custom return lengths are available upon request:

The minimum return length is 1/2"

The maximum return length is 6"

• 3" Return lengths are factory adjusted when extension brackets or (1 set of) spacer blocks are ordered.

Returns + Short Extension Brackets = 4-1/4"

Returns + Small Spacer Blocks = 3-3/8"


Returns + Long Extension Brackets = 6-1/4"

Returns + Large Spacer Blocks = 3-3/4"

<u>NOTE:</u> Valances over 102" will be spliced in the middle. A decorative keystone will be supplied at no charge to join the sides and conceal the splice.

CUSTOM VALANCE & RETURNS – MEASURED & CUT FROM THE INSIDE:

 NOTE: Valances are cut to measure from the <u>inside</u> miter to insure the most accurate fit when installed over the headrail or window frame.



CORDLESS LIFT & LOCK™ - BOTTOMRAIL COLOR COORDINATION

The cordless Lift & Lock™ operating system comes with a coordinating aluminum bottomrail in the color listed below.

Wood Styles & Names	0" 001 0D #	2" COLOD # 2 2/9" COLOD #		Cordless Lift & Lock Bottomrail		
-	2" COLOR #	2-3/8" COLOR #	Color	Color #		
SMOOTH FINISH (paints &	stains)					
Amber	W2-287	W238-287	Camel	082		
Ashen	W2-401		Pearl Gray	879		
Barn Door	W2-316		Camel	082		
Chocolate	W2-320		Sweet Chocolate	378		
Dark Mocha	W2-295	W238-295	Venetian Bronze	234		
Eastern Cherry	W2-315		Camel	082		
English Walnut	W2-299		Sweet Chocolate	378		
Golden Oak	W2-124	W238-124	Wild Ginger	463		
Golden Pine	W2-285		Camel	082		
Gray Day	W2-402		Gray Flannel	405		
Lunar	W2-301	W238-301	Antique White	973		
Mahogany	W2-125	W238-125	Venetian Bronze	234		
Mesquite	W2-291	W238-291	Sweet Chocolate	378		
Milky White	W2-282	W238-282	Pearl	974		
Neuvo White	W2-284	W238-284	Pearl	974		
New Oak	W2-117		Wild Ginger	463		
Provincial	W2-319		Sweet Chocolate	378		
Pure White	W2-026	W238-026	Pearl	974		
Raven	W2-400		Black	048		
Rich Walnut	W2-133	W238-133	Venetian Bronze	234		
Rose Mahogany	W2-293		Cognac	282		
Snow White	W2-296		Alabaster	002		
Snowflake	W2-013	W238-013	Pearl	974		
Spice	W2-134	W238-134	Ginger	187		
Stewart Pecan	W2-318		Cocoa	083		
Storm Cloud	W2-317		WD Gold	422		
Sugar	W2-300	W238-300	Pearl	974		
Sunset Pine	W2-288		Wild Ginger	463		
Traditional White	W2-283		Pearl	974		
Winter White	W2-012	W238-012	Alabaster	002		

	2" COLOR #	2-3/8" COLOR #	Cordless Lift &	Lock Bottomrail
COASTAL	2 COLOR#	2-3/6 COLON #	Color	Color #
Boardwalk	WBR-807		Cocoa	083
Driftwood	WBR-801		Smokey Gray	443
Ocean Mist	WBR-806		Smokey Gray	443
Sailcloth	WBR-800		Antique White	973
Sand Dollar	WBR-803		Antique White	973
Winter Surf	WBR-805		Bronze	064

= NOT AVAILABLE

NOTE: Bottomrail colors are pre-selected. Hardware color override is not available. Please refer to the cordless Lift & Lock™ Hardware Color Card to see an example of the bottomrail color.

SOLID AND DECORATIVE TAPES

TAPES



TAPE SPECIFICATIONS

Select the tape width, color and design which will complement your 2" or 2-3/8" wood blind.

- Made from a poly/cotton blend
- Resists fading or shrinking

- · Lifetime Guarantee
- Decorative tapes are attached to solid colored tape ladders that are slightly narrower than the width of the decorative tape (see chart below). The ladder is pre-selected based upon this width and for color coordination. A high tech gluing process is used to adhere the decorative tape. This process is superior to the commonly used sewing application which is visible and tends to pucker. The decorative tape is only applied to the ladder on the front of the blind. The back of the blind will have a solid color tape visible (see chart below).

Solid Tapes

1" Solid Tape	Color Number
Alabaster	1113
Black	1899
Chocolate	1376
Dark Beige	1323
Dark Gray	1850
Light Beige	1322
Light Gray	1861
Pecan	1334
Steel	1867
Taupe	1302
White	1100

1-1/2" Solid Tape	Color Number
Alabaster	8113
Black	8899
Chocolate	8376
Dark Beige	8323
Dark Gray	8850
Light Beige	8322
Light Gray	8861
Pecan	8334
Steel	8867
Taupe	8302
White	8100

Decorative Tapes

1-1/8" Do	Attached To	
Gray Cream Band	5007	Alabaster
Gray Gold Band	5006	Alabaster
1-1/4" Deco Tape		Attached To
Stonewash Cocoa	5003	Light Beige
Stonewash Espresso	5005	Chocolate
Stonewash Gray	5002	Alabaster
Stonewash Khaki	5001	Alabaster

1-1/2" De	есо Таре	Attached To
Dublin	6200	Alabaster
Ivory Accent	0911	Alabaster
Knit Fit	4300	Alabaster
White Accent	0910	White

Solid and Decorative Tapes are not available with:

- LightsOut Routeless Feature
- Cordless Lift
- Cordless Lift & Lock™
- 1-3/8" Slats

PRODUCT SPECIFICATIONS

FEATURES	1-3/8"	2" Smooth	2" Coastal	2-3/8"
# of Colors	9	30	6	14
Headrail Size	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"	1-1/2" x 2-1/4"
Headrail Gauge	.024	.024	.024	.024
Bracket Style	Box	Box	Box	Box
Ladder Space Between Slats	30 mm	44 mm	44 mm	54 mm
Wand Tilt - not available with RemoteTilt option	Yes	Yes	Yes	Yes
Decorative Valance	Yes - 3"	Yes – 3"	Yes – 3"	Yes – 3"
Valance Return Lengths (standard for OB mounts)	3"	3"	3"	3-3/8"
Magnetic Valance Attachment System	Yes	Yes	Yes	Yes
Decorative Wood Tassel	Yes	Yes	Yes	Yes
Break-Away Stop Ball - not required with cordless lift - not required with cordless Lift & Lock™	Yes	Yes	Yes	Yes
Warranty (Tilt motor systems are warranted for 5 years)	Lifetime Limited	Lifetime Limited	Lifetime Limited	Lifetime Limited

OPTIONS AND UPGRADES	1-3/8"	2" Smooth	2" Coastal	2-3/8"
Cordless Lift - not available with tapes - not available with LightsOut Routeless feature	Yes	Yes	Yes	Yes
Cordless Lift & Lock [™] - not available with tapes - not available with LightsOut Routeless feature	N/A	Yes	Yes	Yes
RemoteTilt System ¹ - not available with cordless Lift & Lock™	Yes	Yes	Yes	Yes
Cordless Lift System PLUS RemoteTilt System	Yes	Yes	Yes	Yes
LightsOut Routeless Slats ² - not available with tapes - not available with cordless lift - not available with cordless Lift & Lock™	Yes	Yes	Yes	Yes
2 or 3 On 1 Headrail ³ - 3 on 1 headrail not available with cordless Lift & Lock™	Yes	Yes	Yes	Yes
Tapes ⁴ - not available with cordless lift - not available with cordless Lift & Lock™ - not available with LightsOut Routeless feature	N/A	Yes	Yes	Yes
Tape Valance – Decorative Valance Only	Yes	Yes	Yes	Yes
Crescent Valance	Yes	Yes	Yes	Yes
Modern Valance	Yes	Yes	Yes	Yes
Forte Valance	Yes	Yes	Yes	Yes
Keystone Valance	Yes	Yes	Yes	Yes

CONTROL/MOUNTING OPTIONS	1-3/8"	2" Smooth	2" Coastal	2-3/8"
Cord Tilt	Yes	Yes	Yes	Yes
Control Positions	LR, RL or Grouped			
Tilt Control Position – Cordless Lift	L (only)	L (only)	L (only)	L (only)
Tilt Control Position – Cordless Lift & Lock™	N/A	L or R	L or R	L or R
Lift Control Position – RemoteTilt (Motor will be on opposite side)	L or R	L or R	L or R	L or R
Tile Cut-out(s) - not available with cordless Lift & Lock™	Yes	Yes	Yes	Yes
Spacer Blocks ⁵ (3/8" and 3/4" Depths)	Yes	Yes	Yes	3/8" Standard
Extension Brackets (Short & Long)	Yes	Yes	Yes	Yes
Hold-down Brackets - not available with 2-3/8" cordless Lift & Lock™	Yes	Yes	Yes	Yes

FOOTNOTES

- RemoteTilt motorization system requires a hand-held REMOTE CONTROL unit. The quantity of remote control units must be specified when ordering. RemoteTilt requires both a remote and a power source. Please specify when ordering.
 - The **LightsOut configuration** may cause slight "puckering" of the **lift cords** on the front of the blind when the slats are tilted backwards (reverse tilt) due to the use of interlacing cords on the front (the back uses looped ladders). A gentle tug down on the lift cord tassel will eliminate any puckering.
 - The slats on LightsOut routeless blinds feature notches in the slat instead of route holes. Regardless of blind size, there will notches in the front and rear of the slat on the far right and far left ladders only, approximately 6" in from the end of the slat.
- There will be a 1/2" maximum light gap between multiple blinds on 1 headrail. 2 or 3 on 1 headrail not available with the Cordless Lift or RemoteTilt upgrades.
- 4 Wood tone blinds will include Antique Brass Tape Clamps and White/Neutral tone blinds will include White Tape Clamps on the bottomrail.
- 5 On outside mount valances, the 1st set of ordered spacer blocks will automatically lengthen the default 3" valance return length by the depth of the spacer, either 3/8" or 3/4".

SIZE SPECIFICATIONS

SIZE SPECIFICATIONS	2" Standard	2" Cordless	2" Cordless Lift & Lock™	2" RemoteTilt Motorization*
Minimum Width (Net)	8"	18"	10-1/2"	12"
(100)	12" with Tapes			14" with Tapes
Maximum Width (One blind)	102"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"
Max. AREA (SQ/FT)	EO og/ft	45 og/ft	45 sg/ft	50 og/ft
- Blinds over 50 SQ/FT require 2 or 3 on 1 headrail (where available)	50 sq/ft 45 sq/ft	45 Sq/II	50 sq/ft	
Maximum Width 2 on 1 Headrail	120"	N/A	120"	N/A
Maximum Width 3 on 1 Headrail	120"	IN/A	N/A	N/A
Maximum continuous valance width (not spliced)	102"	102"	102"	102"

SIZE SPECIFICATIONS	2-3/8" Standard	2-3/8" Cordless	2-3/8" Cordless Lift & Lock™	2 3/8" RemoteTilt Motorization*
Minimum Width (Net)	12"	18"	10-1/2"	12"
William Width (Net)	12" with Tapes			14" with Tapes
Maximum Width (One blind)	102"	78"	96"	96"
Minimum Height	12"	12"	12"	12"
Maximum Height	126"	84"	84"	96"
Max. AREA (SQ/FT) - Blinds over 50 SQ/FT require 2 or 3 on 1 headrail	50 sq/ft	45 sq/ft	50 sq/ft	50 sq/ft
Maximum Width 2 on 1 Headrail	120"	N/A	120"	N/A
Maximum Width 3 on 1 Headrail	120"	IN/A	N/A	N/A
Maximum continuous valance width (not spliced)	102"	102"	102"	102"

SIZE SPECIFICATIONS	1-3/8" Standard	1-3/8" Cordless	1 3/8" Cordless Lift & Lock™**	1 3/8" RemoteTilt Motorization*
Minimum Width (Net)	8"	18"		12"
Maximum Width (One blind)	102"	78"		96"
Minimum Height	12"	12"		12"
Maximum Height	126"	84"		96"
Max. AREA (SQ/FT) - Blinds over 50 SQ/FT require 2 or 3 on 1 headrail (where available)	50 sq/ft	45 sq/ft		50 sq/ft
Maximum Width 2 on 1 Headrail	120"	N/A		N/A
Maximum Width 3 on 1 Headrail	120"] IN/A		IN/A
Maximum continuous valance width (not spliced)	102"	102"		102"

*RemoteTilt Motorization is not available with Cordless Lift & Lock

**1-3/8" Wood Blinds are not available with Cordless Lift & Lock or Tapes

FINISHED DIMENSIONS

Adjustments are taken from ordered dimensions and may vary slightly.

Inside (IB) Mount	
Headrail width ¹	- 3/4"
Blind width	- 1/2"
Blind height	ordered height
Valance	– 1/8 "
Outside (OB) Mount	
Headrail width ¹	– 1/4 "
Blind width	ordered width
Blind height	ordered height
Valance (measured from inside corners)	+ 1"
2 on 1 and 3 on 1 Headrail	
Gap between panels	– 1/2 "

MOUNTING REQUIREMENTS

Use a metal tape measure for all measurements.

Inside (IB) Mount	
Minimum mounting depth:	1-1/8"
Minimum mounting depth, flush mount - 1-3/8", 2":	3-1/2"
Minimum mounting depth, flush mount - 2-3/8":	3-3/4"
Outside (OB) Mount	
Minimum flat vertical surface	1-3/4"

FOOTNOTE

1 The headrail width has a 1/4" deduction on outside mounts and 3/4" deduction on inside mounts to accommodate the installation brackets.

CONTROL CHARTS / COMPONENTS – STANDARD RECTANGULAR

TILT WAND (Standard)

- · Wood tilt wands are color coordinated with slats
- · Chart shows standard lengths.
- Tilt Length Override specify length when ordering

Wand Length	Blind Height
12"	12" to 24"
20"	24 1/8" to 36"
24"	36 1/8" to 48"
36"	48 1/8" to 72"
48"	72 1/8" to 126"

Wood Wands up to 48" long. Clear plastic in 60", 70", 78", 90" or 120". Wand length optional. Specify optional lengths when ordering.

CONTROLS

- · Cords are color-coordinated with slats
- · Standard Cord length is 40% of blind height
- For RemoteTilt, the tilt function is controlled by remote unit

CONTROL POSITIONS:	Min. Width (NET)
Tilt Cord center and no Lift Cord*	Under 12"
Tilt Cord left / Lift Cord right (standard)	12"
Lift Cord left / Tilt Cord right	12"
Tilt & Lift Cords grouped left	18-1/8"
Tilt & Lift Cords grouped right	18-1/8"

^{*} Available on 1-3/8" and 2" blinds only

LADDER / TAPE PLACEMENT CHARTS

The following charts show the number of ladders and routes based on the width of the blind.

1-3/8" and 2" WOOD				
Blind Width # of Ladders # of Routes				
8" - 36"	2	2		
36 1/8" - 56 1/4"	3	2		
56 3/8" - 78 1/4"	4	4		
78 3/8" - 100 1/4"	5	4		
100 3/8" - 102"	6	4		

2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
8" - 36"	2	2
36 1/8" - 52"	3	2
52 1/8" - 72"	4	4
72 1/8" - 92"	5	4
92 1/8" - 102"	6	4

^{**}Routes are positioned approximately 2" from the end of the slat for blinds less than 12" wide, 3-3/4" from the end of the slat for blinds less than 18" wide, and 6 1/4" from the end of the slat for all others.

STACK-UP CHART (APPROXIMATE)

• Headrail+Bottomrail = 2-1/2"

The following charts show the stacking height of the slats when the blind is fully raised. Add in HR+BR for total.

1-3/8" WOOD		
+ 21/2"		
Blind Height	Stack Height	
48"	5 3/4"	
60"	7 3/8"	
72"	8 3/4"	
84"	10 1/4"	
96"	11 3/4"	

PLUS	2-1/2"

2" WOOD		
+ 21/2"		
Blind Height	Stack Height	
48"	4"	
60"	5"	
72"	6"	
84"	7"	
96"	8"	

PLUS	2-1/2"


2-3/8" WOOD		
+ 21/2"		
Blind Height	Stack Height	
48"	3 1/8"	
60"	3 7/8"	
72"	4 5/8"	
84"	5 3/8"	
96"	6 1/4"	

PLUS	2-1/2"

BREAK-AWAY STOP BALL

• Stop balls are standard for ALL lift cords.

The stop ball separates under pressure. It easily snaps together again.



BOTTOMRAIL

Trapezoid bottomrails are standard on wood blinds

The "trapezoid" bottomrail provides a contoured, modern look along with improved blind operation (slat tilting & rotating). It also accommodates a smaller flat 1" tape clamp when solid or decorative tapes are ordered.



NOTE: Wood tone blinds will include Antique Brass Tape Clamps and White/Neutral tone blinds will include White Tape Clamps on the bottomrail.

CONTROL CHARTS – CORDLESS

CONTROLS

- Available with tilt wand, tilt cords or RemoteTilt
- Tilt cords are color coordinated with slats
- Standard tilt cord length is 40% of blind height See tilt wand info on page 14 for wand lengths
- LIFT function is controlled from the bottom rail

TILT CONTROL POSITIONS:

Tilt Cord, Wand or RemoteTilt left (only)

Min. Width 18"

LADDER PLACEMENT CHARTS

The following charts show the number of ladders and routes based on the width of the blind.

1-3/8" and 2" WOOD		
Blind Width	# of Ladders	# of Routes
18" - 38-1/8"	2	2
38-1/4" - 60-1/8"	3	2
60-1/4" - 78"	4	4

2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
18" - 36"	2	2
36-1/8" - 60-1/8"	3	2
60-1/4" - 78"	4	4

^{**}Routes are positioned approximately 6 1/4" from the end of the slat for blinds less than 38 1/4" wide, and 8 1/4" from the end of the slat for all others.

STACK-UP CHART (APPROXIMATE)

The following charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

Headrail+Bottomrail = 2-1/2"

1-3/8" WOOD		
Blind Height Stack Height		
48"	5 3/4"	
60"	7 3/8"	
72"	8 3/4"	
84"	10 1/4"	

2" WOOD		
Blind Height Stack Height		
48"	4"	
60"	5"	
72"	6"	
84"	7"	

2-3/8" WOOD		
Blind Height	Stack Height	
48"	3 1/8"	
60"	3 7/8"	
72"	4 5/8"	
84"	5 3/8"	

PLUS	2-1/2"

PLUS	2-1/2"

PLUS	2-1/2"

CONTROL CHARTS - REMOTETILT™ MOTOR SYSTEM

CONTROLS

- Lift cords are color coordinated with slats
- Standard lift cord length is 40% of blind height
- TILT function is motor controlled from remote unit

LIFT CONTROL POSITIONS:

Lift Cord **right** (standard) or **left**Motor position will be on the opposite side
of Lift Cord

Min. Width		
12"		
14" w/ Tapes		

Note: RemoteTilt is not available with Cordless Lift & Lock

LADDER PLACEMENT CHARTS

The following charts show the number of ladders and routes based on the width of the blind.

1-3/8" and 2" WOOD		
Blind Width	# of Ladders	# of Routes
12" - 36"	2	2
36 1/8" - 56 1/4"	3	2
56 3/8" - 78 1/4"	4	4
78 3/8" - 96"	5	4

2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
12" - 36"	2	2
36 1/8" - 52"	3	2
52 1/8" - 72"	4	4
72 1/8" - 92"	5	4
92 1/8" - 96"	4	4

^{**}Routes are positioned approximately 5" from the end of the slat for blinds less than 18" wide and 6

1/4" from the end of the slat for all others.

STACK-UP CHART (APPROXIMATE)

The following charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

• Headrail+Bottomrail = 2-1/2"

1-3/8" WOOD	
Stack Height	
5 3/4"	
7 3/8"	
8 3/4"	
10 1/4"	
11 3/4"	

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"
96"	8"

2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"
96"	6 1/4"

PLUS	2-1/2"

PLUS	2-1/2"

16

PLUS	2-1/2"

CONTROL CHARTS – CORDLESS LIFT & LOCK SYSTEM

TILT WAND (STANDARD)

- Tilt wands are color-coordinated with slats
- · Chart shows standard lengths.
- Tilt Length Override specify length when ordering

2" & 2-3/8" WOOD		
Wand Length	Blind Height	
12"	12" to 24"	
20"	24 1/8" to 36"	
24"	36 1/8" to 48"	
36"	48 1/8" to 72"	
48"	72 1/8" to 84"	



Wood Wands up to 48" long. Clear plastic in 60", 70", 78", 90" or 120". Wand length optional. Specify optional lengths when ordering.

LADDER PLACEMENT CHART

The chart shows the number of ladders and routes based on the width of the blind.

2" & 2-3/8" WOOD		
Blind Width	# of Ladders	# of Routes
10-1/2" - 36"	2	2
36-1/8" - 56"	3	2
56-1/8" - 78"	4	4
78 1/8" - 96"	5	4

**Routes are positioned approximately 2 1/2" from the end of the slat for blinds less than 12 1/2" wide, 3" from the end of the slat for blinds less than 19 3/4" wide, and 6" from the end of the slat for all others.

CONTROLS

- · Cords are color-coordinated with slats
- · Standard Cord length is 40% of blind height
- For cordless Lift & Lock the lift function is controlled by the bottomrail

CONTROL POSITIONS: Tilt Cord center ONLY Tilt Left or Right ONLY Min. Width (NET) 10-1/2" to 12-3/8" 12-1/2" and more

STACK-UP CHART (APPROXIMATE)

Headrail+Bottomrail = 2-1/2"

The charts show the stacking height of the slats when the blind is fully raised. **Add in HR+BR for total.**

2" WOOD	
Blind Height	Stack Height
48"	4"
60"	5"
72"	6"
84"	7"

2-3/8" WOOD	
Blind Height	Stack Height
48"	3 1/8"
60"	3 7/8"
72"	4 5/8"
84"	5 3/8"
-	·


PLUS 2-1/2"

PLUS	2-1/2"

BOTTOMRAIL - Cordless Lift & Lock™


A 2" deep by 1" tall aluminum bottomrail is standard

The aluminum bottomrail comes in one of the available colors pre-selected to best complement the color of the slat. A list of the coordinating bottomrail colors can be found on page 10. Please refer Cordless Lift & Lock Bottomrail Colors sheet to see an example of the bottomrail color.




NOTE: Bottomrail colors are pre-selected. Hardware color override is not available.


PRODUCT COMPONENTS - STANDARD RECTANGULAR



CONTROL CHARTS – CORDLESS LIFT SYSTEM



PRODUCT COMPONENTS - CORDLESS LIFT & LOCK™ SYSTEM



*when ordered with wand tilt

REMOTETILT™ MOTORIZATION: OVERVIEW

With RemoteTilt motorized blinds, a better quality of life and have more time to enjoy life's daily pleasures. At the touch of a button, window coverings can be instantly adjusted to changing activities or the varying sun conditions.



An ideal solution is to manage glare with a RemoteTilt hand-held remote control. At the simple touch of a button, blinds will tilt open or closed to adjust to the changing sunlight in a room.





RemoteTilt motorized blinds provide ultra-quiet operation. This RF system can operate blinds from virtually anywhere in the house without direct line of sight. Similar to how a garage door opener operates, radio signals travel through walls and make it possible to control multiple coverings throughout the home alone or as a group. It is also available in a 5-channel version. The multi-channel RF system allows for independent control of individual blinds and/or group control.

The RemoteTilt motorization system provide many benefits, such as improving energy efficiency, providing easily controllable privacy and also enhancing home security.



The RemoteTilt RF timer allows users to program specific times of the day to automatically adjust blinds in different areas of the house, protecting interiors from the fading effects of direct sunlight. This feature provides added security to an unoccupied home by creating a lived in look even while homeowners are away on vacation.



The battery powered RemoteTilt RF wireless wall switch allows blinds to be controlled when entering or exiting a room, just like the lights. The switch may be seamlessly installed without wiring next to any light switch or stand alone, and is never misplaced. This one touch privacy helps create the ideal environment whether preparing for a bath, relaxing in bed or enjoying time with the family at home.

Alta RemoteTilt motorized blinds are powered by Somfy, an industry leader in automated window coverings. All motorized products are backed by a 5 year warranty.



RADIO FREQUENCY REMOTETILT™ MOTORIZATION: FEATURES & OPTIONS



RADIO FREQUENCY (RF) REMOTETILT FEATURES:

- · Highest quality patent protected design by Somfy
- Advanced motor with quiet operation
- Motor is fully enclosed within the headrail
- RemoteTilt blinds install with standard installation hardware
- RF motor is programmable with 1-channel and 5-channel versions

Note: The power source must be selected when ordering. The options are: reloadable and non-reloadable single or dual battery wand, and the plug-in transformer.





Radio Frequency (RF) RemoteTilt Motor Motor (Part #1002822)

Headrail Adapter (Part #9014528)

Tilt Hex Rod Adapter – Standard (Part #9014535) Tilt D Rod Adapter - Cordless Lift (Part #9014536)

- Fully concealed motor unit
- · Flexible and programmable operation
- 12 Volt System



Radio Frequency (RF) Remote Control

(must order separately) Color: 2 tone white and gray 2 Types: programmable 1-channel and

programmable 5-channel (1-Channel: Part #RC445069) (5-Channel: Part #RC445079)

8 AA Lithium Batteries (not shown) (Part #9014834)

- Controls tilting operation
- Programmable features
- · Easy blind tilting up to 90 feet away
- 5-channel remote allows for multiple and independent blind operation



Wand (Part #RC445268) Clips (Part #9013263)

Single Battery Wand (reloadable) and Installation Clips

- On initial blind orders, the reloadable wand comes with 8 AA lithium batteries
- · Comes with wall mounting installation clips
- · For parts ordering the reloadable wand INCLUDING 8 AA lithium batteries, order both part #s
- Replacement 8 AA lithium batteries may also be ordered separately



Optional, Dual Battery Wand (reloadable) and Installation Clips

(Clips: Part #9013263) (Wand: Part #RC445268) x2 (Y-Harness: Part #9018625) (Y-Harness Ext. Cable: Part #9016374)

- · On initial shade orders, the reloadable wands come with 16 AA lithium batteries
- · Combines Single Battery Wands for extended life
- Comes with wall mounting installation clips



Transformer

(Part #1822192)

· Plug-in operation, no batteries required



Battery Wand Extension Cables

Color: White

(10" Cable: Part #9013282) (48" Cable: Part #9013279) (96" Cable: Part #9013277)

- Available in 10", 48" and 96"
- · Allows battery wand installation away from headrail

Works in standard wall outlet (comes with 10' wire)



Wireless Wall Switch

Color: white

2 Types: programmable 1-channel and 5-channel (1 Channel: Part #RC445135)

- · Control wireless operation from the wall up to 90 feet away
- · Works like turning a light on/off



Programmable Timer (RF)

(5 Channel: Part #RC445136)

1 Type: programmable 1-channel (Part #1805237A)

- · Program operation based on pre-set times
- · Excellent home security feature



WireFree™ Solar Pack Kit - Batteries NOT included (Part #9019034)

Photovoltaic Panel

48" Extension Cable for Y Harness(Part #9016736)

Batteries (Part #9018621)



- · Uses sunlight to power a motorized shade.
- · Easy to install. Low profile, easy to conceal.
- Solar Recharge Kit (batteries NOT included) (Part #9019034) -Includes solar panel, 10" Y harness, 12v reloadable battery tube, tube mounting clips, glass mount adhesive tape, solar panel mounting brackets - 4 qty.)
- NiMh Rechargeable Batteries (quantity of 10) (Part #9018621)
- Plug-in AC Battery Rapid Charger (for solar recharge kit only) (includes 12" cable) (Part #9018620)
- 48" Extension Cable for Y Harness (Part #9016736)

Accessories

Plug-in AC battery (Part #9018620) rapid charger (required for charging battery prior to installation)

