

TEXTON



SHADES

PANEL TRACK

Effective April 1, 2019

design simplified™

TABLE OF CONTENTS

Product Overview

- Features and Benefits 2
- Collection Information 3-4
- Color Chart..... 5-8

Pricing

- Price Group 1 9
- Price Group 2 10
- Price Group 3 11
- Price Group 4 12
- Price Group 5 13
- Price Group 6 14
- Price Group 7 15
- Price Group 8 16

Product Specifications

- Options and Features 17
- Bottom Hem & Rail Options 17
- Valance Information 17-18
- Controls & Configuration Options (including ordering notes, stacking & size ranges) 19
- Headrail Splicing, Stacking Calculations and Panel Track Component Diagram 20-21

- How to Measure 22

Oversize Common Carrier Delivery

All orders with any quantity of shades or blinds or any continuous valance 96" or more in width are considered oversize. Therefore, a net shipping charge of \$40 per oversized unit will be assessed.

Oversized orders that require expedited shipping will be quoted and charged accordingly.

Please see General Information for additional freight and shipping charge information.

FEATURES AND BENEFITS



- Offered in various screen styles ranging from plain to decorative with openness factors ranging from 1% to 10% to provide just the right amount of light diffusion and UV protection
- Also available in a wide selection of blackout, vinyls, decorative fabrics, and grass-like weaves – many are flame-retardant
- Panel widths are customized to accommodate opening size, overlap is consistent
- Offers an excellent configuration to cover sliding glass doors and extra wide windows
- Available in side stack, split stack and free-floating panel configurations along with optional deluxe and fabric valances
- Limited Lifetime Warranty ensures your customer's satisfaction

COLLECTION INFORMATION

Material Name	Color Family	Price Group	Fabric Content	Opacity	Flame Retardant	Greenguard Certified	Bacterial & Fungal Resistant	Deluxe Valance	Fabric Valance	Bottom Rail Styles Heat Sealed/Flat Deco**/Fabric Wrapped/Deluxe
1% E Screen	R80	4	36% Fiberglass, 64% Vinyl	D	YES	YES	YES	YES	YES	All
1% Sheerweave 2500	R01	6	37% Fiberglass, 63% Vinyl on Fiberglass	D	YES	YES	YES	YES	YES	All
1% Sheerweave 2701	RS21	5	36% Fiberglass, 64% Vinyl on Fiberglass	D	YES	YES	YES	YES	YES	All
1% Sheerweave 4901	P4901	5	17% Polyester, 83% Vinyl on Polyester	D	YES	YES	YES	YES	YES	All
1% Sheerweave 5000	P5001	4	49% Polyester, 51% Vinyl on Polyester	D	YES	YES	YES	YES	YES	All except flat deco
1% Toka	RS11	3	30% Polyester, 70% PVC	D	YES	YES	YES	YES	YES	All
3% E Screen	R81	3	36% Fiberglass, 64% Vinyl	C	YES	YES	YES	YES	YES	All
3% M Screen	R58	4	36% Fiberglass, 64% Vinyl	C	YES	YES	YES	YES	YES	All
3% Sheerweave 2410	R06	4	36% Fiberglass, 64% Vinyl on Fiberglass	C	YES	YES	YES	YES	YES	All
3% Sheerweave 2703	P2703	4	36% Fiberglass, 64% Vinyl on Fiberglass	C	YES	YES	YES	YES	YES	All
3% Sheerweave 4400	RS2	4	25% Polyester, 75% Vinyl on Polyester	C	YES	YES	YES	YES	YES	All except flat deco
3% Sheerweave 4600	P4600	5	17% Polyester, 83% Vinyl on Polyester	C	YES	YES	YES	YES	YES	Heat sealed only
3% Sheerweave 4903	P4903	4	17% Polyester, 83% Vinyl on Polyester	C	YES	YES	YES	YES	YES	All
3% Sheerweave 5000	R07	4	Varies	C	YES	YES	YES	YES	YES	All except flat deco
3% T Screen	RS16	4	36% Fiberglass, 64% Vinyl	C	YES	YES	YES	YES	YES	All
4% S Screen	RS15	5	33.6% Fiberglass, 59.6% Vinyl, 6.8% Polyester	B	YES	YES	YES	YES	YES	All
4% Silver Screen	RS6	8	64% PVC, 36% Fiberglass	C	YES	YES	YES	YES	YES	All except flat deco
5% E Screen	R51	3	36% Fiberglass, 64% Vinyl	B	YES	YES	YES	YES	YES	All
5% M Screen Deco	R61	4	36% Fiberglass, 64% Vinyl	B	YES	YES	YES	YES	YES	All
5% Sheerweave 2000	P2000	4	37% Fiberglass, 63% Vinyl on Fiberglass	B	YES	YES	YES	YES	YES	All
5% Sheerweave 2390	RS1	3	35% Fiberglass, 65% Vinyl on Fiberglass	B	YES	YES	YES	YES	YES	All
5% Sheerweave 2705	P2705	4	36% Fiberglass, 64% Vinyl on Fiberglass	B	YES	YES	YES	YES	NO	Heat sealed only
5% Sheerweave 4000	R09	3	25% Polyester, 75% Vinyl on Polyester	B	YES	YES	YES	YES	YES	All except flat deco
5% Sheerweave 4500	P4500	4	17% Polyester, 83% Vinyl on Polyester	B	YES	YES	YES	YES	YES	All
5% Sheerweave 5000	R10	4	Varies	B	YES	YES	YES	YES	YES	All* except flat deco
7% Global Screen	RS14	2	30% Polyester, 70% PVC	B	YES	YES	YES	YES	YES	All
7% Sheerweave 5000	R34	4	Varies	B	YES	YES	YES	YES	YES	All except flat deco
10% E Screen	R19	3	36% Fiberglass, 64% Vinyl	A	YES	YES	YES	YES	YES	All
10% Sheerweave 2360	P2360	3	35% Fiberglass, 65% Vinyl on Fiberglass	A	YES	YES	YES	YES	YES	All
10% Sheerweave 4100	P4100	3	25% Polyester, 75% Vinyl on Polyester	A	YES	YES	YES	YES	YES	All except flat deco
10% Sheerweave 5000	R26	4	28% Polyester, 72% Vinyl on Polyester	A	YES	YES	YES	YES	YES	All except flat deco

* Heat sealed hem bar strongly recommended for R1015, R1019 & R1020

**Flat deco bottom rail (effective 5/20/2019)

Note: heat sealed hem bar is highly recommended for best panel appearance.



A. Glare Reducing

Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



B. Filtering

Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



C. Shading

Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening.



D. Blocking

Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout vanes).



E. Blackout

Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

COLLECTION INFORMATION

Material Name	Color Family	Price Group	Fabric Content	Opacity	Flame Retardant	Greenguard Certified	Bacterial & Fungal Resistant	Deluxe Valance	Fabric Valance	Bottom Rail Styles Heat Sealed/Flat Deco**/Fabric Wrapped/Deluxe
Alexandria	RD4	7	100% Polyester	B	NO	NO	N/A	YES	YES	All
Avila R Blackout	RB7	4	37.5% Polyester, 62.5% Acrylic	E	YES	YES	YES	YES	YES	Heat sealed only
Baroque	RD5	6	65% Cotton, 35% Polyester	C	NO	NO	NO	YES	YES	All
Blackout - Solid	R40	1	100% PVC Coated Fiberglass	E	YES	YES	YES	YES	NO	All
Brilliance	RD8	5	100% Polyester	B	NO	NO	Yes	YES	YES	All
Brilliance Blackout	RB6	6	100% Polyester	E	NO	NO	YES	YES	YES	All
Cararra	RD6	2	100% Polyester with Acrylic Coating	C	NO	NO	N/A	YES	YES	All
Claudio	RD7	5	90% Polyester, 10% Cationic Polyester	C	NO	NO	NO	YES	YES	All
Claudio Blackout	RB5	5	90% Polyester, 10% Cationic Polyester	E	NO	NO	NO	YES	YES	All
Cusco	RF6	7	100% Polyester	E	NO	NO	N/A	YES	YES	All
Darien	RD1	5	100% Polyester	B	NO	NO	N/A	YES	YES	All
Drizzle	RD2	5	89% Polyester, 11% Linen	B	NO	NO	N/A	YES	YES	All
Fiona	RD3	6	100% Polyester	C	NO	NO	YES	YES	YES	All
Flocke Blackout	R92	8	42% Fiberglass, 51% Acrylic, 7% Cotton Flocked Backing	E	YES	NO	NO	YES	YES	All
Hayworth	RF32	2	100% Polyester	B	NO	NO	NO	YES	YES	All
Illusion	RF34	4	100% Polyester	B	NO	NO	YES	YES	YES	All
Jasper	RF5	8	100% Polyester	C	NO	NO	N/A	YES	YES	All
Linview	R56	3	100% Polyester	B	NO	NO	N/A	YES	YES	All
Linview Blackout	RB3	4	100% Polyester	E	NO	NO	N/A	YES	YES	Heat sealed only
Montero	RF4	3	100% Polyester with Acrylic Coating	D	NO	NO	N/A	YES	YES	All
Moravia	RF8	7	100% Polyester	B	NO	NO	N/A	YES	YES	All
Santa Cruz	RF3	3	100% Polyester	D	NO	NO	N/A	YES	YES	All
Santa Cruz Blackout	RB1	3	100% Polyester	E	NO	NO	N/A	YES	YES	All
Scala Blackout	R100	2	100% Polyester	E	NO	NO	N/A	YES	NO	Heat sealed only
Sheerweave 7200R (Blackout)	P7200R	4	100% Polyester with Acrylic Foamed Backing	E	NO	YES	NO	YES	YES	Heat sealed only
Sheerweave 7250R (Light Filtering)	P7250R	3	100% Polyester with Acrylic Coating	C	NO	YES	NO	YES	YES	Heat sealed only
Sheerweave 7400 (Blackout)	P7400	6	100% Polyester with Acrylic Foamed Backing	E	YES	YES	NO	YES	YES	All
Sheerweave 7450 (Light Filtering)	P7450	5	100% Polyester with Acrylic Coating	B	NO	YES	NO	YES	YES	All
Sheerweave 7500R (Blackout)	P7500R	2	100% Polyester with Acrylic Coating	E	NO	YES	NO	YES	NO	Heat sealed only
Sheerweave 7500 (Blackout)	P7500	3	100% Polyester with Acrylic Coating	E	YES	YES	NO	YES	NO	Heat sealed only
Sheerweave 7600 (Blackout)	P7600	6	45% Polyester/55% Acrylic Foamed Backing	E	YES	YES	NO	YES	YES	All
Sheerweave 7650 (Light Filtering)	P7650	5	100% Polyester	B	YES	YES	NO	YES	YES	All
Sheerweave 7700R (Blackout)	P7700R	3	100% Polyester with Acrylic Foamed Backing	E	NO	YES	NO	YES	YES	All
Sheerweave 7750R (Light Filtering)	P7750R	3	100% Polyester with Acrylic Coating	C	NO	YES	NO	YES	YES	Heat sealed only
Sorrento	RF35	2	85.9% Polyester, 8.3% Cotton, 5.8% Flax	B	NO	NO	YES	YES	YES	All
Sunscreen (SW) 7000	R11	7	100% Polyester with Acrylic Foamed Backing	E	YES	YES	YES	YES	YES	All
Tundra	RD9	2	100% Polyester	B	NO	NO	NO	YES	YES	Heat sealed only
Tundra Blackout	RB8	2	100% Polyester	E	NO	NO	NO	YES	YES	Heat sealed only
Uptown	R79	8	66% Cotton, 34% Polyester	C	NO	NO	NO	YES	YES	All except heat sealed
Uptown Room Darkening	R79	8	66% Cotton, 34% Polyester	E	NO	NO	NO	YES	YES	All except heat sealed
World Textures 1	R48	5	80% Cotton, 20% Flax	C	NO	NO	NO	YES	YES	All
World Textures 1 Blackout	R50	6	100% Cotton	E	NO	NO	NO	YES	YES	All
World Textures 2	R49	7	40% Viscose, 23% PES, 20% Cotton, 17% Flax	C	NO	NO	NO	YES	YES	All except flat deco
World Textures 2 Blackout	R50	7	40% Viscose, 23% PES, 20% Cotton, 17% Flax	E	NO	NO	NO	YES	YES	All

**Flat deco bottom rail (effective 5/20/2019)

Note: heat sealed hem bar is highly recommended for best panel appearance.



A. Glare Reducing
Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



B. Filtering
Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



C. Shading
Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening.



D. Blocking
Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout vanes).



E. Blackout
Blocks out virtually all light (except light that may enter on the sides of the shade) for maximum privacy and darkness.

COLOR CHART

(Standard lead-time)

Material Name	Color Name	Color #
1% E Screen	Charcoal/Charcoal	R8009
1% E Screen	Charcoal/Cocoa	R8007
1% E Screen	Charcoal/Grey	R8008
1% E Screen	White	R8004
1% E Screen	White/Linen	R8005
1% E Screen	White/Pearl	R8003
1% Sheerweave 2500	Charcoal	R0103
1% Sheerweave 2500	Charcoal/Alpaca	R0109
1% Sheerweave 2500	Charcoal/Chestnut	R0104
1% Sheerweave 2500	Oyster	R0105
1% Sheerweave 2500	Oyster/Beige	R0106
1% Sheerweave 2500	Oyster/Pearl Gray	R0107
1% Sheerweave 2701	Oyster	RS2101
1% Sheerweave 2701	Oyster/Beige	RS2102
1% Sheerweave 2701	Oyster/Charcoal	RS2106
1% Sheerweave 2701	Oyster/Chestnut	RS2105
1% Sheerweave 2701	Oyster/Pearl Gray	RS2103
1% Sheerweave 2701	Oyster/Pewter	RS2104
1% Sheerweave 5000	Jute/Coffee	P5001 R88
1% Sheerweave 5000	Jute/Flax	P5001 R86
1% Toka	Bone	RS11002
1% Toka	Platinum	RS11003
1% Toka	White	RS11001
3% E Screen	Charcoal/Charcoal	R8102
3% E Screen	Charcoal/Cocoa	R8107
3% E Screen	Charcoal/Grey	R8108
3% E Screen	White/Linen	R8104
3% E Screen	White/Pearl	R8105
3% E Screen	White/White	R8106
3% M Screen	Charcoal/Apricot	R5803
3% M Screen	Charcoal/Charcoal	R5805
3% M Screen	Charcoal/Sable	R5808
3% M Screen	White Linen	R5807
3% M Screen	White/White	R5801
3% Sheerweave 2410	Charcoal	R0603
3% Sheerweave 2410	Charcoal/Alpaca	R0609
3% Sheerweave 2410	Charcoal/Chestnut	R0604
3% Sheerweave 2410	Oyster	R0605
3% Sheerweave 2410	Oyster/Beige	R0606
3% Sheerweave 2410	Oyster/Pearl Gray	R0607
3% Sheerweave 2703	Oyster	P2703 P12
3% Sheerweave 2703	Oyster/Beige	P2703 P13
3% Sheerweave 2703	Oyster/Charcoal	P2703 P28
3% Sheerweave 2703	Oyster/Chestnut	P2703 P92
3% Sheerweave 2703	Oyster/Pearl Gray	P2703 P14
3% Sheerweave 2703	Oyster/Pewter	P2703 P91

Material Name	Color Name	Color #
3% Sheerweave 4400	Alabaster	RS2200
3% Sheerweave 4400	Chalk	RS2202
3% Sheerweave 4400	Greystone	RS2201
3% Sheerweave 4400	Pewter	RS2203
3% Sheerweave 5000	Bark/Sienna	R0710
3% Sheerweave 5000	Chenille/Honey	R0707
3% Sheerweave 5000	Linen/Cinnamon	R0702
3% Sheerweave 5000	Linen/Cream	R0704
3% Sheerweave 5000	Linen/Fig	R0705
3% T Screen	Charcoal/Charcoal	RS16005
3% T Screen	Charcoal/Grey	RS16006
3% T Screen	Sable/Charcoal	RS16003
3% T Screen	White/Pearl	RS16004
3% T Screen	White/Sable-Straw	RS16002
3% T Screen	White/White	RS16001
4% S Screen	Ginger	RS15006
4% S Screen	Granite	RS15004
4% S Screen	Papyrus	RS15003
4% S Screen	Porcelain	RS15001
4% S Screen	Sesame	RS15007
4% Silver Screen	Beige	RS6501
4% Silver Screen	Black	RS6504
4% Silver Screen	Bronze	RS6503
4% Silver Screen	Light Grey	RS6500
4% Silver Screen	White	RS6502
5% E Screen	Charcoal/Charcoal	R5105
5% E Screen	Charcoal/Cocoa	R5104
5% E Screen	Charcoal/Grey	R5110
5% E Screen	Pure White	R5101
5% E Screen	White/Linen	R5108
5% E Screen	White/Pearl	R5109
5% M Screen Deco	Flagstone	R6107
5% M Screen Deco	Harvest Wheat	R6104
5% M Screen Deco	Hazelnut	R6105
5% M Screen Deco	Parchment	R6106
5% M Screen Deco	River Rock	R6102
5% M Screen Deco	Tumbleweed	R6103

Material Name	Color Name	Color #
5% Sheerweave 2390	Charcoal	RS1105
5% Sheerweave 2390	Charcoal/Alpaca	RS1106
5% Sheerweave 2390	Charcoal/Chestnut	RS1104
5% Sheerweave 2390	Charcoal/Gray	RS1102
5% Sheerweave 2390	Oyster	RS1100
5% Sheerweave 2390	Oyster/Beige	RS1101
5% Sheerweave 2390	Oyster/Pearl Gray	RS1103
5% Sheerweave 4000	Alabaster	R0901
5% Sheerweave 4000	Chalk	R0902
5% Sheerweave 4000	Granite	R0906
5% Sheerweave 4000	Greystone	R0904
5% Sheerweave 5000	Aura Sable	R1021
5% Sheerweave 5000	Bark/Ash	R1009
5% Sheerweave 5000	Bark/Pewter	R1010
5% Sheerweave 5000	Bark/Tiger Oak	R1001
5% Sheerweave 5000	Chenille/Driftwood	R1007
5% Sheerweave 5000	Contour Essence	R1017
5% Sheerweave 5000	Contour Natural	R1016
5% Sheerweave 5000	Contour Smoke	R1018
5% Sheerweave 5000	Linen/Pearl	R1014
5% Sheerweave 5000	Linen/Taupe	R1015
5% Sheerweave 5000	Metro /Platinum	R1019
5% Sheerweave 5000	Pavestone	R1020
5% Sheerweave 5000	Tweed/Buckeye	R1003
5% Sheerweave 5000	Tweed/Oatmeal	R1006
5% Sheerweave 5000	Twine/Flagstone	R1012
5% Sheerweave 5000	Twine/Metal	R1013
5% Sheerweave 5000	Twine/Oatmeal	R1011
7% Global Screen	Barley	RS14002
7% Global Screen	Canvas	RS14001
7% Global Screen	Platinum	RS14003
7% Sheerweave 5000	Bamboo/Wheat	R34 Q46
7% Sheerweave 5000	Bamboo White/Wheat	R3409
7% Sheerweave 5000	Linen/Clay	R3408
10% E Screen	Charcoal/Charcoal	R1902
10% E Screen	Charcoal/Cocoa	R1907
10% E Screen	White Pearl	R1908
10% E Screen	White/Linen	R1905
10% E Screen	White/White	R1906
10% Sheerweave 5000	Bamboo/Birch	R2603

COLOR CHART

(Standard lead-time)

Material Name	Color Name	Color #
Alexandria	Charcoal	RD403
Alexandria	Duck Egg	RD402
Alexandria	Oatmeal	RD401
Avila R Blackout	Canvas	RB703
Avila R Blackout	Chalk	RB702
Avila R Blackout	Charcoal	RB708
Avila R Blackout	Khaki	RB705
Avila R Blackout	Linen	RB704
Avila R Blackout	Marine	RB706
Avila R Blackout	Onyx	RB709
Avila R Blackout	Pewter	RB707
Avila R Blackout	White	RB701
Baroque	Champagne	RD501
Baroque	Cyan	RD502
Baroque	Ebony	RD504
Baroque	Ruby	RD503
Blackout - Solid	Alabaster	R4011
Blackout - Solid	Bone	R4005
Blackout - Solid	Buff	R4008
Blackout - Solid	Oyster	R4006
Blackout - Solid	White	R4001
Brilliance	Birch	RD802
Brilliance	Dove Gray	RD804
Brilliance	Pearl	RD801
Brilliance	Putty	RD803
Brilliance	Pyrite	RD805
Brilliance	Steel	RD806
Brilliance Blackout	Birch	RB602
Brilliance Blackout	Dove Gray	RB604
Brilliance Blackout	Pearl	RB601
Brilliance Blackout	Putty	RB603
Brilliance Blackout	Pyrite	RB605
Brilliance Blackout	Steel	RB606
Carrara	Coal	RD606
Carrara	Saddle	RD604
Carrara	Silver	RD603
Carrara	Storm	RD605
Carrara	Tusk	RD602
Carrara	White	RD601
Claudio	Ash	RD706
Claudio	Cloud	RD701
Claudio	Cream	RD702
Claudio	Gray Matters	RD708
Claudio	Mink	RD704
Claudio	Mist	RD703
Claudio	Reef	RD705
Claudio	Sailcloth	RD707
Claudio Blackout	Ash	RB506
Claudio Blackout	Cloud	RB501
Claudio Blackout	Cream	RB502
Claudio Blackout	Mink	RB504
Claudio Blackout	Mist	RB503
Claudio Blackout	Reef	RB505
Cusco	Chateau	RF6400
Cusco	Coconut Husk	RF6401
Cusco	Shadow Ridge	RF6402

Material Name	Color Name	Color #
Darien	Bark	RD106
Darien	Beige	RD101
Darien	Charcoal	RD107
Darien	Driftwood	RD103
Darien	Mocha	RD104
Darien	Sand	RD102
Darien	Sea Mist	RD105
Drizzle	Flax	RD201
Drizzle	Graphite	RD205
Drizzle	Hessian	RD202
Drizzle	Iron	RD204
Drizzle	Tweed	RD203
Fiona	Grey	RD303
Fiona	Sand	RD301
Fiona	Smokey Blue	RD302
Flocke Blackout	Chartreux	R9205
Flocke Blackout	Crystal	R9204
Flocke Blackout	Sea Cliff	R9202
Flocke Blackout	Spun Silk	R9203
Hayworth	Linen	RF32001
Hayworth	White	RF32000
Illusion	Dove	RF34003
Illusion	Flannel	RF34004
Illusion	Ivory	RF34002
Illusion	Snow	RF34001
Jasper	Country Linen	RF5303
Jasper	Heather	RF5302
Jasper	Storm Cloud	RF5300
Jasper	Tweed	RF5301
Linview	Ash	R5613
Linview	Cabana Wood	R5603
Linview	Fog	R5611
Linview	Macadamia	R5606
Linview	Midnight Black	R5615
Linview	Morning Light	R5602
Linview	Navy	R5610
Linview	New York Grey	R5614
Linview	Pale Lapis	R5609
Linview	Pale Oak	R5617
Linview	Porpoise	R5612
Linview	Rural Green	R5607
Linview	Sea Smoke	R5616
Linview	Skyward	R5608
Linview	Slate	R5605
Linview	Soft Linen	R5618
Linview	Summer White	R5601
Linview	Weathered Walnut	R5604
Linview Blackout	Alabaster	RB302
Linview Blackout	Café Crème	RB303
Linview Blackout	Collonade Gray	RB306
Linview Blackout	Gauntlet Gray	RB309
Linview Blackout	Pale Gray	RB307
Linview Blackout	Pale Oak	RB311
Linview Blackout	Pure White	RB301
Linview Blackout	Sea Smoke	RB310
Linview Blackout	Soft Linen	RB312
Linview Blackout	Stone	RB304
Linview Blackout	Tranquility	RB305
Linview Blackout	Whale	RB308

Material Name	Color Name	Color #
Montero	Dark Walnut	RF4200
Montero	Java Coast	RF4201
Montero	Wicker Basket	RF4202
Moravia	Coastal	RF8602
Moravia	Countryside	RF8600
Moravia	Seabreeze	RF8601
Santa Cruz	Bunglehouse Blue	RF3101
Santa Cruz	Manchester	RF3100
Santa Cruz	Night Sky	RF3106
Santa Cruz	Rainforest	RF3107
Santa Cruz Blackout	Bunglehouse Blue	RB102
Santa Cruz Blackout	Manchester	RB101
Santa Cruz Blackout	Night Sky	RB104
Santa Cruz Blackout	Rainforest	RB103
Scala Blackout	Gray	R10005
Scala Blackout	Off White	R10002
Scala Blackout	Silver	R10004
Scala Blackout	White	R10001
Sorrento	Bisque	RF35002
Sorrento	Linen	RF35001
Sorrento	Stucco	RF35003
Sunscreen 7000	Birch	R1101
Sunscreen 7000	Graphite	R1107
Sunscreen 7000	Mushroom	R1102
Sunscreen 7000	Onyx	R1103
Sunscreen 7000	Sand	R1104
Sunscreen 7000	White	R1106
Tundra	Antique White	RD9 02
Tundra	Dark Gray	RD9 05
Tundra	Ice White	RD9 01
Tundra	Oxford Jean	RD9 06
Tundra	Sand	RD9 03
Tundra	Whale	RD9 04
Tundra Blackout	Dark Gray	RB8 05
Tundra Blackout	Ivory	RB8 02
Tundra Blackout	Oxford Jean	RB8 06
Tundra Blackout	Sand	RB8 03
Tundra Blackout	Whale	RB8 04
Tundra Blackout	White	RB8 01
Uptown	Sterling	R7902
Uptown	Sterling Room Darkening	R7901
World Textures 1	Cyprus Coast	R4802
World Textures 1	Medina Mirage	R4803
World Textures 1	Medina Vision	R4806
World Textures 1 Blackout	Cypress Formal	R5001
World Textures 2	Oslo Blend	R4902
World Textures 2 Blackout	Oslo Terrain	R5004

COLOR CHART

(12 business day lead-time)

Decorative (Light Filtering)		
Material Name	Color Name	Color #
Sheerweave 7250R	Blazer	P7250R RL7
Sheerweave 7250R	Chiffon	P7250R RL4
Sheerweave 7250R	Chrome	P7250R RL5
Sheerweave 7250R	Earl Grey	P7250R RL6
Sheerweave 7250R	Oyster	P7250R RL2
Sheerweave 7250R	Raven	P7250R RL8
Sheerweave 7250R	Sail	P7250R RL3
Sheerweave 7250R	Swan	P7250R RL1
Sheerweave 7450	Cotton	P7450 U80
Sheerweave 7450	Flint	P7450 U87
Sheerweave 7450	Parchment	P7450 U81
Sheerweave 7450	Pebble	P7450 U83
Sheerweave 7450	Seagrass	P7450 U84
Sheerweave 7450	Sesame	P7450 U82
Sheerweave 7450	Shale	P7450 U85
Sheerweave 7450	Spice	P7450 U86
Sheerweave 7650	Bright White	P7650 U90
Sheerweave 7650	Coal	P7650 U97
Sheerweave 7650	Coffee	P7650 U96
Sheerweave 7650	Dove Grey	P7650 U93
Sheerweave 7650	Ivory	P7650 U99
Sheerweave 7650	Khaki	P7650 U92
Sheerweave 7650	Shell	P7650 U91
Sheerweave 7650	Taupe	P7650 U94
Sheerweave 7650	Thunder	P7650 U95
Sheerweave 7750R	Chalk	P7750R TL4
Sheerweave 7750R	Concrete	P7750R TL3
Sheerweave 7750R	Crystal	P7750R TL1
Sheerweave 7750R	Graphite	P7750R TL5
Sheerweave 7750R	Onyx	P7750R TL7
Sheerweave 7750R	Pewter	P7750R TL6
Sheerweave 7750R	Sand	P7750R TL2

Blackout		
Material Name	Color Name	Color #
Sunscreen (SW) 7000	Canvas	R11 U67
Sunscreen (SW) 7000	Canyon	R11 V41
Sunscreen (SW) 7000	Cocoa	R11 U69
Sunscreen (SW) 7000	Wheat	R11 Q57
Sheerweave 7200R	Blazer	P7200R RB7
Sheerweave 7200R	Chiffon	P7200R RB4
Sheerweave 7200R	Chrome	P7200R RB5
Sheerweave 7200R	Earl Grey	P7200R RB6
Sheerweave 7200R	Oyster	P7200R RB2
Sheerweave 7200R	Raven	P7200R RB8
Sheerweave 7200R	Sail	P7200R RB3
Sheerweave 7200R	Swan	P7200R RB1
Sheerweave 7400	Cotton	P7400 U80
Sheerweave 7400	Flint	P7400 U87
Sheerweave 7400	Parchment	P7400 U81
Sheerweave 7400	Pebble	P7400 U83
Sheerweave 7400	Seagrass	P7400 U84
Sheerweave 7400	Sesame	P7400 U82
Sheerweave 7400	Shale	P7400 U85
Sheerweave 7400	Spice	P7400 U86
Sheerweave 7500	Cloud	P7500 R39
Sheerweave 7500	Dune	P7500 R17
Sheerweave 7500	Ice	P7500 R13
Sheerweave 7500	Limestone	P7500 R41
Sheerweave 7500	Midnight	P7500 R22
Sheerweave 7500	Midnightx2	P7500 R99
Sheerweave 7500	Mist	P7500 R97
Sheerweave 7500	Nimbus	P7500 R42
Sheerweave 7500	Odyssey	P7500 R20
Sheerweave 7500	Orient	P7500 R21
Sheerweave 7500	Orientx2	P7500 S97
Sheerweave 7500	Porcelain	P7500 R40
Sheerweave 7500	Stone	P7500 R19
Sheerweave 7500	Tundra	P7500 R43

Blackout		
Material Name	Color Name	Color #
Sheerweave 7500R	Cloud	P7500R R45
Sheerweave 7500R	Dune	P7500R R51
Sheerweave 7500R	Ice	P7500R R44
Sheerweave 7500R	Limestone	P7500R R47
Sheerweave 7500R	Midnight	P7500R R55
Sheerweave 7500R	Mist	P7500R R48
Sheerweave 7500R	Nimbus	P7500R R49
Sheerweave 7500R	Odyssey	P7500R R53
Sheerweave 7500R	Orient	P7500R R54
Sheerweave 7500R	Porcelain	P7500R R46
Sheerweave 7500R	Stone	P7500R R52
Sheerweave 7500R	Tundra	P7500R R50
Sheerweave 7600	Bright White	P7600 U90
Sheerweave 7600	Coal	P7600 U97
Sheerweave 7600	Coffee	P7600 U96
Sheerweave 7600	Dove Grey	P7600 U93
Sheerweave 7600	Ivory	P7600 U99
Sheerweave 7600	Khaki	P7600 U92
Sheerweave 7600	Shell	P7600 U91
Sheerweave 7600	Taupe	P7600 U94
Sheerweave 7600	Thunder	P7600 U95
Sheerweave 7700R	Chalk	P7700R TB4
Sheerweave 7700R	Concrete	P7700R TB3
Sheerweave 7700R	Crystal	P7700R TB1
Sheerweave 7700R	Graphite	P7700R TB5
Sheerweave 7700R	Onyx	P7700R TB7
Sheerweave 7700R	Pewter	P7700R TB6
Sheerweave 7700R	Sand	P7700R TB2

COLOR CHART

(12 business day lead-time)

Screen		
Material Name	Color Name	Color #
1% Sheerweave 2500	Beige	R01 Q20
1% Sheerweave 2500	Beige/Pearl Gray	R01 Q21
1% Sheerweave 2500	Charcoal/Gray	R01 V22
1% Sheerweave 2500	Pearl Gray	R01 V20
1% Sheerweave 2701	Charcoal	RS21 V21
1% Sheerweave 2701	Charcoal/Brown	RS21 V66
1% Sheerweave 2701	Charcoal/Gray	RS21 V22
1% Sheerweave 2701	Charcoal/Slate	RS21 V64
1% Sheerweave 2701	Charcoal/Taupe	RS21 V65
1% Sheerweave 4901	Birch	P4901 Q25
1% Sheerweave 4901	Chalk	P4901 P06
1% Sheerweave 4901	Chalk/Black	P4901 P25
1% Sheerweave 4901	Chalk/Wheat	P4901 P26
1% Sheerweave 4901	Cobblestone	P4901 Q26
1% Sheerweave 4901	Ebony	P4901 V10
1% Sheerweave 4901	Flaxen	P4901 Q22
1% Sheerweave 4901	Kettal Grey	P4901 Q07
1% Sheerweave 4901	Pewter/Chalk	P4901 V03
1% Sheerweave 4901	Slate	P4901 V28
1% Sheerweave 4901	Soft Grey	P4901 Q27
1% Sheerweave 4901	Tobacco	P4901 Q16
1% Sheerweave 4901	Whitesands	P4901 Q23
1% Sheerweave 5000	Jute/Latte	P5001 R87
1% Sheerweave 5000	Jute/Parchment	P5001 R85
3% Sheerweave 2410	Beige	R06 Q20
3% Sheerweave 2410	Beige/Pearl Gray	R06 Q21
3% Sheerweave 2410	Charcoal/Gray	R06 V22
3% Sheerweave 2410	Pearl Gray	R06 V20
3% Sheerweave 2703	Charcoal	P2703 V21
3% Sheerweave 2703	Charcoal/Brown	P2703 V66
3% Sheerweave 2703	Charcoal/Gray	P2703 V22
3% Sheerweave 2703	Charcoal/Slate	P2703 V64
3% Sheerweave 2703	Charcoal/Taupe	P2703 V65
3% Sheerweave 4400	Ash	RS2 U64
3% Sheerweave 4400	Ebony	RS2 U65
3% Sheerweave 4400	Granite	RS2 U62
3% Sheerweave 4400	Pebblestone	RS2 U60
3% Sheerweave 4400	Tobacco	RS2 U66
3% Sheerweave 4600	Cappuccino	P4600 V95
3% Sheerweave 4600	Chalk	P4600 P06
3% Sheerweave 4600	Dark Bronze	P4600 V96
3% Sheerweave 4600	Ebony	P4600 V10
3% Sheerweave 4600	Ecru	P4600 Q59
3% Sheerweave 4600	Golden Sand	P4600 Q60
3% Sheerweave 4600	Granite	P4600 P10
3% Sheerweave 4600	Linen	P4600 U32
3% Sheerweave 4600	Pewter	P4600 V07
3% Sheerweave 4600	Sandstone	P4600 V44


Screen		
Material Name	Color Name	Color #
3% Sheerweave 4903	Birch	P4903 Q25
3% Sheerweave 4903	Chalk	P4903 P06
3% Sheerweave 4903	Chalk/Black	P4903 P25
3% Sheerweave 4903	Chalk/Wheat	P4903 P26
3% Sheerweave 4903	Cobblestone	P4903 Q26
3% Sheerweave 4903	Ebony	P4903 V10
3% Sheerweave 4903	Flaxen	P4903 Q22
3% Sheerweave 4903	Kettal Grey	P4903 Q07
3% Sheerweave 4903	Pewter/Chalk	P4903 V03
3% Sheerweave 4903	Slate	P4903 V28
3% Sheerweave 4903	Soft Grey	P4903 Q27
3% Sheerweave 4903	Tobacco	P4903 Q16
3% Sheerweave 4903	Whitesands	P4903 Q23
3% Sheerweave 5000	Chenille/Marshmallow	R07 R89
3% Sheerweave 5000	Chenille/Pearl	R07 R90
3% Sheerweave 5000	Linen/Burlap	R07 U11
3% Sheerweave 5000	Linen/Cranberry	R07 R11
3% Sheerweave 5000	Linen/Topaz	R07 U10
3% Sheerweave 5000	Wicker/Straw	R07 R93
5% Sheerweave 2000	Bone	P2000 Q05
5% Sheerweave 2000	Bone/Platinum	P2000 Q06
5% Sheerweave 2000	Bronze	P2000 Q10
5% Sheerweave 2000	Charcoal	P2000 V21
5% Sheerweave 2000	Charcoal/Chestnut	P2000 V24
5% Sheerweave 2000	Charcoal/Gray	P2000 V22
5% Sheerweave 2000	Platinum	P2000 V04
5% Sheerweave 2000	White	P2000 P02
5% Sheerweave 2000	White/Bone	P2000 P04
5% Sheerweave 2000	White/Platinum	P2000 P05
5% Sheerweave 2390	Beige	RS1 Q20
5% Sheerweave 2390	Beige/Pearl Gray	RS1 Q21
5% Sheerweave 2390	Pearl Gray	RS1 V20
5% Sheerweave 2705	Charcoal	P2705 V21
5% Sheerweave 2705	Charcoal/Brown	P2705 V66
5% Sheerweave 2705	Charcoal/Gray	P2705 V22
5% Sheerweave 2705	Charcoal/Slate	P2705 V64
5% Sheerweave 2705	Charcoal/Taupe	P2705 V65
5% Sheerweave 2705	Oyster	P2705 P12
5% Sheerweave 2705	Oyster/Beige	P2705 P13
5% Sheerweave 2705	Oyster/Charcoal	P2705 P28
5% Sheerweave 2705	Oyster/Chestnut	P2705 P92
5% Sheerweave 2705	Oyster/Pearl Gray	P2705 P14
5% Sheerweave 2705	Oyster/Pewter	P2705 P91
5% Sheerweave 4000	Ash	R09 U64
5% Sheerweave 4000	Ebony	R09 U65
5% Sheerweave 4000	Pebblestone	R09 U60
5% Sheerweave 4000	Pewter	R09 U63
5% Sheerweave 4000	Tobacco	R09 U66

Screen		
Material Name	Color Name	Color #
5% Sheerweave 4500	Cappuccino	P4500 V95
5% Sheerweave 4500	Chalk	P4500 P06
5% Sheerweave 4500	Dark Bronze	P4500 V96
5% Sheerweave 4500	Ebony	P4500 V10
5% Sheerweave 4500	Ecru	P4500 Q59
5% Sheerweave 4500	Golden Sand	P4500 Q60
5% Sheerweave 4500	Granite	P4500 P10
5% Sheerweave 4500	Linen	P4500 U32
5% Sheerweave 4500	Pewter	P4500 V07
5% Sheerweave 4500	Sandstone	P4500 V44
5% Sheerweave 5000	Aura/Poetry	R10 S84
5% Sheerweave 5000	Coffee	R10 S82
5% Sheerweave 5000	Contour/Smudge	R10 S77
5% Sheerweave 5000	Marble/Sand	R10 Q43
5% Sheerweave 5000	Wicker/Mushroom	R10 Q51
7% Sheerweave 5000	Twine/Jewel	R34 S73
10% Sheerweave 2360	Beige	P2360 Q20
10% Sheerweave 2360	Beige/Pearl Gray	P2360 Q21
10% Sheerweave 2360	Charcoal	P2360 V21
10% Sheerweave 2360	Charcoal/Alpaca	P2360 V32
10% Sheerweave 2360	Charcoal/Chestnut	P2360 V24
10% Sheerweave 2360	Charcoal/Gray	P2360 V22
10% Sheerweave 2360	Oyster	P2360 P12
10% Sheerweave 2360	Oyster/Beige	P2360 P13
10% Sheerweave 2360	Oyster/Pearl Gray	P2360 P14
10% Sheerweave 2360	Pearl Gray	P2360 V20
10% Sheerweave 4100	Alabaster	P4100 U59
10% Sheerweave 4100	Ash	P4100 U64
10% Sheerweave 4100	Chalk	P4100 U58
10% Sheerweave 4100	Ebony	P4100 U65
10% Sheerweave 4100	Granite	P4100 U62
10% Sheerweave 4100	Greystone	P4100 U61
10% Sheerweave 4100	Pebblestone	P4100 U60
10% Sheerweave 4100	Pewter	P4100 U63
10% Sheerweave 4100	Tobacco	P4100 U66
10% Sheerweave 5000	Crepe/Toasted Coconut	R26 U16
10% Sheerweave 5000	Seaglass/Chardonnay	R26 U28
10% Sheerweave 5000	Seaglass/Crystal	R26 U29
10% Sheerweave 5000	Seaglass/Silver	R26 U24

OPTIONS & FEATURES


Panel Attachment

- Heavy-duty Velcro sewn to backside of material.
- Provides easy panel installation & removal to carrier glides.



Controls

- Cord draw
- Wand draw
- Free Floating (with wands)



Bottom Hem / Rail

Heat Sealed Alum Bar (1-1/4")




Heat sealed hem to back
sealed pocket edges

Standard on all patterns except:

- Uptown
- Uptown Room Darkening

No Charge

Flat Deco Rail (1-1/4") *effective 5/20/2019*



Colors: White, Vanilla,
Silver, Bronze, and Black


Includes frosted clear
end caps.

Optional

(see **Collection Information**
section for availability)

No Charge

Deluxe Rail (1")



Colors: White, Vanilla, Silver,
Bronze, Black

Includes color-matched end caps.

Optional for all styles

Optional

(see **Collection Information**
section for availability)

No Charge

Fabric-Wrapped Rail (1")



Colors: White, Black

Front face of rail wrapped with
shade fabric; back face of rail
is painted finish without
any fabric wrap.
Includes frosted end caps.

Optional

(see **Collection Information**
section for availability)


FABRIC VALANCE OPTION

Valance Option (Not available on all pattern styles. Refer to Collection Information Section for detail.)

- Minimum Width – 12"
- Standard Valance Height – 6"
- Optional Valance Height – 4", 8" & 12"
- Inside Mount – No returns
- Outside Mount – 6" depth returns only



- 3/4" Dust Cover depth
- Straight hem only
- Mounting depth requirement:
3/4" plus inside mount shade clearance.
- Valance measures -1/8" than ordered width.



- Dust Cover depth
- Valance measures 1-1/2" wider than ordered width

For valances wider than material width, material will be seamed or spliced. Railroading is available upon request.

DELUXE VALANCE

Optional Deluxe Valance has clear edge groovers to hold the coordinating fabric in place.

- Standard height 3-5/8"
- Direction of fabric insert follows shade installed below.
- If valance is wider than material width, and shade below is not railroaded; valance fabric insert will be made with a center seamed like image shown above.




Outside Mount:

Default return length 6-5/8" (overall 7-3/8")
 Minimum return length 2-1/2" (overall 3")
 Maximum return length 9-5/8" (overall 10-3/8")

Inside Mount:

Default No returns
 Custom size returns available:
 Minimum return length 2-1/4" (overall 3")
 Maximum return length 2-1/4" (overall 3")



Note: When ordering returns, valance corner cap adds 3/4" to the valance return depth.

FINISHED DIMENSIONS

Spec:	
Minimum Width	21"
Maximum Width	144"

Inside (IB/IS) Mount	
Valance with no returns	Ordered width - 1/8"
Valance with returns	Ordered width + 1-1/4"
Outside (OB/OS)	
Valance with no returns	Ordered width + 1"
Valance with returns	Ordered width + 2 3/8"
End to End (Net Size) Mount	
Valance with no returns	Ordered width
Valance with returns	Ordered width

PRODUCT SPECIFICATIONS

How To Order

Controls

- Must specify control type with order – cord, wand, free floating.
- Cord control length is 10" less than ordered length.
- Wand draw is available on all shades; Wood wand size: 36".
- Some configurations require dual wands. Lead panel on each side will come with a wand.


Panel Stack Configurations

- Specify panel configuration from choices below.
- Approximately 3" material overlap when panels in fully closed position.
- Each stacking side will have 1 fixed panel.
- Optional **"free floating"** panels available at **10% Additional Charge**.
- Free floating panels available on one-way up to 5 panels only.

No split-draw or multi-stack configurations.

Each panel comes with wand.

Panels not interconnected with each other; each panel hand operated independently and can be positioned any place along the track.




Number of Panels	Select Weaves (Overall Width)	Woven Wood & Grass Weaves (Overall Width)	Stack Position / Configurations ("Room View" - Each stacking side will have 1 fixed panel)		
			Single Stack Left Stack	Single Stack Right Stack	Split Stack Note: Come with Dual Wand (if ordered with wand control)
2 Panels (1 overlap)	33" - 89"	21" - 89"	2L – two panels stack left (2 channel track) 	2R – two panels stack right (2 channel track) 	NA
3 Panels (2 overlaps)	48" - 132"	30" - 132"	3L – three panels stack left (3 channel track) 	3R – three panels stack right (3 channel track) 	NA
4 Panels (2 or 3 overlaps depending on number of stacks)	63" - 175"	39" - 175"	4L – four panels stack left (4 channel track) 	4R – four panels stack right (4 channel track) 	2L2R – two panels stack left, two panels stack right (2 channel track)
5 Panels (4 overlaps)	78" - 218"	48" - 218"	5L – five panels stack left (5 channel track) 	5R – five panels stack right (5 channel track) 	NA
6 Panels (5 overlaps)	93" - 261"	57" - 261"	NA	NA	3L3R – three panels stack left, three panels stack right (3 channel track)
8 Panels (7 overlaps)	123" - 261"	75" - 261"	NA	NA	4L4R – four panels stack left, four panels stack right (4 channel track)
10 Panels (9 overlaps)	152" - 261"	93" - 261"	NA	NA	5L5R – five panels stack left, five panels stack right (5 channel track)

PRODUCT SPECIFICATIONS

Panel Track Profile

- White painted aluminum profile.
- See mounting depth requirements on page 21 for panel track sizes.



Panel Track Splice

- Automatically comes with any window opening over 144" wide – track ships from factory in (2) equal size pieces.
- Recommended (request when placing order) with window openings over 100" wide to reduce risk of freight damage and provide easier handling by installers.
- Splice plate easily & securely connects separate tracks together to operate as a single track unit.
- Installers prefer the convenience of handling smaller tracks on the job site, then connecting together at installation.

Panel Size / Stacking Width


- **12" Minimum Panel Width** (includes 3" for overlap).
- **12" Minimum Panel Height.**
- **46" Maximum Panel Width** (includes 3" for overlap).
- **144" Maximum Panel Height.**
- individual panel size varies depending on overall shade width & panel configuration.

NOTE: The smaller the panel width, the narrower the stacking space


To calculate stacking width; overall width + (number of overlaps x 3) then divide by number of panels

Example # 1 – 3 panel 112" W + 6 (2 overlaps x 3 = 6) = 118 divide by 3 panels = 39-3/8" stacking / panel width

Example # 2 – 4 panel 112" W + 9 (3 overlaps x 3 = 9) = 121 divide by 4 panels = 30-1/4" stacking / panel width



- | | |
|-----------------------------------|----------------------------|
| 1. Aluminum Track | 10. Cord |
| 2. Sliding Panel w/Velcro | 11. Tensioner |
| 3. Fabric | 12. Control Wand |
| 4. Support w/Needle | 13. Flat Weight |
| 5. Double L Bracket Angle | 14. Panel Stop Screw |
| 6. L-Bracket Angle | 15. End Cap |
| 7. Channel Guide | 16. Brass Cord Locking Nut |
| 8. Double Support (front or Back) | 17. Velcro Velour |
| 9. Installation Clip | 18. Splice (not pictured) |



shown with cord draw and optional fabric valance


PANEL TRACK SPECIFICATIONS

Panel Track Brackets



(A)

Inside / Ceiling Mount
Used on 2 and 3 channel track
Bracket Clip
(Part #181-CA-00700)



(B)

Inside / Ceiling Mount
Used on 4 and 5 channel track
Bracket Clip
(Part #181-CA-00600)



(C)

Outside / Wall Mount
Used on all tracks
Installation Bracket
(Part #30-CA-06600)

Mounting Depth Requirements

Number Track Channels	IB Mount Flush Mount Depth	IB Mount W/ Valance Flush Mount Depth	IB Mount Minimum Depth	OB Mount Wall Clearance	OB Mount Overall Projection
2	2-1/2"	3-1/2"	1-3/4"	2-1/2" – 3-1/8"	4-1/8" – 4-3/4"
3	2-3/4"	3-3/4"	1-3/4"	2-1/2" – 3-1/8"	4-1/2" – 5-1/4"
4	3-1/2"	4-1/2"	1-3/4"	2-1/2" – 3-1/8"	5-1/4" – 6"
5	3-1/2"	4-1/2"	2"	1-3/4" – 4"	5-1/8" – 7-3/8"

Deductions

	IB Mount	OB Mount
Headrail Width	- 1/4"	net
Panel Width Allowance	- 1 3/8"	- 7/8"
Overall Height	- 1/2"	net

Fabric Valance Brackets



Outside Mount
4" x 4" L-bracket
for 6" dust cap
(Part # BRKT-L4)




Inside Mount
Hex Head Screw
1-1/2" #8
(Part # 02-70-9021)

Deluxe Valance Brackets




Outside Mount
(Optional for inside mount with returns)
(Part # 25-125)

Inside Mount



Outside Mount




PANEL TRACK HOW TO MEASURE

**Note: Projection of window handles / cranks could interfere with panel track panels.
Refer to "mounting depth requirements" above for projection clearance**

Inside Mount (IB) Installation - Window

To find width: Measure the opening across the top where the headrail is to be installed from inside of jamb on left to inside of jamb on right. **Round the measurement down to the nearest 1/8". Refer to mounting depth requirements.**




Inside Mount

To find height: Measure from the inside top of the opening on the left, at the center, and on the right to the sill; **round the measurement down to the nearest 1/8" and note the smallest dimension.**

Do not make any allowances: the factory will make all adjustments so the headrail will fit the opening properly and the panels will clear the sill by 1/2".

Outside Mount (OB) Installation – Window

To find width: Measure the width of the area to be covered at the place where the headrail will be installed to the nearest 1/8". Blind should overlap **opening at least 4"** on each side to ensure privacy. To calculate stack dimensions, refer to page 7.



Outside Mount

To find height: Measure the height of the area to be covered and **round down to the nearest 1/8"**. Blind should extend at **least 3" above and 3" below opening or window moulding.**


Outside Mount (OB) Installation - Patio Door / Room Divider

To find width: Measure the width of the area to be covered at the place where the headrail will be installed to the nearest 1/8". Blind should overlap opening at least 4" on each side.

To find height: Measure the height of the area to be covered and **round down to the nearest 1/8"**. Blind should extend **at least 3" above opening or window moulding.**

For ceiling-to-floor installations, deduct 1/2" for proper clearance.

Specifying OM measurement means the factory makes no allowances.



Special Measuring & Installation Considerations

Caution: Panel Tracks installed on windows near wall or baseboard heaters must clear the heaters by 12" above and 6" to the side.

Stretching of panel materials is probable with Textured materials:

IB Mount - we do not recommend IB mount due to probable stretching

OB Mount - extra adjustment recommended for placement of mounting brackets allowing panel clearance above the floor to anticipate panel material stretching:

- material can stretch up to 1" length



WARNING

Young children can **STRANGLE** in cord loops. They can also wrap cords around their necks and **STRANGLE**.

Child Safety Cord Tensioner

Attach the cord tensioner on the cord loop to the wall or window casement. This can prevent children from pulling cord loops around their necks.

